QM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 18:30:04 ; Search time 155.692 Seconds
                                             (without alignments)
                                             1340.986 Million cell updates/sec

Title: US-10-089-500-53
Perfect score: 3071
Sequence: 1 EVQLVESGGDFVQPGGSLRV..........IVEFLNRWITFCQSIISTLT 582
Scoring table: BLOSUM62
Searched: Gapop 10.0 , Gapext 0.5

Searched: 2002273 seqs, 358729299 residues

Total number of hits satisfying chosen parameters: 2002273

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   A_Geneseq_23Sep04:*
                 1: geneseqp1980s:*
                 2: geneseqp1990s:*
                 3: geneseqp2000s:*
                 4: geneseqp2001s:*
                 5: geneseqp2002s:*
                 6: geneseqp2003as:*
                 7: geneseqp2003bs:*
                 8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	3071	100.0	582	4	AAB81987	Aab81987 Gangliosi
2	3026	98.5	582	4	AAB81991	Aab81991 Gangliosi
3	2780.5	90.5	583	4	AAB83156	Aab83156 Gangliosi
4	2760.5	89.9	581	4	AAB81972	Aab81972 Gangliosi
5	2750.5	89.6	579	6	AAE33444	Aae33444 KS antibo
6	2750.5	89.6	579	6	AAO30910	Aao30910 di-KS-ala
7	2719.5	88.6	575	8	ADP42961	Adp42961 Humanised
8	2621	85.3	580	6	AAO30915	Aao30915 di-NH576
9	2589	84.3	580	6	AAO30913	Aao30913 di-NH576
10	2246.5	73.2	447	6	AAE33522	Aae33522 Human AQC
11	2240.5	73.0	447	6	AAE33523	Aae33523 Human AQC
12	2238.5	72.9	449	5	AAO18400	Aao18400 Mature hu
13	2236.5	72.8	447	6	AAE33524	Aae33524 Human AQC
14	2236.5	72.8	450	4	ADH34587	Adh34587 023 heavy
15	2234.5	72.8	445	6	AAO31101	Aao31101 Human A2-
16	2233	72.7	449	6	ABP58273	Abp58273 Humanised
17	2233	72.7	468	4	ABP58275	Abp58275 Humanised
18	2232	72.7	451	8	ADH34584	Adh34584 008 heavy
19	2231.5	72.7	444	6	AAE35327	Aae35327 Humanised
20	2231.5	72.7	444	6	AAE34876	Aae34876 BIWA4/8 a
21	2231.5	72.7	444	8	ADL15443	Adl15443 Humanised
22	2231.5	72.7	444	7	ADO00851	Ado00851 Humanised
23	2229.5	72.6	444	7	ADM47075	Adm47075 Mouse ant
24	2229	72.6	451	8	ADP88494	Adp88494 Humanised
25	2226	72.5	449	3	AAY68810	Aay68810 A rat hea
26	2222.5	72.4	477	4	AAU14288	Aau14288 Human nov
27	2221.5	72.3	446	7	ADF11425	Adf11425 2D8 anti-
28	2220	72.3	474	6	AAO14065	Aao14065 Heavy cha
29	2220	72.3	474	6	ABU08017	Abu08017 Heavy cha
30	2220	72.3	474	7	ADF65775	Adf65775 Human mon
31	2220	72.3	474	7	ADJ92515	Adj92515 Human SOJ
32	2219.5	72.3	461	6	ABR39847	Abr39847 Hu266 N56
33	2219	72.3	461	6	ABR39843	Abr39843 Hu266 N56
34	2219	72.3	451	8	ADH34586	Adh34586 021 heavy
35	2216.5	72.2	442	6	ABR39465	Abr39465 Humanised
36	2216.5	72.2	442	6	ABU08311	Abu08311 Humanised
37	2216.5	72.2	442	6	ABB80109	Abb80109 Heavy cha
38	2216.5	72.2	442	7	ADE94066	Ade94066 Humanised
39	2216.5	72.2	442	8	ADN61714	Adn61714 Humanised
40	2216.5	72.2	461	8	AAU07745	Aau07745 Humanised
41	2216.5	72.2	461	6	ABR39844	Abr39844 Hu266 N56
42	2216.5	72.2	461	6	ABR39848	Abr39848 Hu266 N56
43	2216	72.2	451	4	AAE12715	Aae12715 Human rec
44	2216	72.2	451	6	ABU58807	Abu58807 Mucin 1 (
45	2212	72.0	445	7	ADF11421	Adf11421 2B11 anti

ALIGNMENTS

RESULT 1
AAB81987

ID   AAB81987 standard; protein; 582 AA.
XX
AC   AAB81987;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 53.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO20123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 41; Page 168-172; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 582 AA;

  Query Match   100.0%; Score 3071; DB 4; Length 582;
  Best Local Similarity   100.0%; Pred. No. 2.1e-153;
  Matches 582; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTTYYFDSWGQGTLLTVSSA  120
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTTYYFDSWGQGTLLTVSSA  120

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240

Qy  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   300

Qy  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   360

Qy  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   420
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   420

Qy  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQEHLLLDLQMILNGINNY   480
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQEHLLLDLQMILNGINNY   480

Qy  481  KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV   540
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  481  KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV   540

Qy  541  IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  582
         ||||||||||||||||||||||||||||||||||||||||||
Db  541  IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  582
```

RESULT 2

AAB81991

ID   AAB81991 standard; protein; 582 AA.
XX
AC   AAB81991;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 57.
XX
KW   Ganglioside; GD3; complementary determining region; CDR; antibody;
KW   cancer.
OS   Synthetic.
XX
PN   WO20012343432-A1.
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   29-SEP-2000; 2000WO-JP006774.
PR   06-APR-2000; 2000JP-00105088.
PR   30-SEP-1999; 99JP-00278291.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 39; Page 175-179; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 582 AA;

```
Query Match             98.5%;   Score 3026;   DB 4;   Length 582;
Best Local Similarity   98.3%;   Pred. No. 4.9e-151;
Matches  572;   Conservative    5;   Mismatches    5;   Indels    0;   Gaps    0;

Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60
         ||:||||||||:||||||||||||||||||||||||||||::|:|||||||||||||||||
Db    1  EVTLVESGGDFVKPGGSLRVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTTYYFDSWGQGTLLTVSSA  120
         ||||||||||||||:||||||||||||||:||||:|||||||||||||||||||||||||||
Db   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTTYYFDSWGQGTLLTVSSA  120

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240

Qy  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   300

Qy  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   360

Qy  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   420
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   420

Qy  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQEHLLLDLQMILNGINNY   480
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQEHLLLDLQMILNGINNY   480

Qy  481  KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV   540
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  481  KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV   540

Qy  541  IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  582
         ||||||||||||||||||||||||||||||||||||||||||
Db  541  IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  582
```

RESULT 3

AAB83156

ID   AAB83156 standard; protein; 583 AA.
XX
AC   AAB83156;
XX
DT   02-JUL-2001 (first entry)
XX
DE   Ganglioside GM2 antibody-related protein #1.
XX
KW   Ganglioside; GM2; antibody; cytostatic; cytotoxic; cancer.
OS   Unidentified.

RESULT 4
AAB81972

Left column

PN WO20012431-A1.
XX
PD 05-APR-2001.
XX
PF 29-SEP-2000; 2000WO-JP006775.
XX
PR 30-SEP-1999; 99JP-00278292.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Hanai N, Nakamura K, Niwa R;
XX
DR WPI; 2001-266142/27.
XX
PT Monoclonal antibodies against ganglioside GM2 combined with drugs,
PT radioisotopes or proteins for treatment and diagnosis of cancer.
XX
PS Claim 43; Page 61-65; 80pp; Japanese.
XX
CC The present invention relates to derivatives of an antibody against
CC ganglioside GM2. The antibody may be a monoclonal antibody against
CC ganglioside GM2. The antibody is combined with a radioactive isotope, protein
CC fragments. The antibody is combined with a monoclonal antibody or its
CC or small drug in the treatment and diagnosis of cancer.
XX
SQ Sequence 583 AA;

Query Match   90.5%; Score 2780.5; DB 4; Length 583;
Best Local Similarity 89.9%; Pred. No. 3.9e-138;
Matches 526; Conservative 22; Mismatches 32; Indels 5; Gaps 2;

```
Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY  60
         ::|:|:|   |:|
Db   1 EVQLVQSGGAEVKKPGASVKVSCKASGYTFTDYNMDWVKQSPGQGLEWMGYIYPNNGGTGY 60

Qy  61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYY---FDSWGQGTLLTV 117
Db  61 NQKFKSKVTITVDISTSTAYMELHSLRSEDTAVYYC--ARTGHYGYMFAYWGQGTLVTV  118

Qy 118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
Db 118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177

Qy 178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
Db 179 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 238

Qy 238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
Db 239 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 298

Qy 298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
Db 299 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 358

Qy 358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
Db 359 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 418

Qy 418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSSTKKTQLQLEHLLLDLQMILNGI 477
Db 419 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSSTKKTQLQLEHLLLDLQMILNGI 478

Qy 478 NNYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPDLISN 537
Db 479 NNYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPDLISN 538

Qy 538 INVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db 539 INVIVLELKSSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 583
```

Right column

ID AAB81972 standard; protein; 581 AA.
XX
AC AAB81972;
XX
DT 03-JUL-2001 (first entry)
XX
DE Ganglioside GD2 specific antibody related protein SEQ ID NO: 31.
XX
KW Ganglioside; GD2; complementation determining region; CDR; antibody;
KW mouse; cancer.
XX
OS Synthetic.
XX
PN WO20012123573-A1.
XX
PD 05-APR-2001.
XX
PF 29-SEP-2000; 2000WO-JP006773.
XX
PR 30-SEP-1999; 99JP-00278290.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR WPI; 2001-266163/27.
XX
PT Human type complementation-determining domain transplanted antibody and
PT derivatives against ganglioside GD2, useful in diagnosis and therapy of
PT e.g. tumors, has low antigenicity, little side effects but potent
PT activity in cancer.
XX
PS Example 3; Page 111-114; 123pp; Japanese.
XX
CC The present invention describes an antibody, which can react specifically
CC with ganglioside GD2, and is transplanted with a human type
CC complementation-determining domain (CDR), or its fragments. The antibody
CC and its derivatives are useful in diagnosis and therapy of tumours,
CC particularly cancer diagnosis. The present sequence is a protein used in
CC the exemplification of the invention
XX
SQ Sequence 581 AA;

Query Match   89.9%; Score 2760.5; DB 4; Length 581;
Best Local Similarity 90.0%; Pred. No. 4.3e-137;
Matches 524; Conservative 22; Mismatches 35; Indels 1; Gaps 1;

```
Qy   1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
Db   1 QVQLQESGPGLVKPSQTLSITCTVSGFSLASYNIHWVRQPPGKGLEWLGVIWAGGS-TNY  59

Qy  61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTV    120
Db  60 NSALMSRLTISKDNSKNQVFLKMSSLTAADTAVYYCAKRSDDYSWFAYWGQGTLVTV    119

Qy 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
Db 120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
Db 180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
Db 240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
Db 300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
Db 360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
```

```
Db   360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy   421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
Db   420 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 479

Qy   481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
Db   480 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 539

Qy   541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db   540 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 581
```

RESULT 5
AAE33444

```
ID   AAE33444 standard; protein; 579 AA.
XX
AC   AAE33444;
XX
DT   02-APR-2003  (first entry)
XX
DE   KS antibody heavy chain-interleukin 2 (IL-2) fusion protein.
XX
KW   Immunoglobulin; diagnosis; epithelial cell adhesion molecule; EpCAM;
KW   cancer; gene therapy; interleukin-2; IL2; fusion protein.
OS   Unidentified.
XX
PN   WO200290566-A2.
XX
PD   14-NOV-2002.
XX
PF   03-MAY-2002; 2002WO-US013844.
XX
PR   03-MAY-2001; 2001US-0288564P.
XX
PA   (LEXI-) LEXIGEN PHARM CORP.
XX
PI   Gillies SD,  Lo K,  Qian X;
XX
DR   WPI; 2003-111985/10.
DR   N-PSDB; AAD51139.
XX
PT   New recombinant anti-EpCAM antibody having an amino acid sequence
PT   defining an immunoglobulin light or heavy chain framework region, useful
PT   for the diagnosis, prognosis and treatment of cancer.
XX
PS   Disclosure; Page 80-82; 82pp; English.
XX
CC   The present invention relates to novel recombinant anti-EpCAM
CC   (human epithelial cell adhesion molecule) antibodies comprising an amino acid
CC   sequence defining an immunoglobulin light or heavy chain framework
CC   region. Sequences of the present invention are useful for the diagnosis,
CC   prognosis and treatment of cancer. They are also used in gene therapy.
CC   The present sequence is KS antibody heavy chain-interleukin 2 (IL-2)
CC   fusion protein. This sequence is used to illustrate the method of the
CC   invention.
XX
SQ   Sequence 579 AA;

Query Match             89.6%;
Best Local Similarity   88.5%;
Matches  516;  Conservative  32;  Mismatches  30;  Indels  5;  Gaps  2;
Score 2750.5;  DB 6;  Length 579;
Pred. No. 1.4e-136;

Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGSTYY 60
        :||:||||  ||:|| :|||||||::||:|||:|||||||||||||||| :|::.::  |
Db    1 QIQLVQSGAEVKKPGETVKISCKASGYFTNYGMNWVKQTPGKGLKWMGWINITYTGEPTY 60

Qy   61 SDSVKGRFFISRDNSKNTLYLQMRSLRAEDSAVYFCTR-VKLGTYYFDSWGQGTLLTVSS 119
        ||:|:||| |:| :.||| ||||| :|||||| ||||  ||| |||||||||| |||||
Db   61 ADDFKGRFAFSLETSTSTAFLQINNLRSEDTATYFCVRFISKGDY----WGQGTSVTVSS 116
```

```
Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db   117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db   177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db   237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db   297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 356

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db   357 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416

Qy   420 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
Db   417 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 476

Qy   480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
Db   477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536

Qy   540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db   537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

RESULT 6
AAO30910

```
ID   AAO30910 standard; protein; 579 AA.
XX
AC   AAO30910;
XX
DT   22-SEP-2003  (first entry)
XX
DE   dI-KS-ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human.
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO2003048334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2002; 2002WO-US038780.
XX
PR   04-DEC-2001; 2001US-0337113P.
PR   12-APR-2002; 2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
PS   Example 10; Page 60-63; 71pp; English.
XX
CC   The invention relates to cytokine fusion proteins with increased
```

```
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   di-KS-ala-IL2 (D20T) variant protein comprising di-KS heavy chain fused
CC   to human IL-2 (D20T) variant protein. This sequence is used to illustrate
CC   the method of the invention
XX
SQ   Sequence 579 AA;

Query Match     89.6%;  Score 2750.5;  DB 6;  Length 579;
Best Local Similarity   88.5%;  Pred. No.1.4e-136;
Matches 516;  Conservative  32;  Mismatches 30;  Indels  5;  Gaps  2;

Qy     1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLLEWVAYISSGGSGTYY 60
Db     1 QIQLVQSGPELKKPGSSVKISCKASGYTFTNYGMNWVKQAPGKGLKWMGWINTYTGEPTY 60

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR-VKLGTYYFDSWGQGTLLTVSS 119
Db    61 ADDFKGRFITAETSTLYLQLNNLRSEDTATYFCVRFISKGDY----WGQGTVTVSS 116

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db   117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db   177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db   237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db   297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 356

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db   357 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
Db   417 QQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLLLTLQMILNGINN 476

Qy   480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
Db   477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536

Qy   540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db   537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

```
PD   01-JUL-2004.
XX
PD   16-DEC-2003;  2003WO-EP014295.
XX
PD   17-DEC-2002;  2002US-0433945P.
XX
PR   17-DEC-2002;  2002US-0433945P.
XX
PA   (MERE ) MERCK PATENT GMBH.
XX
PI   Gilles SD, Lo K;
XX
DR   WPI; 2004-488049/46.
DR   N-PSDB; ADP42959.
XX
PT   New modified m14.18 antibodies with reduced immunogenicity and that
PT   specifically bind the human cell surface glycosphingolipid GD2, useful
PT   for treating cancer.
XX
PS   Disclosure; SEQ ID NO 6; 51pp; English.
XX
CC   The invention relates to a novel antibody variable region, where the
CC   antibody variable region specifically binds to human cell surface
CC   glycosphingolipid GD2. An antibody variable region of the invention has
CC   cytostatic activity, and may have a use in gene therapy. The antibody may
CC   be used for treating cancer. The nucleic acid or cell is useful for
CC   manufacturing a medicament that may be used for treating diseases such as
CC   cancer. The present sequence represents an immunoglobulin heavy chain-IL-
CC   2 fusion protein.
XX
SQ   Sequence 575 AA;

Query Match     88.6%;  Score 2719.5;  DB 8;  Length 575;
Best Local Similarity   89.0%;  Pred. No. 6.1e-135;
Matches 518;  Conservative  24;  Mismatches 33;  Indels  7;  Gaps  3;

Qy     1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLLEWVAYISSGGSGTYY 60
Db     1 EVQLVQSGAEVEKPGASVKISCKASGSSFTGYMNWVRQNIGKSLEWIGAIDPYYGGTSY 60

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA 120
Db    61 NQKFKGRATITVDKSTSTAYMHLKSLRSEDTAVYCVS---GMEY---WGQGTSVTVSSA 114

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
Db   115 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 174

Qy   181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
Db   175 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGGP 234

Qy   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
Db   235 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 294

Qy   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEM 360
Db   295 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEM 354

Qy   361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
Db   355 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 414

Qy   421 QGNVFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
Db   415 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 473

Qy   481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
Db   474 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 533

Qy   541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db   534 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 575
```

RESULT 8
AAO30915
```
ID   AAO30915 standard; protein; 580 AA.
XX
AC   AAO30915;
XX
DT   22-SEP-2003  (first entry)
XX
DE   dI-NHS76 (gamma4h) (FN>AQ) (ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human; variant.
XX
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO2003048334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2002; 2002WO-US038780.
XX
PR   04-DEC-2001; 2001US-0337113P.
PR   12-APR-2002; 2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PS   Example 10; Page 68-71; 71pp; English.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
CC   The invention relates to cytokine fusion proteins with increased
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   di-NHS76 (gamma4h) (FN>AQ)-ala-IL2 (D20T) variant protein comprising di-
CC   KS heavy chain fused to human IL-2 (D20T) variant protein. This sequence
CC   is used to illustrate the method of the invention
XX
SQ   Sequence 580 AA;

Query Match             85.3%;  Score 2621;  DB 6;  Length 580;
Best Local Similarity   85.8%;  Pred. No. 9.2e-130;
Matches  500;  Conservative   29;  Mismatches   50;  Indels    4;  Gaps    3;

Qy          1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSH-YAMSWVRQAPGKGLEWVAYISSGGSGTY 59
              |:||| |||| |||||||||||||||||||| :|||||||||||||||||  |||||| |
Db          1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy         60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117
              |.|:|||||||| || ||| | ||||||:|||||||||   |:|  ||| ||||||||:
Db         60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSS 119

Qy        118 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 177
              |||||||||||| |||||||||||||||||||||||||||||||||||||||||||||||
Db        120 ASTKGPSVFPLAPCSRSTSBSTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179

Qy        178 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 237
              ||||||||||||||||| |||||||:|||||||||||:|||||||||||||||||| |||
Db        180 GLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVEPKSCDKTHTCPPCPAPEFLGG 239

Qy        240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
              |||||||||||||||||||||||||||||| || |||||||||||||||||||||||| |
Db        238 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQAQ 297
```

RESULT 9
AAO30913
```
ID   AAO30913 standard; protein; 580 AA.
XX
AC   AAO30913;
XX
DT   22-SEP-2003  (first entry)
XX
DE   dI-NHS76 (gamma2h) (FN>AQ)-ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human; variant.
XX
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO2003048334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2002; 2002WO-US038780.
XX
PR   04-DEC-2001; 2001US-0337113P.
PR   12-APR-2002; 2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PS   Claim 37; Page 64-67; 71pp; English.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
CC   The invention relates to cytokine fusion proteins with increased
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   di-NHS76 (gamma2h) (FN>AQ)-ala-IL2 (D20T) variant protein comprising di-
CC   KS heavy chain fused to human IL-2 (D20T) variant protein. This sequence
CC   is used to illustrate the method of the invention
XX
SQ   Sequence 580 AA;

Db        238 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQAQ 297
              ||||||||||||||||||||||||||||||  || |||||||||||||||||||||||
Qy        300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
              |||||||||||||||||||||||||||||  ||.:||||||||||||||||||||||
Db        298 STYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE 357

Qy        360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
              :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        358 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 417

Qy        420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
              ||||:|||||||||||||||||| : | | ||||||||||||||||||| ||||||||||
Db        418 QQGNIFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLLLTLQMILNGINN 477

Qy        480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        478 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 537

Qy        540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
              ||||||||||||||||||||||||||||||||||||||||||||
Db        538 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

```
Query Match     84.3%;   Score 2589;   DB 6;   Length 580;
Best Local Similarity   85.1%;   Pred. No. 4.4e-128;
Matches  497;   Conservative  29;   Mismatches  52;   Indels  6;   Gaps  5;

Qy     1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSH-YAMSWVRQAPGKGLEWVAYISSGGSGTY 59
           :|||.|||  |:|| :|||||||||||||||  |||||:|||||||||| ::: :.|
Db     1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy    60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSS 119
           |::.||.||:||| ||||:.:|:.|..|:.||||:|||  :.|.  |||:|||||:||||
Db    60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy   120 -ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
           .|||||||||||||.|:||| .||||||||||||||||||||||||||||||||||||||
Db   118 GASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 177

Qy   179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKTVEPKSCDKTHTCPPCPAPELLG 238
           |||||||||||||||. ||||:|||.|||||||||||||||||||||||||||||||  .
Db   178 SGLYSLSSVVTVPSSNFGTQYTCNVDHKPSNTKVDKTVEPKSCDKTHTCPPCPAPP-VA 236

Qy   239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
           |||||||||||||||||||||||||||||||||||||:|||||||||||||||||||||:
Db   237 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQA 296

Qy   299 NSTYRVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358
           :||:||.|||||:|||||||||||||||:.|||||||||||.|||||||||||||||:.
Db   297 QSTFRVVSVLTVVHQDWLNGKEYKCKVSNKGLPAPIEKTISKTKGQPREPQVTLPPSRE 356

Qy   359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
           |:||||||||||||||||||||||||||||||||||||||:.||||||||||||||||||
Db   357 EMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPMLDSDGSFFLYSKLTVDKSR 416

Qy   419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTTQLQLEHLLLDLQMILNGIN 478
           ||||||||||||||||||||||||:..:.|.|.|||||||||||||||:|. .|||||||
Db   417 WQQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTTQLQLEHLILTLQMILNGIN 476

Qy   479 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 538
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   477 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 536

Qy   539 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
           |||||||||||||||||||||||||||||||||||||||||||
Db   537 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

RESULT 10
AAB33522

```
Query Match     73.2%;   Score 2246.5;   DB 6;   Length 447;
Best Local Similarity   95.1%;   Pred. No. 3.3e-110;
Matches  426;   Conservative  4;   Mismatches  17;   Indels  1;   Gaps  1;

Qy     1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
           |||||||||  :|||||||||:||||||||:||:||||||||||||||||| ::: :|
Db     1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVATISGGGH-TYY 59

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSA 120
           .:|:|||||||||||||||||||:||||||:||:|||  :.|  :.|||||||:||.|||:
Db    60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFDGGYFDVWGQGTLVTVSSA 119

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy   181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359
```

```
Qy  361 TKRQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPG 448
            ||||||||||||||||||||||||||||
Db  420 QGNVFSCSVMHEALHNHYTQKSLSLSPG 447
```

```
RESULT 11
AAE33523
ID   AAE33523 standard; protein; 447 AA.
XX
AC   AAE33523;
XX
DT   02-APR-2003  (first entry)
XX
DE   Human AQC2 heavy chain mutant protein, haAQC2.
XX
KW   Human; very late activation antigen; VLA-1; betal containing integrin;
KW   immunological disorder; inflammatory disorder; skin related condition;
KW   psoriasis; eczema; burn; dermatitis; respiratory distress syndrome;
KW   fibrosis; allergic rhinitis; asthma; bronchitis; tendonitis; bursitis;
KW   fever; migraine headache; inflammatory bowel disease; Crohn's disease;
KW   irritable bowel syndrome; colitis; colorectal cancer; vascular disease;
KW   atherosclerosis; thyroiditis; aplastic anaemia; periarteritis nodosa;
KW   gastritis; Hodgkin's disease; rheumatic fever; autoimmune disease;
KW   osteoarthritis; type I diabetes; myasthenia gravis; rheumatoid arthritis;
KW   systemic lupus erythematosus; multiple sclerosis; nephrotic syndrome;
KW   renal failure; sarcoidosis; Behcet's syndrome; gingivitis; polymyositis;
KW   hypersensitivity; graft rejection; transplant rejection; conjunctivitis;
KW   graft versus host disease; myocardial ischaemia; mutant; mutein.
XX
OS   Homo sapiens.
XX
PN   WO200283854-A2.
XX
PD   24-OCT-2002.
XX
PF   12-APR-2002; 2002WO-US011521.
XX
PR   13-APR-2001; 2001US-0283794P.
PR   06-JUL-2001; 2001US-0303689P.
XX
PA   (BIOJ ) BIOGEN INC.
XX
PI   Lyne PD, Garber EA, Saldanha JW, Karpusas M;
XX
DR   WPI; 2003-093009/08.
XX
PT   New anti-VLA-1 antibodies are useful for preventing or treating VLA-1-
PT   mediated immunological or inflammatory disorders, e.g. psoriasis, eczema,
PT   burns, dermatitis, and abnormal proliferation of hair follicle cells or
PT   fibrosis.
XX
PS   Example 23; Page 91-92; 248pp; English.
XX
CC   The present invention relates to novel antibodies that specifically bind
CC   to very late activation (VLA-1; betal containing integrins) antigens and
CC   methods of using these antibodies to treat immunological disorders. The
CC   anti-VLA-1 antibodies are useful for preventing or treating VLA-1-
CC   mediated immunological or inflammatory disorders such as skin related
CC   conditions (e.g. psoriasis, eczema, burns, dermatitis and abnormal
CC   proliferation of hair follicle cells), fibrosis (e.g. kidney or lung
CC   fibrosis), allergic rhinitis, respiratory distress syndrome, asthma,
CC   bronchitis, tendonitis, bursitis, fever, migraine headaches, gastro-
CC   intestinal conditions (e.g. inflammatory bowel disease, Crohn's disease,
CC   gastritis, irritable bowel syndrome, colitis and colorectal cancer),
CC   vascular diseases (e.g. atherosclerosis), thyroiditis, aplastic anaemia,
CC   periarteritis nodosa, Hodgkin's disease, rheumatic fever, osteoarthritis,
CC   autoimmune diseases (e.g. type I diabetes, myasthenia gravis, rheumatoid
CC   arthritis, systemic lupus erythematosus and multiple sclerosis), renal
CC   failure, sarcoidosis, nephrotic syndrome, Behcet's syndrome, gingivitis,
```

```
CC   polymyositis, hypersensitivity (e.g. delayed type hypersensitivity or
CC   immediate type hypersensitivity), graft and transplant rejections, graft
CC   versus host disease, conjunctivitis, swelling occurring after injury,
CC   myocardial ischaemia or endotoxin shock syndrome. The present sequence is
CC   human AQC2 heavy chain mutant protein, haAQC2.
XX
SQ   Sequence 447 AA;

Query Match             73.0%;  Score 2240.5;  DB 6;  Length 447;
Best Local Similarity   94.9%;  Pred. No. 6.8e-110;
Matches  425;  Conservative  4;  Mismatches  18;  Indels  1;  Gaps  1;

Qy    1 EVQLVESGGDFVQPGGGSLRVSCAASGFAPSHYAMSWVRQAPGKGLEWVAYISSGSGGTYY 60
          |||||||:||||||||:||||:||||||| ||.|:.||:||||||:|||||||:| :.|
Db    1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVATISGGGH-TYY 59

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA 120
          ||||||||||||||||||||||| ||||||:|||:|||   |.| |::||||||:||||:|
Db   60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDWGQGTLVTVSSA 119

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFRNWYVDGVEVHNAKTKPREEQYQS 299

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy  361 TKRQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPG 448
          ||||||||||||||||||||||||||||
Db  420 QGNVFSCSVMHEALHNHYTQKSLSLSPG 447
```

```
RESULT 12
AAO18400
ID   AAO18400 standard; protein; 449 AA.
XX
AC   AAO18400;
XX
DT   11-OCT-2002  (first entry)
XX
DE   Mature humanised murine CBE11 heavy chain variable domain.
XX
KW   Mouse; humanised antibody; lymphotoxin beta receptor; antibody; cancer;
KW   neoplasia; LT-beta-R; light chain; heavy chain; variable region.
XX
OS   Mus sp.
OS   Synthetic.
XX
PN   WO200230986-A2.
XX
PD   18-APR-2002.
XX
PF   12-OCT-2001; 2001WO-US032140.
XX
PR   13-OCT-2000; 2000US-0240285P.
PR   13-MAR-2001; 2001US-0275289P.
PR   21-JUN-2001; 2001US-0299987P.
XX
PA   (BIOJ ) BIOGEN INC.
```

```
PI   Garber E, Lyne P, Saldanha JW;
XX
DR   WPI; 2002-583337/62.
XX
PT   New humanized anti-lymphotoxin-beta receptor antibody, useful for
PT   treating or reducing the advancement, severity or effects of neoplasia,
PT   particularly solid tumors (i.e. carcinomas) including colorectal cancer
PT   and breast cancer.
XX
PS   Example 5; Page 25-26; 41pp; English.
XX
CC   The present invention relates to humanised anti-lymphotoxin beta receptor
CC   (LT-beta-R) antibodies. These are derived from the murine LT-beta-R
CC   binding antibody CBE11 and can be used to treat neoplasia in humans. The
CC   present sequence is a humanised murine CBE11 heavy chain variable region
XX
SQ   Sequence 449 AA;

Query Match             72.9%;  Score 2238.5;  DB 5;  Length 449;
Best Local Similarity   94.0%;
Matches   422;   Conservative    8;   Mismatches   18;   Indels   1;   Gaps   1;

Qy     1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTY 60
           ||||||||||  ||||||||| ||||||| || ||   |||||||||||||| ||  ||
Db     1 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMWFRQAPGKGLEWVATISDGGSYTY 60

Qy    61 SDSVKGRFTISRDNSKNTLYLQMSSLRAEDSAVYFCTRVKLGT-YYFDSWGQGTLLTVSS 119
           .||||||||||||| ..|| ||||||||:|||| || :  |:|  ||||.||:|| |||
Db    61 PDSVKGRFTISRDNAQNSLYLQMSSLRAEDTAVYYCAREENGNFYYFDYWGQGTTVTVSS 120

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 180

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 240

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 300

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 360

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 420

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
           |||||||||| ||||||||||||||||||
Db   421 QQGNVFSCSVWHEALHNHYTQKSLSLSPG 449
```

```
RESULT 13

ID   AAE33524 standard; protein; 447 AA.
XX
AC   AAE33524;
XX
DT   02-APR-2003 (first entry)
XX
DE   Human AQC2 heavy chain mutant protein, hsAQC2.
XX
KW   osteoarthritis; type I diabetes; myasthenia gravis; rheumatoid arthritis;
KW   systemic lupus erythematosus; multiple sclerosis; nephrotic syndrome;
KW   renal failure; sarcoidosis; Behcet's syndrome; gingivitis; polymyositis;
KW   hypersensitivity; graft rejection; transplant rejection; conjunctivitis;
KW   graft-versus host disease; myocardial ischaemia; mutant; mutein.
XX
OS   Homo sapiens.
XX
PN   WO20028854-A2.
XX
PD   24-OCT-2002.
XX
PI   Lyne PD, Garber EA, Saldanha JW, Karpusas M;
XX
PF   12-APR-2002; 2002WO-US011521.
XX
PR   13-APR-2001; 2001US-0283794P.
PR   06-JUN-2001; 2001US-0303689P.
XX
PA   (BIOJ ) BIOGEN INC.
XX
PT   New anti-VLA-1 antibodies are useful for preventing or treating VLA-1-
PT   mediated immunological or inflammatory disorders, e.g. psoriasis, eczema,
PT   burns, dermatitis, and abnormal proliferation of hair follicle cells or
PT   fibrosis.
XX
PS   Example 23; Page 92; 248pp; English.
XX
CC   The present invention relates to novel antibodies that specifically bind
CC   to very late activation (VLA-1; betal containing integrins) antigens and
CC   methods of using these antibodies to treat immunological disorders. The
CC   anti-VLA-1 antibodies are useful for preventing or treating VLA-1-
CC   mediated immunological or inflammatory disorders such as skin related
CC   conditions (e.g. psoriasis, eczema, burns, dermatitis and abnormal
CC   proliferation of hair follicle cells), fibrosis (e.g. kidney or lung
CC   fibrosis), allergic rhinitis, respiratory distress syndrome, asthma,
CC   bronchitis, tendonitis, bursitis, fever, migraine headaches, gastro-
CC   intestinal conditions (e.g. inflammatory bowel disease, Crohn's disease,
CC   gastritis, irritable bowel disease, colitis and colorectal cancer),
CC   vascular diseases (e.g. atherosclerosis), thyroiditis, aplastic anaemia,
CC   periarteritis nodosa, Hodgkin's disease, rheumatic fever, osteoarthritis,
CC   autoimmune diseases (e.g. type I diabetes, myasthenia gravis, rheumatoid
CC   arthritis, systemic lupus erythematosus and multiple sclerosis), renal
CC   failure, sarcoidosis, nephrotic syndrome, Behcet's syndrome, gingivitis,
CC   polymyositis, hypersensitivity (e.g. delayed type hypersensitivity or
CC   immediate hypersensitivity), graft and transplant rejections, graft
CC   versus host disease, conjunctivitis, swelling occurring after injury,
CC   myocardial ischaemia or endotoxin shock syndrome. The present sequence is
CC   human AQC2 heavy chain mutant protein, hsAQC2
XX
SQ   Sequence 447 AA;

Query Match             72.8%;  Score 2236.5;  DB 6;  Length 447;
Best Local Similarity   94.6%;  Pred. No. 1.1e-109;
Matches   424;   Conservative    4;   Mismatches   19;   Indels   1;   Gaps   1;

Qy     1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTY 60
           ||||||||||  ||||||| ||||||| || ||  |||||||||||||||||||||| ||
Db     1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVAYISSGGSG-TYY 59

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA 120
           .|||||||||||||||||||||| |||||:|||| ||   |:  ||| |||||| |||||
Db    60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDVWGQGTLVTVSSA 119

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy   181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||  ||
Db   180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEAAGGP 239
```

```
Qy   241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS  300
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS  299

Qy   301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL  360
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL  359

Qy   361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ  420
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ  419

Qy   421  QGNVFSCSVMHEALHNHYTQKSLSLSPG  448
          ||||||||||||||||||||||||||||
Db   420  QGNVFSCSVMHEALHNHYTQKSLSLSPG  447
```

RESULT 14
ID   ADH34587 standard; protein; 450 AA.
AC   ADH34587;
XX
DT   11-MAR-2004   (first entry)
XX
DE   023 heavy chain.
XX
KW   antibody; OX40 receptor; specific phage antibody; scFv; CD134; ACT-4;
KW   ACT35; TNF receptor family; CD4+; T cell; tumour necrosis factor;
KW   proliferation; immune response; memory cell; tumour; bacterial; viral;
KW   antigen; leukaemia; neoplasm; bile duct carcinoma; bladder carcinoma;
KW   severe acute respiratory syndrome; SARS; herpes simplex virus; HSV;
KW   hepatitis B virus; HBV; HIV; Mycobacterium tuberculosis;
KW   Pseudomonas aeruginosa; Vibrio cholerae.
OS   Synthetic.
XX
PN   WO200310698-A2.
XX
PD   24-DEC-2003.
XX
PF   13-JUN-2003; 2003WO-EP006341.
XX
PR   13-JUN-2002; 2002WO-NL000389.
XX
PA   (CRUC-) CRUCELL HOLLAND BV.
XX
PI   Bakker ABH, Meester-Rood PML, Bakker AQ;
XX
DR   WPI; 2004-082162/08.
DR   N-PSDB; ADH34601.
XX
PT   Novel agonistic binding molecule capable of binding to and stimulating
PT   human OX-40-receptor, useful for modulating T-cell proliferation.
XX
PS   Claim 4; SEQ ID NO 28; 148pp; English.
XX

CC   This sequence represents the heavy chain of a selected phage antibody
CC   against human OX40 receptor. OX40 receptor (also known as CD134, ACT-4,
CC   ACT35) is a member of the TNF receptor family which is expressed on
CC   activated CD4+ T cells. Triggering of this receptor enhances the
CC   proliferation of CD4+ T-cells during an immune response and influences
CC   the formation of CD4+ memory cells. A human OX40 receptor specific phage
CC   antibody (scFv) represents the agonistic binding molecule of the
CC   invention which is capable of binding to and stimulating the human OX-40-
CC   receptor. The binding molecules of the invention are useful as a
CC   medicament for treating neoplastic, viral or bacterial disorder or
CC   disease, for stimulating T-cells in vitro and for enhancing the immune
CC   response in a human or animal against a tumour, bacterial or viral
CC   antigen. They are useful for modulating T-cell response in a human which
CC   involves, administration to the human, where the modulation includes the
CC   stimulation of T-cells. A pharmaceutical composition containing the
```

Right column:

```
CC   binding molecules is useful for preventing and treating neoplastic
CC   disorder or disease such as leukaemias; neoplasm, bile duct carcinoma,
CC   bladder carcinoma, viral disorder or disease associated with severe acute
CC   respiratory syndrome (SARS), herpes simplex virus (HSV), hepatitis B
CC   virus (HBV), HIV and bacterial disorder or disease associated with
CC   Mycobacterium tuberculosis, Pseudomonas aeruginosa and Vibrio cholerae.
XX
SQ   Sequence 450 AA;

Query Match             72.8%;  Score 2236.5;  DB 8;  Length 450;
Best Local Similarity   93.1%;  Pred. No. 1.1e-109;
Matches  420;  Conservative   12;  Mismatches   16;  Indels    3;  Gaps    2;

Qy     1  EVQLVESCGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGGTYY   60
          ::||||| |  |:|||||||:||||||  :|:|.:|:||:|||||||:||:|||:|:|| :||
Db     1  EVQLVESGGGLVHPGGSLRLSCAGSGFTFSSYAMHWVRQAPGKGLEWVSAIGTGG-GTYY   59

Qy    61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTVS  118
          :|:.||||||:|||:|||||||||:||:|||:|||||||||:  ||||:|:|||:|||:|||
Db    60  ADSVMGRFFISRDNSKNTLYLQMNSLRAEDTAVYYCARYDNVMGLYWFDYWGQGTLVTVS  119

Qy   119  SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  178
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120  SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  179

Qy   179  SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG  238
          |||||||||||||||||||||||||||||||||||||:|:|||||||||||||||||:||
Db   180  SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLG  239

Qy   239  GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY  298
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240  GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY  299

Qy   299  NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD  358
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||:||
Db   300  NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRE  359

Qy   359  ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR  418
          |:.||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360  EMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR  419

Qy   419  WQQGNVFSCSVMHEALHNHYTQKSLSLSPGCK  449
          |||||||||||||||||||||||||||||| |
Db   420  WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK   450
```

RESULT 15
ID   AAO31101 standard; protein; 445 AA.
AC   AAO31101;
XX
DT   06-OCT-2003   (first entry)
XX
DE   Human A2-G8 SCF antibody heavy chain variable and constant region.
XX
KW   Human; antibody; stem cell factor; mast cell growth factor; asthma; SCF;
KW   steel factor; c-kit ligand; gene therapy.
OS   Homo sapiens.
XX
PN   WO200305311-A2.
XX
PD   26-JUN-2003.
XX
PF   16-DEC-2002; 2002WO-US040227.
XX
PR   17-DEC-2001; 2001US-0342174P.
XX
PA   (FARB) BAYER CORP.
XX
PI   Takeuchi T, Tomkinson A, Neben S;
XX

```
DR   WPI; 2003-523500/49.
XX
PT   New purified human antibody that binds to stem cell factor protein,
PT   useful for preparing a composition for treating asthma.
XX
PS   Claim 9; Page 47; 94pp; English.
XX
CC   The invention provides human antibodies that bind to stem cell factor
CC   (SCF) protein. SCF is also known as mast cell growth factor, steel factor
CC   or c-kit ligand. Antibodies of the invention are useful for preparing
CC   compositions for treating asthma. They are also used in gene therapy. The
CC   present sequence is human SCF antibody heavy chain variable and constant
CC   region
XX
SQ   Sequence 445 AA;
```

Query Match   Best Local Similarity   72.8%;   Score 2234.5;   DB 6;   Length 445;
Matches 421;   Conservative   94.4%;   Pred. No. 1.4e-109;
          7;   Mismatches   12;   Indels   17;   Gaps   1;

```
Qy      4 LVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGGTYYSDS 63
          ||||||     ||||||||||  :  |||||    :||||||||||||||   :  ||:||
Db      1 LVESGGGLVQPGGSLRLSCAASGFTFSSYAMSWVRQAPGKGLEWVSAISSGSGGSTYYADS 60

Qy     64 VKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLIGTYYFDSWGQGTLLLTVSSASTK 123
          |||||||||||||||||  ||||||||||||||||   :  :|||:|:||||||||||||||
Db     61 VKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCARRDFFA-HFDVWGQGTLVTVSSASTK 119

Qy    124 GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS 183
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    120 GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS 179

Qy    184 LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF 243
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    180 LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF 239

Qy    244 LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR 303
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    240 LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR 299

Qy    304 VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN 363
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    300 VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN 359

Qy    364 QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPVLDSDGSFFLYSKLTVDKSRWQQGN 423
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    360 QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPVLDSDGSFFLYSKLTVDKSRWQQGN 419

Qy    424 VFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||
Db    420 VFSCSVMHEALHNHYTQKSLSLSPGK 445
```

Search completed: December 23, 2004, 18:57:36
Job time : 160.692 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.
GenCore version 5.1.6

Run on: December 23, 2004, 18:46:39 ; Search time 38.4376 Seconds
(without alignments)
1004.148 Million cell updates/sec

Title: US-10-089-500-53
Perfect score: 3071
Sequence: 1 EVQLVESGGGDFVQPGGSLRV........IVEFLNRWITFCQSISTLT 582

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 478139 seqs, 6631800 residues

Total number of hits satisfying chosen parameters: 478139

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA:*
1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	2194.5	71.5	452	3	US-09-027-449-71	Sequence 71, Appl
2	2194.5	71.5	452	3	US-09-026-985-71	Sequence 71, Appl
3	2194.5	71.5	452	4	US-09-121-952A-71	Sequence 71, Appl
4	2194.5	71.5	452	4	US-09-234-340A-71	Sequence 71, Appli
5	2194.5	71.5	459	1	US-08-157-101A-7	Sequence 7, Appli
6	2169	70.6	453	3	US-08-466-151-8	Sequence 8, Appli
7	2169	70.6	453	3	US-08-466-163B-8	Sequence 8, Appl
8	2169	70.6	453	4	US-09-802-096-8	Sequence 8, Appl
9	2169	70.6	453	4	US-09-802-077-8	Sequence 8, Appl
10	2167	70.6	451	2	US-08-887-352B-14	Sequence 14, Appl
11	2167	70.6	451	2	US-08-887-352B-16	Sequence 16, Appl
12	2167	70.6	451	3	US-08-466-151-65	Sequence 65, Appl
13	2167	70.6	451	3	US-09-109-207C-14	Sequence 14, Appl
14	2167	70.6	451	3	US-09-109-207C-16	Sequence 16, Appl
15	2167	70.6	451	3	US-09-296-005-14	Sequence 14, Appl
16	2167	70.6	451	3	US-09-296-005-16	Sequence 16, Appl
17	2167	70.6	451	4	US-09-920-171-14	Sequence 14, Appl
18	2167	70.6	451	4	US-09-920-171-16	Sequence 16, Appl
19	2167	70.6	451	4	US-09-716-028-14	Sequence 14, Appl
20	2167	70.6	451	4	US-09-716-028-16	Sequence 16, Appl
21	2167	70.6	451	4	US-10-113-996-14	Sequence 14, Appl
22	2167	70.6	451	4	US-10-113-996-16	Sequence 16, Appl
23	2163	70.4	451	2	US-08-887-352B-18	Sequence 18, Appl
24	2163	70.4	451	3	US-09-109-207C-18	Sequence 18, Appl
25	2163	70.4	451	3	US-09-282-505-2	Sequence 2, Appli
26	2163	70.4	451	3	US-09-054-255-2	Sequence 2, Appli
27	2163	70.4	451	3	US-09-296-005-18	Sequence 18, Appl
28	2163	70.4	451	4	US-09-282-846-2	Sequence 2, Appli
29	2163	70.4	451	4	US-09-680-145-2	Sequence 2, Appli
30	2163	70.4	451	4	US-09-920-171-18	Sequence 18, Appl
31	2163	70.4	451	4	US-09-716-028-18	Sequence 18, Appl
32	2163	70.4	451	4	US-09-483-588-2	Sequence 2, Appli
33	2163	70.4	451	4	US-10-113-996-18	Sequence 18, Appl
34	2160.5	70.4	449	3	US-09-679-397-2	Sequence 2, Appli
35	2160.5	70.4	449	4	US-09-304-465A-2	Sequence 2, Appli
36	2160.5	70.4	449	4	US-09-526-098-8	Sequence 8, Appli
37	2140	69.7	478	3	US-08-487-550-8	Sequence 8, Appli
38	2140	69.7	478	4	US-09-383-916-8	Sequence 8, Appli
39	2140	69.3	478	4	US-08-458-516-13	Sequence 13, Appli
40	2127	69.3	449	1	US-08-030-175-42	Sequence 42, Appl
41	2084.5	67.9	467	4	US-09-485-737B-90	Sequence 90, Appl
42	2084	67.9	711	3	US-08-030-175-41	Sequence 41, Appl
43	2081.5	67.8	467	4	US-09-485-737B-67	Sequence 67, Appl
44	2081	67.8	467	4	US-08-378-939-10	Sequence 10, Appl
45	2080	67.7	476	2		

ALIGNMENTS

RESULT 1
US-09-027-449-71
; Sequence 71, Application US/09027449
; Patent No. 6025158
; GENERAL INFORMATION:
; APPLICANT: Gonzalez, Tania R.
; APPLICANT: Leong, Steven R.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Antibody Fragment-Polymer Conjugates and
; TITLE OF INVENTION: Humanized Anti-IL-8 Monoclonal Antibodies
; NUMBER OF SEQUENCES: 72
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/027,449
; FILING DATE: 20-Feb-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/074,330
; FILING DATE: 22-Jan-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/038,664
; FILING DATE: 21-Feb-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Love, Richard B.
; REGISTRATION NUMBER: 34,659
; REFERENCE/DOCKET NUMBER: P1085R3-2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-5530
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 71:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 452 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-09-027-449-71

Query Match 71.5%; Score 2194.5; DB 3; Length 452;
Best Local Similarity 90.9%; Pred. No. 2.3e-161;
Matches 411; Conservative 14; Mismatches 24; Indels 3; Gaps 1;

RESULT 2
US-09-026-985-71
; Sequence 71, Application US/09026985
; Patent No. 6133426
; GENERAL INFORMATION:
; APPLICANT: Gonzalez, Tania R.
; APPLICANT: Leong, Steven R.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Antibody Fragment-Polymer Conjugates and
; TITLE OF INVENTION: Humanized Anti-IL-8 Monoclonal Antibodies
; NUMBER OF SEQUENCES: 72
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/026,985
;   FILING DATE: 20-Feb-1998
; ATTORNEY/AGENT INFORMATION:
;   NAME: Love, Richard B.
;   REGISTRATION NUMBER: 34,659
;   REFERENCE/DOCKET NUMBER: P1085R3-1
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-5530
;   TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 71:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 452 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear

US-09-026-985-71
Query Match   71.5%; Score 2194.5; DB 3; Length 452;
Best Local Similarity   90.9%; Pred. No. 2.3e-161;
Matches 411; Conservative 14; Mismatches 24; Indels   3; Gaps   1;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGSGTYY 60
          :|:||||| || ||||||| |||||| | ||||| |||||||||||||| || | ||| |
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY 60

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKL---GTYYFDSWGQGTLLTV 117
          : ||||||| ||||||||  ||||||| | ||||| ||        ||||| |||||| |||
Db   61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV 120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          :|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 452
```

RESULT 3
US-09-121-952A-71
; Sequence 71, Application US/09121952A
; Patent No. 6458355
; GENERAL INFORMATION:
; APPLICANT: Genentech, Inc., Hsei, Vanessa
; APPLICANT: Koumenis, Iphigenia
; APPLICANT: Leong, Steven R.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Shahrokh, Zahra
; APPLICANT: Zapata, Gerardo A.
; TITLE OF INVENTION: METHODS OF TREATING INFLAMMATORY DISEASES
; TITLE OF INVENTION: WITH ANTI-IL-8 ANTIBODY FRAGMENT-POLYMER CONJUGATES
; NUMBER OF SEQUENCES: 72
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/121,952A
;   FILING DATE: 24-Jul-1998
;   CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 60/074330
;   FILING DATE: 22-JAN-1998
; PRIOR APPLICATION DATA:

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGSGTYY 60
          :|:||||| || ||||||| |||||| | ||||| |||||||||||||| || | ||| |
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY 60

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKL---GTYYFDSWGQGTLLTV 117
          : ||||||| |||||||| ||||||| | ||||| ||        ||||| |||||| |||
Db   61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV 120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          :|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 452
```

```
;   APPLICATION NUMBER:  60/075467
;   FILING DATE:  20-FEB-1998
;   ATTORNEY/AGENT INFORMATION:
;     NAME:  Love, Richard B.
;     REGISTRATION NUMBER:  34,659 ,
;     REFERENCE/DOCKET NUMBER:  P1085R4
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE:  650/225-5530
;     TELEFAX:  650/952-9881
;   APPLICATION FOR SEQ ID NO:  71:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  452 amino acids
;     TYPE:  Amino Acid
;     TOPOLOGY:  Linear
US-09-121-952A-71

Query Match             71.5%;  Score 2194.5;  DB 4;  Length 452;
Best Local Similarity   90.9%;  Pred. No. 2.3e-161;
Matches   411;  Conservative  14;  Mismatches  24;  Indels  3;  Gaps  1;

Qy      1 EVQLVESGGDPVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
          |||||:||:|:|||||||||||||||||||||:::|:.||:|||||||||:|.|||||||
Db      1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY 60

Qy     61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKL----GTYYFDSWGQGTLLTV 117
          .:|:.||||||||||||||||||||||||||||:|:|||||    |:||||||||||||:|
Db     61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV 120

Qy    118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 180

Qy    178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 240

Qy    238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 300

Qy    298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 360

Qy    358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 420

Qy    418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||
Db    421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 452


RESULT 4
US-09-234-340A-71
; Sequence 71, Application US/09234340A
; Patent No. 6468532
; GENERAL INFORMATION:
;   APPLICANT:  Genentech, Inc., Hsei, Vanessa
;   APPLICANT:  Koumenis, Iphigenia
;   APPLICANT:  Leong, Steven R.
;   APPLICANT:  Presta, Leonard G.
;   APPLICANT:  Shahrokh, Zahra
;   APPLICANT:  Zapata, Gerardo A.
;   TITLE OF INVENTION:  METHODS OF TREATING INFLAMMATORY DISEASES
;   TITLE OF INVENTION:  WITH ANTI-IL-8 ANTIBODY FRAGMENT-POLYMER CONJUGATES
;   NUMBER OF SEQUENCES:  72
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE:  Genentech, Inc.
;     STREET:  1 DNA Way
;     CITY:  South San Francisco
;     STATE:  California
;     COUNTRY:  USA
```

```
;     ZIP:  94080
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE:  3.5 inch, 1.44 Mb floppy disk
;     COMPUTER:  IBM PC compatible
;     OPERATING SYSTEM:  PC-DOS/MS-DOS
;     SOFTWARE:  WinPatin (Genentech)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER:  US/09/234,340A
;     FILING DATE:
;   PRIOR APPLICATION DATA:
;     CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  60/075467
;     FILING DATE:  20-FEB-1998
;     APPLICATION NUMBER:  US/09/121,952
;     FILING DATE:  24-JUL-1998
;     APPLICATION NUMBER:  60/074330
;     FILING DATE:  22-JAN-1998
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US/09/234,340A
;     ATTORNEY/AGENT INFORMATION:
;       NAME:  Love, Richard B.
;       REGISTRATION NUMBER:  34,659
;       REFERENCE/DOCKET NUMBER:  P1085R4
;     TELECOMMUNICATION INFORMATION:
;       TELEPHONE:  650/225-5530
;       TELEFAX:  650/952-9881
;   APPLICATION FOR SEQ ID NO:  71:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  452 amino acids
;     TYPE:  Amino Acid
;     TOPOLOGY:  Linear
US-09-234-340A-71

Query Match             71.5%;  Score 2194.5;  DB 4;  Length 452;
Best Local Similarity   90.9%;  Pred. No. 2.3e-161;
Matches   411;  Conservative  14;  Mismatches  24;  Indels  3;  Gaps  1;

Qy      1 EVQLVESGGDPVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
          |||||:||:|:|||||||||||||||||||||:::|:.||:|||||||||:|.|||||||
Db      1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY 60

Qy     61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKL----GTYYFDSWGQGTLLTV 117
          .:|:.||||||||||||||||||||||||||||:|:|||||    |:||||||||||||:|
Db     61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV 120

Qy    118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 180

Qy    178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 240

Qy    238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 300

Qy    298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 360

Qy    358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 420

Qy    418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||
Db    421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 452


RESULT 5
US-08-157-101A-7
; Sequence 7, Application US/08157101A
; Patent No. 5808032
```

GENERAL INFORMATION:
;   APPLICANT: KURIHARA, TATSUYA
;   APPLICANT: MATSUKURA, SHIGEKAZU
;   APPLICANT: TSURUOKA, NOBUO
;   APPLICANT: ARIMA, KENJI
;   APPLICANT: NISHIHARA, TATSURO
;   TITLE OF INVENTION: ANTI-HBs ANTIBODY GENES AND EXPRESSION
;   TITLE OF INVENTION: PLASMIDS THEREFOR
;   NUMBER OF SEQUENCES: 9
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: PILLSBURY, MADISON & SUTRO
;   STREET: 1100 NEW YORK AVENUE, N.W.
;   CITY: WASHINGTON
;   STATE: D.C.
;   COUNTRY: USA
;   ZIP: 20005
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/157,101A
;   FILING DATE: 05-APR-1994
;   CLASSIFICATION: 530
;   ATTORNEY/AGENT INFORMATION:
;   NAME: TITUS, MARIANA K
;   REGISTRATION NUMBER: 35843
;   REFERENCE/DOCKET NUMBER: 9437/204199
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 202-861-3711
;   TELEFAX: 202-822-0944
;   TELEX: 6714627 CUCH
;   INFORMATION FOR SEQ ID NO: 7:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 459 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: peptide
US-08-157-101A-7

Query Match   71.5%; Score 2194.5; DB 1; Length 459;
Best Local Similarity 91.8%; Pred. No. 2.3e-161;
Matches 413; Conservative 15; Mismatches 21; Indels 1; Gaps 1;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGTTY 60
Db   10 QVQLVESGGGVVQPGRSLRLSCAASGFTFSSNSMHWVRQAPGKGLEWVAVILVDGNHKFY 69

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK-LGTYYFDSWGQGTLLTVSS 119
Db   70 ADSVKGRFTISRDNSKNTLYLEVKSLQTEDTGVYYCIRDQTGVHRPDSWGQGTLVTVSS 129

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db   130 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALASGVHTFPAVLQSS 189

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db   190 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 249

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db   250 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 309

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db   310 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 369

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db   370 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 429

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db   430 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 459

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db   430 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 459

RESULT 6
US-08-466-151-8
; Sequence 8, Application US/08466151
; Patent No. 6037453
; GENERAL INFORMATION:
;   APPLICANT: Jardieu, Paula M.
;   APPLICANT: Presta, Leonard G.
;   TITLE OF INVENTION: Immunoglobulin Variants
;   NUMBER OF SEQUENCES: 65
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/466,151
;   FILING DATE:
;   CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/466163
;   FILING DATE: 06-Jun-1995
;   APPLICATION NUMBER: 08/405617
;   FILING DATE: 15-MAR-1995
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/185899
;   FILING DATE: 26-JAN-1994
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 07/879495
;   FILING DATE: 07-MAY-1992
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 07/744768
;   FILING DATE: 14-AUG-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Svoboda, Craig G.
;   REGISTRATION NUMBER: 39,044
;   REFERENCE/DOCKET NUMBER: P0718P2C1D1
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-1489
;   TELEFAX: 650/952-9881
;   INFORMATION FOR SEQ ID NO: 8:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 453 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear
US-08-466-151-8

Query Match   70.6%; Score 2169; DB 3; Length 453;
Best Local Similarity 91.0%; Pred. No. 2.1e-159;
Matches 413; Conservative 16; Mismatches 19; Indels 6; Gaps 4;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGSGTTY 59
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTV 117
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRABDTAYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175

```
Db  120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179
Qy  176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239
Qy  236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299
Qy  296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359
Qy  356 SRDELTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
        ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 SREEMTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419
Qy  416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||||
Db  420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453
```

RESULT 7
US-08-466-163B-8
Sequence 8, Application US/08466163B
; Patent No. 6329509
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Immunoglobulin Variants
; FILE REFERENCE: P0718P2C1D1
; CURRENT APPLICATION NUMBER: US/08/466,163B
; CURRENT FILING DATE: 1995-06-06
; PRIOR APPLICATION NUMBER: US/08/466,163B
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized mae11, version 1 heavy chain
US-08-466-163B-8

Query Match   70.6%; Score 2169; DB 3; Length 453;
Best Local Similarity   91.0%; Pred. No. 2.1e-159;
Matches 413; Conservative 16; Mismatches 19; Indels 6; Gaps 4;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY 59
        |||||||||:|||||||||||:|.|:     :||.|.||||||||||||||.||..||.||
Db    1 EVQLVESGGGLVQPGGSLRLSCAVSGYSTSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59
Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTV 117
        |:|||||||||||.|||||:|||||.||||||:|||:|.||.   ::|||:|||||||:|.|
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119
Qy  118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
        |||||   |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179
Qy  176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239
Qy  236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299
Qy  296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359
Qy  356 SRDELTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
        ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 SREEMTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419
Qy  416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||||
Db  420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453
```

RESULT 8
US-09-802-096-8
Sequence 8, Application US/09802096
; Patent No. 6685939
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method of Preventing the Onset of Allergic Disorders (as amende
; FILE REFERENCE: P0718P2C3US
; CURRENT APPLICATION NUMBER: US/09/802,096
; CURRENT FILING DATE: 2001-03-08
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: PCT/US92/06860
; PRIOR FILING DATE: 1992-08-14
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized mae11, version 1 heavy chain
US-09-802-096-8

Query Match   70.6%; Score 2169; DB 4; Length 453;
Best Local Similarity   91.0%; Pred. No. 2.1e-159;
Matches 413; Conservative 16; Mismatches 19; Indels 6; Gaps 4;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY 59
        |||||||||:|||||||||||:|.|:     :||.|.||||||||||||||.||..||.||
Db    1 EVQLVESGGGLVQPGGSLRLSCAVSGYSTSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59
Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTV 117
        |:|||||||||||.|||||:|||||.||||||:|||:|.||.   ::|||:|||||||:|.|
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119
Qy  118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
        |||||   |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179
Qy  176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239
Qy  236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299
Qy  296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359
Qy  356 SRDELTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
        ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 SREEMTKNQVSLTCLVKGFYPSDIAVEWEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419
Qy  416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||||
Db  420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453
```

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          :||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||||
Db   420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 9
US-09-802-077-8
; Sequence 8, Application US/09802077
; Patent No. 6699472
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method of Treating Allergic Disorders (as amended)
; FILE REFERENCE: P0718P2CUS
; CURRENT APPLICATION NUMBER: US/09/802,077
; CURRENT FILING DATE: 2001-03-08
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: PCT/US92/06860
; PRIOR FILING DATE: 1992-08-14
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized mael1, version 1 heavy chain
US-09-802-077-8

Query Match   70.6%; Score 2169; DB 4; Length 453;
Best Local Similarity   91.0%; Pred. No. 2.1e-159;
Matches   413; Conservative   16; Mismatches   19; Indels   6; Gaps   4;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAF--SHYAMSWVRQAPGKGLEWWAYISSGGSGTY   59
          ||||||||| | |||||||||:||| ||:   ::|:||::|||||||||:|| ||:
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN   59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTV 117
          Y:DSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||| |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV   179

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          :||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||||
Db   420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

Db   420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 10
US-08-887-352B-14
; Sequence 14, Application US/08887352B
; Patent No. 5994511
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of
; TITLE OF INVENTION: Improving Polypeptides
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/887,352B
;   FILING DATE: 03-Jul-1997
;   CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
;   NAME: Svoboda, Craig G.
;   REGISTRATION NUMBER: 39,044
;   REFERENCE/DOCKET NUMBER: P1123
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-1489
;   TELEFAX: 650/952-9881
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
;   LENGTH: 451 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear
US-08-887-352B-14

Query Match   70.6%; Score 2167; DB 2; Length 451;
Best Local Similarity   90.9%; Pred. No. 3e-159;
Matches   411; Conservative   16; Mismatches   21; Indels   4; Gaps   3;

Qy   1 EVQLVESGDFVQPGGSLRVSCAASGFAF--SHYAMSWVRQAPGKGLEWWAYISSGGSGTY   59
          ||||||||| | |||||||||:||| ||:   ::|:||::|||||||||:|| ||:
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN   59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFDSWGQGTLLTV 117
          Y: |||||:||||||||||||:|||:||||||:|||:|||||
Db   60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy   178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREBQ 297
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Left column (RESULT 11)

```
Qy  418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         ||||||||||||||||||||||||||||||||
Db  420  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

```
RESULT 11
US-08-887-352B-16
; Sequence 16, Application US/08887352B
; Patent No. 5994511
; GENERAL INFORMATION:
;   APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
;   TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of
;   TITLE OF INVENTION: Improving Polypeptides
;   NUMBER OF SEQUENCES: 26
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/887,352B
;     FILING DATE: 03-Jul-1997
;     CLASSIFICATION: 530
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Svoboda, Craig G.
;     REGISTRATION NUMBER: 39,044
;     REFERENCE/DOCKET NUMBER: P1123
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-1489
;     TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 16:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 451 amino acids
;     TYPE: Amino Acid
;     TOPOLOGY: Linear
US-08-887-352B-16
```

Query Match 70.6%; Score 2167; DB 2; Length 451;
Best Local Similarity 90.9%; Pred. No. 3e-159;
Matches 411; Conservative 16; Mismatches 21; Indels 4; Gaps 3;

```
Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY 59
Db    1  EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy   60  YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFPDSWGQTLLTV 117
Db   60  YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy  118  SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
Db  120  SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy  178  SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
Db  180  SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy  238  GGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
Db  240  GGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy  298  YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
Db  300  YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359
```

Right column (RESULT 12)

```
Qy  418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         ||||||||||||||||||||||||||||||||
Db  420  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

```
Qy  358  DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
Db  360  EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419
```

```
RESULT 12
US-08-466-151-65
; Sequence 65, Application US/08466151
; Patent No. 6037453
; GENERAL INFORMATION:
;   APPLICANT: Jardieu, Paula M.
;   APPLICANT: Presta, Leonard G.
;   TITLE OF INVENTION: Immunoglobulin Variants
;   NUMBER OF SEQUENCES: 65
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/466,151
;     FILING DATE:
;     CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/466163
;     FILING DATE: 06-Jun-1995
;     APPLICATION NUMBER: 08/405617
;     FILING DATE: 15-MAR-1995
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/185899
;     FILING DATE: 26-JAN-1994
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US/08/466,151
;     FILING DATE: 07-MAY-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 07/879495
;     FILING DATE: 07-MAY-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 07/744768
;     FILING DATE: 14-AUG-1991
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Svoboda, Craig G.
;     REGISTRATION NUMBER: 39,044
;     REFERENCE/DOCKET NUMBER: P0718P2C1D1
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-1489
;     TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 65:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 451 amino acids
;     TYPE: Amino Acid
;     TOPOLOGY: Linear
US-08-466-151-65
```

Query Match 70.6%; Score 2167; DB 3; Length 451;
Best Local Similarity 90.9%; Pred. No. 3e-159;
Matches 411; Conservative 16; Mismatches 21; Indels 4; Gaps 3;

```
Qy   1  EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY 59
Db   1  EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy  60  YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK--LGTYYFPDSWGQTLLTV 117
Db  60  YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119
```

RESULT 13
US-09-109-207C-14
; Sequence 14, Application US/09109207C
; Patent No. 6172213
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptide
; FILE REFERENCE: P1123R1
; CURRENT APPLICATION NUMBER: US/09/109,207C
; CURRENT FILING DATE: 1998-06-30
; PRIOR APPLICATION NUMBER: US 60/051,554
; PRIOR FILING DATE: 1997-07-03
; NUMBER OF SEQ ID NOS: 44
; SEQ ID NO 14
; LENGTH: 451
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; NAME/KEY: Artificial
; LOCATION: 1-451
; OTHER INFORMATION: Heavy chain sequence derived from MAE11
US-09-109-207C-14

Query Match   70.6%; Score 2167; DB 3; Length 451;
Best Local Similarity   90.9%; Pred. No. 3e-159;
Matches 411; Conservative 16; Mismatches 21; Indels 4; Gaps 3;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY  59
        ||||||| : |:|||||||||:|||.||::  : ::||:|||||||||||||:: :. .:
Db    1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN  59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAYYFCTRVK--LGTYYFDSWGQGTLLTV 117
        | .||||| ||||||:|||||||.|||||:|.||::|       || ||  :||||||:|
Db   60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
        :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||
Db  420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

RESULT 14
US-09-109-207C-16
; Sequence 16, Application US/09109207C
; Patent No. 6172213
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptide
; FILE REFERENCE: P1123R1
; CURRENT APPLICATION NUMBER: US/09/109,207C
; CURRENT FILING DATE: 1998-06-30
; PRIOR APPLICATION NUMBER: US 60/051,554
; PRIOR FILING DATE: 1997-07-03
; NUMBER OF SEQ ID NOS: 44
; SEQ ID NO 16
; LENGTH: 451
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; NAME/KEY: Artificial
; LOCATION: 1-451
; OTHER INFORMATION: Heavy chain sequence derived from MAE11
US-09-109-207C-16

Query Match   70.6%; Score 2167; DB 3; Length 451;
Best Local Similarity   90.9%; Pred. No. 3e-159;
Matches 411; Conservative 16; Mismatches 21; Indels 4; Gaps 3;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY  59
        ||||||| : |:|||||||||:|||.||::  : ::||:|||||||||||||:: :. .:
Db    1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN  59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAYYFCTRVK--LGTYYFDSWGQGTLLTV 117
        | .||||| ||||||:|||||||.|||||:|.||::|       || ||  :||||||:|
Db   60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
        :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||
Db  420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

RESULT 15
US-09-296-005-14
; Sequence 14, Application US/09296005
; Patent No. 6290957
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptides
; FILE REFERENCE: P1123C1r
; CURRENT APPLICATION NUMBER: US/09/296,005
; CURRENT FILING DATE: 1999-04-21
; EARLIER APPLICATION NUMBER: US 08/887,352
; EARLIER FILING DATE: 1997-07-02
; NUMBER OF SEQ ID NOS: 26
US-09-296-005-14
; SEQ ID NO 14
; LENGTH: 451
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; NAME/KEY: Artificial
; LOCATION: 1-451
; OTHER INFORMATION: Heavy chain sequence derived from MAE11

Query Match   70.6%;   Score 2167; DB 3; Length 451;
Best Local Similarity   90.9%;   Pred. No. 3e-159;
Matches 411;   Conservative   16; Mismatches   21; Indels   4; Gaps   3;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAF-SHYAMSWVRQAPGKGLEWVAYISSGGSGTY 59
          ||||||||| |||||||||||||||||| : |:|:|||||||||||||||||: ::||
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVFPCTRVK--LGTYYFPDSWGQGTLLTV 117
          : ||||||| |||| |||:| |||||||| | | || ||||| |:|||||| |||
Db   60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy   178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy   418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||
Db   420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451

Search completed: December 23, 2004, 19:07:50
Job time : 40.4376 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

```
                          GenCore version 5.1.6
                   Copyright (c) 1993 - 2004 Compugen Ltd.
```

Run on: December 23, 2004, 19:04:51 ; Search time 132.396 Seconds
                                                (without alignments)
                                                1578.640 Million cell updates/sec

Title: US-10-089-500-53
Perfect Score: 3071
Sequence: 1 EVQLVESGGGDFVQPGGSLRV..........IVEFLNRWITFCQSIISTLT 582

Scoring table: BLOSUM62
                   Gapop 10.0 , Gapext 0.5

Searched: 1595201 seqs, 359116952 residues

Total number of hits satisfying chosen parameters: 1595201

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Database : Published Applications AA.*

```
 1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
 2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
 3: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
 4: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
 5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
 6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
 7: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
 8: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
 9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
16: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep:*
17: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
18: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:*
19: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
20: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	2750.5	89.6	579	14	US-10-138-727A-41	Sequence 41, Appl
2	2750.5	89.6	579	14	US-10-310-719-32	Sequence 32, Appl
3	2719.5	88.6	575	17	US-10-737-208A-6	Sequence 6, Appl
4	2621	85.3	580	14	US-10-310-719-37	Sequence 37, Appl
5	2589	84.3	580	14	US-10-310-719-35	Sequence 35, Appl
6	2246.5	73.2	447	15	US-10-474-832-4	Sequence 4, Appli
7	2240.5	73.0	447	15	US-10-474-832-5	Sequence 5, Appli
8	2238.5	72.9	663	15	US-10-412-406-32	Sequence 32, Appl
9	2238.5	72.9	4852	15	US-10-412-406-33	Sequence 33, Appl
10	2236.5	72.8	447	15	US-10-474-832-6	Sequence 6, Appli
11	2234.5	72.8	444	14	US-10-320-231A-79	Sequence 79, Appl
12	2231.5	72.7	444	15	US-10-150-475A-6	Sequence 6, Appli
13	2231.5	72.7	444	16	US-10-704-522-6	Sequence 6, App
14	2231.5	72.7	444	16	US-10-645-215-6	Sequence 6, Appli
15	2226	72.5	449	9	US-09-736-371B-21	Sequence 21, Appl
16	2226	72.5	449	15	US-10-463-442-21	Sequence 21, Appl
17	2221.5	72.4	477	14	US-10-291-265-395	Sequence 395, App
18	2221.5	72.3	446	14	US-10-408-901-38	Sequence 38, Appl
19	2220	72.3	474	10	US-09-848-832-3	Sequence 3, Appli
20	2220	72.3	474	14	US-10-225-1108A-3	Sequence 3, Appli
21	2216.5	72.2	474	15	US-10-461-548-1	Sequence 1, Appl
22	2216.5	72.2	442	15	US-10-226-435A-12	Sequence 12, Appl
23	2216.5	72.2	442	12	US-11-487-326-12	Sequence 12, Appl
24	2216	72.2	442	17	US-10-486-908-12	Sequence 12, Appl
25	2216	72.2	451	9	US-09-822-698A-26	Sequence 26, Appl
26	2212	72.0	445	15	US-10-408-901-34	Sequence 34, Appl
27	2209.5	71.9	442	15	US-10-487-323-12	Sequence 12, Appl
28	2209.5	71.9	442	17	US-10-487-326-21	Sequence 21, Appl
29	2209.5	71.9	442	17	US-10-486-908-16	Sequence 16, Appl
30	2202.5	71.7	446	17	US-10-408-901-46	Sequence 46, Appl
31	2202.5	71.7	469	15	US-10-858-186-14	Sequence 14, Appl
32	2198	71.6	469	26	US-10-656-769-26	Sequence 26, Appl
33	2195	71.5	445	15	US-10-408-901-42	Sequence 42, Appl
34	2194.5	71.5	452	42	US-09-726-258-71	Sequence 71, Appl
35	2192.5	71.4	469	10	US-10-656-769-20	Sequence 20, Appl
36	2191	71.3	474	15	US-10-108-202A-4640	Sequence 4640, Ap
37	2191	71.3	713	16	US-10-679-620-64	Sequence 64, Appl
38	2191	71.3	452	17	US-10-679-620-62	Sequence 62, Appl
39	2190.5	71.3	715	16	US-10-818-151-5	Sequence 4, Appl
40	2186.5	71.2	446	15	US-10-408-901-30	Sequence 30, Appl
41	2186.5	71.2	446	15	US-10-408-901-50	Sequence 50, Appl
42	2185.5	71.2	446	15	US-10-379-392-116	Sequence 116, Appl
43	2183.5	71.1	469	16	US-10-379-392-117	Sequence 117, Appl
44	2181	71.1	451	14	US-10-423-299-4	Sequence 4, Appl
45	2180.5	71.0	447	16	US-10-379-392-119	Sequence 119, App

ALIGNMENTS

RESULT 1
US-10-138-727A-41
; Sequence 41, Application US/10138727A
; Publication No. US2003015705A1
; GENERAL INFORMATION:
; APPLICANT: Gillies, Stephen
; APPLICANT: Lo, Kin-Ming
; APPLICANT: Qian, Susan
; TITLE OF INVENTION: Recombinant Tumor Specific Antibody And Use Thereof
; FILE REFERENCE: LEX-019
; CURRENT APPLICATION NUMBER: US/10/138,727A
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: US 60/288,564
; PRIOR FILING DATE: 2001-05-03
; NUMBER OF SEQ ID NOS: 42
; SOFTWARE: Patentin version 3.0
; SEQ ID NO 41
; LENGTH: 579
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: heavy chain-IL2
US-10-138-727A-41

Query Match 89.6%; Score 2750.5; DB 14; Length 579;
  Best Local Similarity 88.5%; Pred. No. 8.2e-166;
  Matches 516; Conservative 32; Mismatches 30; Indels 5; Gaps 2;

```
Qy   1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGTIY 60
         ::||||:|| ||.|:|| :::||.|.::|:|:||::|.::|.|::||||||:|:::
Db   1 QIQLVQSGAEVKKPGETVKISCKASGYTFTNYGMNWVKQTPGKGLKWMGWINTYTGEPTY 60

Qy  61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR-VKLGTYYFDSWGQGTLLITVSS 119
         .|||:||||:|:||:|:.|:||:|::: ||::.||: :::.||.:|||:||:|||:||||
Db  61 ADDFKGRFAFSLETSTSTAFLQINNLRSEDTATYFCVRFISKGDY----WGQGTSVTVSS 116
```

```
Qy   120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  179
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   117  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  176

Qy   180  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG  239
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   177  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG  236

Qy   240  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  299
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   237  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  296

Qy   300  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE  359
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db   297  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE  356

Qy   360  LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  419
          :||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   357  MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  416

Qy   420  QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKTQLQLEHLLLDLQMILNGINN  479
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   417  QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKTQLQLEHLLLDLQMILNGINN  476

Qy   480  YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN  539
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   477  YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN  536

Qy   540  VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  582
          |||||||||||||||||||||||||||||||||||||||||||
Db   537  VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT  579
```

RESULT 2
US-10-310-719-32
; Sequence 32, Application US/10310719
; Publication No. US20030166163A1
; GENERAL INFORMATION:
; APPLICANT: Gillies, Stephen
; TITLE OF INVENTION: Immunocytokines With Modulated Selectivity
; FILE REFERENCE: LEX-020
; CURRENT APPLICATION NUMBER: US/10/310,719
; CURRENT FILING DATE: 2002-12-04
; PRIOR APPLICATION NUMBER: 60/337,113
; PRIOR FILING DATE: 2001-12-04
; PRIOR APPLICATION NUMBER: 60/371,966
; PRIOR FILING DATE: 2002-04-12
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 32
; LENGTH: 579
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: dI-KS-ala IL2 (D20T) heavy chain fused to IL-2 variant

US-10-310-719-32

Query Match   89.6%; Score 2750.5; DB 14; Length 579;
Best Local Similarity   88.5%; Pred. No. 8.2e-166;
  Matches 516; Conservative 32; Mismatches 30; Indels 5; Gaps 2;

```
Qy   1    EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY  60
          :::||||||:| | :|| :||||||||||||||||||||||||||||||||||||:
Db   1    QIQLVQSGPELKKPGSSVKISCKASGYTFTNYGMNWVRQAPGKGLKWMGWINTYTGEPTY  60

Qy   61   SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR-VKLGTYYFDSWGQGTLLTVSS  119
          :::|||||||||||||||||||||||||||||||:     ::||   : |||||||||||
Db   61   ADDFKGRTTIAETSTSTYLYLQNNLRSEDTATYFCVRFPISKGDY----WGQGTTVTVSS  116
```

RESULT 3
US-10-737-208A-6
; Sequence 6, Application US/10737208A
; Publication No. US20040203100A1
; GENERAL INFORMATION:
; APPLICANT: Lo, Kin-Ming
; APPLICANT: Gillies, Stephen D.
; TITLE OF INVENTION: IMMUNOCYTOKINE SEQUENCES AND USES THEREOF
; FILE REFERENCE: LEX-023
; CURRENT APPLICATION NUMBER: US/10/737,208A
; CURRENT FILING DATE: 2003-12-16
; PRIOR APPLICATION NUMBER: US 60/433,945
; PRIOR FILING DATE: 2002-12-17
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 6
; LENGTH: 575
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Humanized Immunoglobulin Heavy Chain-IL-2

US-10-737-208A-6

Query Match   88.6%; Score 2719.5; DB 17; Length 575;
Best Local Similarity   89.0%; Pred. No. 7.4e-164;
  Matches 518; Conservative 24; Mismatches 33; Indels 7; Gaps 3;

```
Qy   1    EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY  60
          ||||||:||| | :|| :|||||||||||||||||||||::
Db   1    EVQLVQSGAEVEKPGASVKISCKASGYTFTGYNMNWVRQNIGKSLEWIGAIDPYYGGTSY  60

Qy   61   SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS  120
          :::||||||||||||||||||:  :: | | ||  ---:GMEY---:||||||:|||
Db   61   NQKFKGRATLTVDKSTSTAYMHLKSLRSEDTAVYYCVS---GMEY---WGQGTSVTVSSA  114

Qy   121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG  180
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   115  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG  174

Qy   181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP  240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   175  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGGP  234

Qy   241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS  300
```

```
RESULT 4
US-10-310-719-37
Sequence 37, Application US/10310719
Publication No. US20030166163A1
GENERAL INFORMATION:
  APPLICANT: Gillies, Stephen
  TITLE OF INVENTION: Immunocytokines With Modulated Selectivity
  FILE REFERENCE: LEX-020
  CURRENT APPLICATION NUMBER: US/10/310,719
  CURRENT FILING DATE: 2002-12-04
  PRIOR APPLICATION NUMBER: 60/337,113
  PRIOR FILING DATE: 2001-12-04
  PRIOR APPLICATION NUMBER: 60/371,966
  PRIOR FILING DATE: 2002-04-12
  NUMBER OF SEQ ID NOS: 37
  SOFTWARE: Patentin version 3.1
SEQ ID NO 37
  LENGTH: 580
  TYPE: PRT
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: dI-NHS76(gamma4h)(FN>AQ)-ala-IL2(D20T) heavy chain fused to
US-10-310-719-37
  OTHER INFORMATION: IL-2 variant

  Query Match          85.3%;    Score  2621;    DB  14;    Length  580;
  Best Local Similarity  85.8%;
  Matches  500;    Conservative  29;    Mismatches  50;    Indels  4;    Gaps  3;

Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSH-YAMSWVRQAPGKGLEWVAYAISSGGSGTY 59
          |:||||:||| | || :|||||:|||||||| |||||||||||||||||: |||||:||
Db    1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS 119
          ||:|||||||||||||| :||:|||||||||||| |||  |||||:|||||||||||||
Db   60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
          |||||||||||||||||| |||||||||||||||||||||||||||||||||||||||
Db  118 GASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 177

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 239
          ||||||||||||||||||||||||||||||||||||:|||||||||||||||||||||
Db  178 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 237

Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  238 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQAQ 297

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
Db  295 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEM 354

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
Db  355 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 414

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
Db  415 QGNVFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINNY 473

Qy  481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
Db  474 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 533

Qy  541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db  534 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 575
```

```
RESULT 5
US-10-310-719-35
Sequence 35, Application US/10310719
Publication No. US20030166163A1
GENERAL INFORMATION:
  APPLICANT: Gillies, Stephen
  TITLE OF INVENTION: Immunocytokines With Modulated Selectivity
  FILE REFERENCE: LEX-020
  CURRENT APPLICATION NUMBER: US/10/310,719
  CURRENT FILING DATE: 2002-12-04
  PRIOR APPLICATION NUMBER: 60/337,113
  PRIOR FILING DATE: 2001-12-04
  PRIOR APPLICATION NUMBER: 60/371,966
  PRIOR FILING DATE: 2002-04-12
  NUMBER OF SEQ ID NOS: 37
  SOFTWARE: Patentin version 3.1
SEQ ID NO 35
  LENGTH: 580
  TYPE: PRT
  ORGANISM: Artificial Sequence
  FEATURE:
  OTHER INFORMATION: dI-NHS76(gamma2h)(FN>AQ)-ala-IL2(D20T) heavy chain fused to IL2
US-10-310-719-35
  OTHER INFORMATION: variant

  Query Match          84.3%;    Score  2589;    DB  14;    Length  580;
  Best Local Similarity  85.1%;    Pred. No.  1.4e-155;
  Matches  497;    Conservative  29;    Mismatches  52;    Indels  6;    Gaps  5;

Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSH-YAMSWVRQAPGKGLEWVAYAISSGGSGTY 59
          |:||||:||| | || :|||||:|||||||| |||||||||||||||||: |||||:||
Db    1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy   60 YSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS 119
          ||:|||||||||||||| :||:|||||||||||| |||  |||||:|||||||||||||
Db   60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy  120 -ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
           ||||||||||||||||| ||||||||||||||||||||||||||||||||||||||||
Db  118 GASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 177

Qy  179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 238
          |||||||||||||||:  ||||:|||||||||||||||: |:||||||||||||||| |
Db  178 SGLYSLSSVVTVPSSNFGTQTYTCNVNHKPSNTKVDKTVERKSCDKTHTCPPCPAPP-VA 236

Qy  239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
          |||||||||||||||||||||||||||||||||||||:|||||||||||||||||||||
Db  237 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQA 296

Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
          ||||||||||||||||||||||||||||| || :|||||||||:||||||||||||| :
Db  298 STYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE 357

Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
          :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db  358 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 417

Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINN 478
          : |||||||||||||||||||||||||| |||||||||||||||||||||||||||||
Db  418 QQGNIFSCSVVHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLLLDLQMILNGINN 477

Qy  480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  478 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 537

Qy  540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
          |||||||||||||||||||||||||||||||||||||||||||
Db  538 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

```
Qy  359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
        :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  357 EMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSKLTVDKSR 416

Qy  419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTIKKTQLQLEHLLLDLQMILNGIN 478
        |||||||||||||||||||||||||
Db  417 WQQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLILILQMILNGIN 476

Qy  479 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 538
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  477 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 536

Qy  539 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
        |||||||||||||||||||||||||||||||||||||||||||
Db  537 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

Query Match 73.2%; Score 2246.5; DB 15; Length 447;
Best Local Similarity 95.1%; Pred. No. 4.8e-134;
Matches 426; Conservative 4; Mismatches 17; Indels 1; Gaps 1;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
        ||||||||| |||||||||:||||||||:|:||||||||||||||||||:||||| :|||
Db    1 EVQLVESGGGLVQPGGSLRLSCAASGFTPSRYTMSWVRQAPGKGLEWVATISGGGH-TYY 59

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA 120
        ||||||||||||||||||||||||:||||:||||:|||: :|  :|| |||||||:||||
Db   60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDVWGQGTLVTVSSA 119

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419
```

Query Match 73.0%; Score 2240.5; DB 15; Length 447;
Best Local Similarity 94.9%; Pred. No. 1.1e-133;
Matches 425; Conservative 4; Mismatches 18; Indels 1; Gaps 1;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
        ||||||||| |||||||||:||||||||:|:||||||||||||||||||:||||| :|||
Db    1 EVQLVESGGGLVQPGGSLRLSCAASGFTPSRYTMSWVRQAPGKGLEWVATISGGGH-TYY 59

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA 120
        ||||||||||||||||||||||||:||||:||||:|||: :|  :|| |||||||:||||
Db   60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDVWGQGTLVTVSSA 119

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPG 448
        ||||||||||||||||||||||||||||
Db  420 QGNVFSCSVMHEALHNHYTQKSLSLSPG 447
```

GENERAL INFORMATION:
;　APPLICANT: BIOGEN, INC.
;　APPLICANT: GARBER, Ellen
;　APPLICANT: LYNE, Paul
;　APPLICANT: SALDHANA, Jose W.
;　TITLE OF INVENTION: HUMANIZED ANTI-LT-BETA-R ANTIBODIES
;　FILE REFERENCE: BINA100CN
;　CURRENT APPLICATION NUMBER: US/10/412,406
;　CURRENT FILING DATE: 2003-04-10
;　PRIOR APPLICATION NUMBER: 60/240,285
;　PRIOR FILING DATE: 2000-10-13
;　PRIOR APPLICATION NUMBER: 60/275,289
;　PRIOR FILING DATE: 2001-03-13
;　PRIOR APPLICATION NUMBER: 60/299,987
;　PRIOR FILING DATE: 2001-06-21
;　PRIOR APPLICATION NUMBER: PCT/US01/32140
;　PRIOR FILING DATE: 2001-10-12
;　NUMBER OF SEQ ID NOS: 33
;　SOFTWARE: FastSEQ for Windows Version 4.0
;
;　SEQ ID NO 32
;　LENGTH: 663
;　TYPE: PRT
;　ORGANISM: Homo Sapien
US-10-412-406-32

Query Match　　　72.9%;　Score 2238.5;　DB 15;　Length 663;
Best Local Similarity　94.0%;　Pred. No. 2.4e-133;
Matches 422;　Conservative　8;　Mismatches 18;　Indels　1;　Gaps　1;

```
Qy      1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
            |:|||||||| | |||||||||||||||||||| |:|||||||||||||||| |:|||||
Db    215 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMWFRQAPGKGLEWVATISDGGSYTYY 274

Qy     61 SDSVKGRFTISRDNSKNTLYLQMSLRAEDSAVYFCTRVKLGT-YYFDSWGQGTLLTVSS 119
            |||||||||||||| |:|||||||:||||||||||| ||||| :|||||||||||||||
Db    275 PDSVKGRFTISRDNAKNSLYLQMSSLRAEDTAVYYCAREENGNFYYFDYWGQGTTVTVSS 334

Qy    120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    335 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 394

Qy    180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    395 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 454

Qy    240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    455 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 514

Qy    300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    515 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 574

Qy    360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    575 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 634

Qy    420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
            |||||||||||||||||||||||||||||
Db    635 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 663
```

RESULT 9
US-10-412-406-33
;　Sequence 33, Application US/10412406
;　Publication No. US20040058394A1
;　GENERAL INFORMATION:
;　APPLICANT: BIOGEN, INC.
;　APPLICANT: GARBER, Ellen
;　APPLICANT: LYNE, Paul
;　APPLICANT: SALDHANA, Jose W.
;　TITLE OF INVENTION: HUMANIZED ANTI-LT-BETA-R ANTIBODIES
;　FILE REFERENCE: BINA100CN

;　CURRENT APPLICATION NUMBER: US/10/412,406
;　CURRENT FILING DATE: 2003-04-10
;　PRIOR APPLICATION NUMBER: 60/240,285
;　PRIOR FILING DATE: 2000-10-13
;　PRIOR APPLICATION NUMBER: 60/275,289
;　PRIOR FILING DATE: 2001-03-13
;　PRIOR APPLICATION NUMBER: 60/299,987
;　PRIOR FILING DATE: 2001-06-21
;　PRIOR APPLICATION NUMBER: PCT/US01/32140
;　PRIOR FILING DATE: 2001-10-12
;　NUMBER OF SEQ ID NOS: 33
;　SOFTWARE: FastSEQ for Windows Version 4.0
;
;　SEQ ID NO 33
;　LENGTH: 4852
;　TYPE: PRT
;　ORGANISM: Homo Sapien
US-10-412-406-33

Query Match　　　72.9%;　Score 2238.5;　DB 15;　Length 4852;
Best Local Similarity　94.0%;　Pred. No. 2.5e-132;
Matches 422;　Conservative　8;　Mismatches 18;　Indels　1;　Gaps　1;

```
Qy      1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
            |:|||||||| | |||||||||||||||||||| |:|||||||||||||||| |:|||||
Db   4404 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMWFRQAPGKGLEWVATISDGGSYTYY 4463

Qy     61 SDSVKGRFTISRDNSKNTLYLQMSLRAEDSAVYFCTRVKLGT-YYFDSWGQGTLLTVSS 119
            |||||||||||||| |:|||||||:||||||||||| ||||| :|||||||||||||||
Db   4464 PDSVKGRFTISRDNAKNSLYLQMSSLRAEDTAVYYCAREENGNFYYFDYWGQGTTVTVSS 4523

Qy    120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4524 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 4583

Qy    180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4584 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 4643

Qy    240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4644 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 4703

Qy    300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4704 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 4763

Qy    360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   4764 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 4823

Qy    420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
            |||||||||||||||||||||||||||||
Db   4824 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 4852
```

RESULT 10
US-10-474-832-6
;　Sequence 6, Application US/10474832
;　Publication No. US20040081651A1
;　GENERAL INFORMATION:
;　APPLICANT: BIOGEN, INC.
;　TITLE OF INVENTION: ANTIBODIES TO VLA-1
;　FILE REFERENCE: A101 PCT
;　CURRENT APPLICATION NUMBER: US/10/474,832
;　CURRENT FILING DATE: 2003-10-14
;　PRIOR APPLICATION NUMBER: 60/283,794
;　PRIOR FILING DATE: 2001-04-13
;　PRIOR APPLICATION NUMBER: 60/303,689
;　PRIOR FILING DATE: 2001-07-06
;　NUMBER OF SEQ ID NOS: 70
;　SOFTWARE: Patentin Ver. 2.1
;
;　SEQ ID NO 6
;　LENGTH: 447

```
;    TYPE: PRT
;    ORGANISM: Artificial Sequence
;    FEATURE:
;    OTHER INFORMATION: Description of Artificial Sequence: Synthetic
;    OTHER INFORMATION: polypeptide
US-10-474-832-6

Query Match    72.8%;    Score 2236.5;    DB 15;    Length 447;
Best Local Similarity    94.6%;    Pred. No. 2.1e-133;
Matches  424;    Conservative  4;    Mismatches  19;    Indels  1;    Gaps  1;

Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISGGSGSTYY   60
Db    1  EVQLVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVATISGGGH-TYY   59

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSA  120
Db   60  LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDVWGQGTLVTVSSA   119

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180
Db  120  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   179

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240
Db  180  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEAAGGP   239

Qy  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   300
Db  240  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS   299

Qy  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   360
Db  300  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL   359

Qy  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   420
Db  360  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ   419

Qy  421  QGNVFSCSVMHEALHNHYTQKSLSLSPG   448
Db  420  QGNVFSCSVMHEALHNHYTQKSLSLSPG   447
```

```
RESULT 11
US-10-320-231A-79
Sequence 79, Application US/10320231A
Publication No. US20030194405A1
GENERAL INFORMATION:
APPLICANT: Neben, Steven
APPLICANT: Takeuchi, Toshihiko
APPLICANT: Tomkinson, Adrian
TITLE OF INVENTION: Antibody Inhibiting Stem Cell Factor Activity And Use For
TITLE OF INVENTION: Treatment Of Asthma
FILE REFERENCE: 7430*163
CURRENT APPLICATION NUMBER: US/10/320,231A
CURRENT FILING DATE: 2002-12-19
PRIOR APPLICATION NUMBER: US 60/342,174
PRIOR FILING DATE: 2001-12-17
SOFTWARE: Patentin version 3.2
NUMBER OF SEQ ID NOS: 85
SEQ ID NO 79
LENGTH: 445
TYPE: PRT
ORGANISM: Artificial
FEATURE:
OTHER INFORMATION: synthetic sequence
US-10-320-231A-79

Query Match    72.8%;    Score 2234.5;    DB 14;    Length 445;
Best Local Similarity    94.4%;    Pred. No. 2.7e-133;
Matches  421;    Conservative  7;    Mismatches  17;    Indels  1;    Gaps  1;
```

```
Qy    4  LVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISGGSGSTYYSDS   63
Db    1  LVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVATISGGGH-TYYADS   60

Qy   64  VKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSASTK  123
Db   61  VKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCARRDFPA-HFDVWGQGTLVTVSSASTK  119

Qy  124  GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS   183
Db  120  GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS   179

Qy  184  LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF   243
Db  180  LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF   239

Qy  244  LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR   303
Db  240  LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR   299

Qy  304  VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN   363
Db  300  VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN   359

Qy  364  QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGN   423
Db  360  QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGN   419

Qy  424  VFSCSVMHEALHNHYTQKSLSLSPGK   449
Db  420  VFSCSVMHEALHNHYTQKSLSLSPGK   445
```

```
RESULT 12
US-10-150-475A-6
Sequence 6, Application US/10150475A
Publication No. US20030103985A1
GENERAL INFORMATION:
APPLICANT: Adolf, G. et al.
TITLE OF INVENTION: Cytotoxic CD44 Antibody Immunoconjugates
FILE REFERENCE: 1/1211
CURRENT APPLICATION NUMBER: US/10/150,475A
CURRENT FILING DATE: 2002-05-17
PRIOR APPLICATION NUMBER: US 60/307,451
PRIOR FILING DATE: 2001-07-24
SOFTWARE: Patentin Ver. 2.1
SEQ ID NO 6
LENGTH: 444
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Humanised
OTHER INFORMATION: Murine Antibody BIWA 4 Heavy Chain SEQ ID NO: 6
US-10-150-475A-6

Query Match    72.7%;    Score 2231.5;    DB 14;    Length 444;
Best Local Similarity    93.8%;    Pred. No. 4.2e-133;
Matches  421;    Conservative  10;    Mismatches  13;    Indels  5;    Gaps  1;
```

```
Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISGGSGSTYY   60
Db    1  EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTY   60

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSA  120
Db   61  LDSIKGRFTISRDNAKNSLYLQMSLRAEDTAVYYCARQGLI-----DYWGRGTLVTVSSA  115

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   180
Db  116  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG   175

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240
Db  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP   240
```

```
Db  176 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  236 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  356 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||
Db  416 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
```

RESULT 13
; US-10-704-522-6
; Sequence 6, Application US/10704522
; Publication No. US20040120949A1
; GENERAL INFORMATION:
; APPLICANT: Baumann, Michael
; APPLICANT: Adolf, Gunther
; APPLICANT: Heider, Karl-Heinz
; TITLE OF INVENTION: Compositions and methods for treating cancer using
; TITLE OF INVENTION: Cytotoxic CD44 Antibody Immunoconjugates
; FILE REFERENCE: 1/1414
; CURRENT APPLICATION NUMBER: US/10/704,522
; CURRENT FILING DATE: 2003-11-07
; PRIOR APPLICATION NUMBER: US 60/429,516
; PRIOR FILING DATE: 2002-11-27
; PRIOR APPLICATION NUMBER: EP 02024881
; PRIOR FILING DATE: 2002-11-08
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn Ver. 2.1
;
; SEQ ID NO 6
; LENGTH: 444
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Humanised Murine Antibody BIWA 4 Heavy Chain
US-10-704-522-6

```
Query Match             72.7%;  Score 2231.5;  DB 16;  Length 444;
Best Local Similarity   93.8%;  Pred. No. 4.2e-133;
Matches   421;  Conservative  10;  Mismatches  13;  Indels   5;  Gaps   1;

Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGGSGTYY 60
        ||||||||:  |:|||||||:||||||  |  |  |:||||||||||||||:  ||||  |:
Db    1 EVQLVESGGGLVKPGGSLRLSCAASGGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTY 60

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSA 120
        :||:|||||||||||:||:|||||:||||||:|||:||  |      |:||:|||||||||
Db   61 LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARQGL-----DYWGRGTLVTVSSA 115

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  116 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 175

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  176 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  236 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  356 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||
Db  416 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
```

```
Db  296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  356 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||
Db  416 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
```

RESULT 14
; US-10-645-215-6
; Sequence 6, Application US/10645215
; Publication No. US20040126379A1
; GENERAL INFORMATION:
; APPLICANT: Baum, Anke
; APPLICANT: Adolf, Guenther
; APPLICANT: Heider, Karl-Heinz
; TITLE OF INVENTION: Compositions and Methods for Treating Cancer using
; TITLE OF INVENTION: Cytotoxic CD44 Antibody Immunoconjugates and
; TITLE OF INVENTION: Chemotherapeutic Agents
; FILE REFERENCE: 1/1383
; CURRENT APPLICATION NUMBER: US/10/645,215
; CURRENT FILING DATE: 2003-08-21
; PRIOR APPLICATION NUMBER: EP 02 018 686.2
; PRIOR FILING DATE: August 21, 2002
; PRIOR APPLICATION NUMBER: US 60/405,956
; PRIOR FILING DATE: August 26, 2002
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn Ver. 2.1
;
; SEQ ID NO 6
; LENGTH: 444
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Humanised Murine Antibody BIWA 4 Heavy Chain
US-10-645-215-6

```
Query Match             72.7%;  Score 2231.5;  DB 16;  Length 444;
Best Local Similarity   93.8%;  Pred. No. 4.2e-133;
Matches   421;  Conservative  10;  Mismatches  13;  Indels   5;  Gaps   1;

Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGGSGTYY 60
        ||||||||:  |:|||||||:||||||  |  |  |:||||||||||||||:  ||||  |:
Db    1 EVQLVESGGGLVKPGGSLRLSCAASGGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTY 60

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFPDSWGQGTLLTVSSA 120
        :||:|||||||||||:||:|||||:||||||:|||:||  |      |:||:|||||||||
Db   61 LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARQGL-----DYWGRGTLVTVSSA 115

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  116 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 175

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  176 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  236 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  356 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||
```

```
Db      416 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444

RESULT 15
US-09-736-371B-21
; Sequence 21, Application US/09736371B
; Patent No. US2002131968A1
; GENERAL INFORMATION:
;   APPLICANT: Waldmann, Herman
;   APPLICANT: Frewin, Mark
;   TITLE OF INVENTION: AGLYCOSYLATED ANTIBODIES
;   FILE REFERENCE: Waldmann
;   CURRENT APPLICATION NUMBER: US/09/736,371B
;   CURRENT FILING DATE: 2002-04-25
;   PRIOR APPLICATION NUMBER: 9815909.8
;   PRIOR FILING DATE: 1998-07-21
;   PRIOR APPLICATION NUMBER: PCT/GB99/02380
;   PRIOR FILING DATE: 1999-07-21
;   NUMBER OF SEQ ID NOS: 30
;   SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 21
;   LENGTH: 449
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-736-371B-21

  Query Match        72.5%;   Score 2226;   DB 9;   Length 449;
  Best Local Similarity   93.1%;   Pred. No. 9.5e-133;
  Matches   418;  Conservative   12;  Mismatches   19;  Indels   0;  Gaps   0;

Qy     1 EVQLVESGGDFVQPGGSLRVSCAASGFAPSHYAMSWVRQAPGKGLEWVAYISSGSGSTYY 60
           |||||:||||| ||||||||||||:||||||:||:||||||||||||||:|||:|||
Db     1 EVQLLESGGGLVQPGGSLRLSCAASGFTFSSFPMAWVRQAPGKGLEWVSTISTSGGRTYY 60

Qy    61 SDSVKGRFTISRDNSKNTLYLQWRSLRAEDSAVYFCTRVKLGTTYYFDSWGQGTLLTVSSA 120
           |||:||||||||||:|||||||:|||||||||:||   ||   ||||||:|||||:||||
Db    61 RDSVKGRFTISRDNSKNTLYLQWNSLRAEDTAVYYCAKFRQYSGGFDYWGQGTLVTVSSA 120

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy   181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240

Qy   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYAS 300

Qy   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
           |||||||||||||||||||||||||||||||||||||||||||||:||||||||||||||
Db   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy   361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy   421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           |||||||||||||||||||||||||||||
Db   421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
```

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 18:46:03 ; Search time 31.449 Seconds
                                              (without alignments)
                                              1780.604 Million cell updates/sec

Title: US-10-089-500-53
Perfect score: 3071
Sequence: 1 EVQLVESGGDFVQPGGSLRV...........IVEFLNRWITFCQSIISTLT 582

Scoring table: BLOSUM62
                GapOp 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database : 1: PIR_79:*
            2: pir1:*
            3: pir2:*
            4: pir3:*
            4: pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match Length	Match Length	DB	ID	Description
1	1767	57.5	330	1	GHHU	Ig gamma-1 chain C region - human
2	1630.5	53.1	377	2	A23511	Ig gamma-3 chain C
3	1628.5	53.0	377	2	A60764	Ig gamma-3 chain C
4	1604	52.2	326	1	G2HU	Ig gamma-2 chain C
5	1590.5	51.8	327	1	G4HU	Ig gamma-4 chain C
6	1508.5	49.1	444	2	PC4436	Ig gamma chain
7	1487	48.4	470	2	S22080	monoclonal antibod
8	1440.5	46.9	469	2	S37483	Ig heavy chain pre
9	1437	46.8	446	2	S40295	Ig gamma-2a chain
10	1434	46.7	472	2	S31459	Ig gamma-2a chain
11	1429	46.5	374	2	S69339	Ig gamma-1 chain
12	1390	45.3	474	2	G2MS11	Ig heavy chain V r
13	1367.5	44.5	475	2	S01321	Ig gamma-2b chain
14	1263	41.1	328	2	I47159	Ig gamma-2b chain
15	1260	41.0	255	4	S31866	Ig gamma-2a chain
16	1257	40.9	328	2	I47160	Ig gamma-1 chain C
17	1254	40.8	234	2	PT0207	Ig gamma-2b chain
18	1231	40.1	323	1	I47158	Ig gamma chain C r
19	1230.5	40.1	323	1	GHRB	Ig gamma-2b chain
20	1227	40.0	328	2	I47161	Ig gamma 1 chain C
21	1216.5	39.6	328	2	G2GP	Ig gamma 3 chain c
22	1161.5	37.8	308	2	C30554	Ig gamma-2 chain C
23	1152	37.5	326	2	PS0017	Ig heavy chain C r
24	1151	37.5	326	2	G3HUWI	Ig gamma-1 chain C
25	1146.5	37.3	333	2	PS0018	Ig gamma-3 heavy c
26	1142	37.2	324	1	G1MS	Ig gamma-2b chain
27	1141	37.2	329	1	G3MSC	Ig gamma-1 chain C
28	1139	37.1	393	1	G1MSM	Ig gamma-1 chain C
29	1130	36.8	398	1	G3MSM	Ig gamma-1 chain C
30	1126	36.7	330	1	G2MSA	Ig gamma-3 chain C
31	1123.5	36.6	335	1	G2MSAB	Ig gamma-2a chain
32	1121	36.5	399	1	G2MSAM	Ig gamma-2a chain
33	1118.5	36.4	329	2	S00847	Ig gamma-2a chain
34	1112	36.2	322	2	P50019	Ig gamma-2c chain
35	1102	35.9	548	2	S38864	Ig gamma-2c chain
36	1092.5	35.6	327	2	S06611	Ig epsilon chain C
37	1082	35.2	405	1	G2MSBM	Ig gamma-2 chain C
38	1066	34.7	277	2	I47162	Ig gamma-4 chain c
39	1056	34.4	241	2	S04845	Ig gamma-2b chain pre
40	866.5	28.2	249	2	S69340	Ig heavy chain VHI
41	856.5	27.9	241	2	S69131	Ig Y heavy chain V
42	820.5	26.7	572	2	B46529	Ig heavy chain V-I
43	817	26.6	218	2	A36040	Ig heavy chain V c
44	810	26.4	220	2	A49444	Ig gamma-1 heavy c
45	792	25.8	246	2	S38950	Ig gamma-3 chain - m
	750	24.4	398	1		Ig gamma-3 chain C

ALIGNMENTS

RESULT 1
GHHU
Ig gamma-1 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 31-Jan-1981 #sequence_revision 18-Aug-1982 #text_change 09-Jul-2004
C;Accession: A93433; S36861; S33887; B90563; A90564; B91668; A91723; A02146
R;Ellison, J.W.; Berson, B.J.; Hood, L.E.
Nucleic Acids Res. 10, 4071-4079, 1982
A;Title: The nucleotide sequence of a human immunoglobulin C-gamma1 gene.
A;Cross-references: UNIPROT:P01857; EMBL:Z17370
A;Note: this sequence has the sequence of a human immunoglobulin C-gamma1 allotypic marker, 97-Lys, and the G1m(1) markers,
A;Note: Lys-330 is removed after translation
R;Harris, L.J.
submitted to the EMBL Data Library, October 1992
A;Reference number: S33904
A;Molecule type: DNA
A;Residues: 2-330 <HAR>
A;Cross-references: EMBL:Z17370
R;Takahashi, N.; Ueda, S.; Obata, M.; Nikaido, T.; Nakai, S.; Honjo, T.
Cell 29, 671-679, 1982
A;Title: Structure of human immunoglobulin gamma genes: implications for evolution of a
A;Accession: S33887; MID:83001943; PMID:6811139
A;Reference number: A93433; MID:82274238; PMID:6287432
A;Accession: A93433
A;Molecule type: DNA
A;Residues: 1-330 <ELL>
A;Cross-references: UNIPROT:P01857; EMBL:Z17370
A;Reference number: S36861
A;Molecule type: protein
A;Residues: 88-113;235-330 <TAK>
A;Cross-references: EMBL:Z17370
R;Cunningham, B.A.; Rutishauser, U.; Gall, W.E.; Gottlieb, P.D.; Waxdal, M.J.; Edelman,
Biochemistry 9, 3161-3170, 1970
A;Title: The covalent structure of a human gammaG-immunoglobulin. VII. Amino acid seque
A;Reference number: A90563; MID:71064024; PMID:5489771
A;Contents: myeloma protein Eu
A;Accession: B90563
A;Molecule type: protein
A;Residues: 1-96,'R',98-135 <CUN>
A;Note: this sequence has the G1m(3) marker, 97-Arg
R;Rutishauser, U.; Cunningham, B.A.; Bennett, C.; Konigsberg, W.H.; Edelman, G.M.
Biochemistry 9, 3171-3181, 1970
A;Title: The covalent structure of a human gammaG-immunoglobulin. VIII. Amino acid sequ
A;Reference number: A90564; MID:71064025; PMID:5530842
A;Contents: Eu
A;Accession: A90564
A;Molecule type: protein
A;Residues: 136-154,'Q',156-165,'Q',167-176,'Q',178-194,'N',196-197,'D',199-238,'E',240,
A;Note: this sequence has the G1m(non-1) markers, 239-Glu and 241-Met
R;Ponstingl, H.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 357, 1571-1604, 1976
A;Title: Die Primaerstruktur eines monoklonalen IgG1-Immunglobulins (Myelomprotein Nie),

igen Primaerstruktur.
A;Reference number: A91668; MUID:77070269; PMID:826475
A;Contents: myeloma protein Nie
A;Accession: B91668
A;Molecule type: protein
A;Residues: 1-34,'Q',36-96,'K',98-115,'Q',117-197,'D',199-238,'D',240,'L',242-268,'E',27
*;Note: this sequence has the Gim(17) and Gim(1) markers
R;Schmidt, W.E.; Jung, H.D.; Palm, W.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 364, 713-747, 1983
A;Title: Die Primaerstruktur des kristallisierbaren monoklonalen Immunglobulins IgG1 KOL
A;Reference number: A91723; MUID:83289131; PMID:6884994
A;Contents: myeloma protein KOL; disulfide bonds
A;Accession: A91723
A;Molecule type: protein
A;Residues: 1-96,'R',98-197,'D',199-238,'E',240,'M',242-266,'D',268-271,'D',273-330 <SCH
A;Note: this sequence has the Gim(3) and Gim(non-1) markers
R;Gall, W.E.; Edelman, G.M.
Biochemistry 9, 3188-3196, 1970
A;Title: The covalent structure of a human gammaG-immunoglobulin. X. Intrachain disulfid
A;Reference number: A90565; MUID:71064027; PMID:4923144
A;Contents: annotation; disulfide bonds
A;Accession: A90565
A;Molecule type: protein
R;Dreker, L.; Schwarz, J.; Reichel, W.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 357, 1515-1540, 1976
A;Title: Rule of antibody structure. The primary structure of monoclonal IgG1 immunoglob
A;Reference number: A91667; MUID:77070267; PMID:1002129
enbromide cleavage products, and the disulfide bridges.
A;Contents: annotation; disulfide bonds
C;Genetics:
A;Gene: GDB:IGHG1
A;Cross-references: GDB:120085; OMIM:147100
A;Map position: 14q32.33-14q32.33
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
C;Introns: 99/1; 114/1; 224/1
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin
F;20-85/Domain: immunoglobulin homology <IM1>
F;137-206/Domain: immunoglobulin homology <IM2>
F;243-310/Domain: immunoglobulin homology <IM3>
F;27-83,144-204,250-308/Disulfide bonds: interchain (to light chain) #status experimental
F;103/Disulfide bonds: interchain (to light chain) #status experimental
F;109,112/Disulfide bonds: interchain (to heavy chain) #status experimental
F;180/Binding site: carbohydrate (Asn) (covalent) #status experimental

Query Match   57.5%;   Score 1767; DB 1; Length 330;
Best Local Similarity 100.0%;   Pred. No. 5.9e-92;
Matches 330;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   60

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 120

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 180

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 240

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 300

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
             ||||||||||||||||||||||||||||||
Db   301 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 330

RESULT 2
A23511
Ig gamma-3 chain C region (allotype G3m(b)) - human
C;Species: Homo sapiens (man)
C;Date: 28-Dec-1987
A;Accession: A23511
R;Huck, S.; Fort, P.; Crawford, D.H.; Lefranc, M.P.; Lefranc, G.
Nucleic Acids Res. 14, 1779-1789, 1986
A;Title: Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: co
A;Reference number: A23511; MUID:86148507; PMID:3081877
A;Accession: A23511
A;Molecule type: DNA
A;Residues: 1-377 <HUC>
A;Cross-references: GB:X03604; GB:M12958; NID:g330070; PIDN:CAA27268.1; PID:g577056
C;Genetics:
A;Gene: GDB:IGHG3
A;Cross-references: GDB:119939; OMIM:147120
A;Map position: 14q32.33-14q32.33
A;Introns: 98/3; 115/3; 130/3; 145/3; 160/3; 270/3
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin
F;20-85/Domain: immunoglobulin homology <IMM>

Query Match   53.1%;   Score 1630.5; DB 2; Length 377;
Best Local Similarity 82.0%;   Pred. No. 3e-84;
Matches 309;   Conservative 10;   Mismatches 11;   Indels 47;   Gaps 1;

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 ASTKGPSVFPLAPCSRSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   60

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVELKTPLGDTTHTCPRCPEPKSC 217
             ||||||||||||||||||||||||||||||||||||||||:|:|
Db   61 GLYSLSSVVTVPSSSLGTQTYTCNVNHKPSNTKVDKRVELKTPLGDTTHTCPRCPEPKSC 120

Qy   218 -------------------EPKSCDKTHTCPPCPAPELLGG 252
                                |||||||||||||||||||||||
Db   121 DTPPCPRCPEPKSCDTPPCPRCPEPKSCDKTHTCPPCPAPELLGG 180

Qy   253 LMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 312
             |||||||||||:||:||||||||||||||||:||:|||||||||||
Db   181 LMISRTPEVTCVVVDVSHEDPEVQFKWYVDGVEVHNAKTKPREEQYN 240

Qy   313 QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVK 372
             |||||||||||||||||||||||||||:|:||||||:|:|||||:|:|||||||||||||
Db   241 QDWLNGKEYKCKVSNKALPAPIEKTISKTKGQPREPQVYTLPPSREEMTKNQVSLTCLVK 300

Qy   373 GFYPSDIAVEWESNGQPENNYNTTPPMLDSDGSFFLYSKLTVDKSRWQQGNIFSCSVMHE 432
             ||||||||||||||||||||||||:||||||||||||||||||||||:|||:||||||||
Db   301 GFYPSDIAVEWESSGQPENNYNTTPPMLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHE 360

Qy   433 ALHNHYTQKSLSLSPGK 449
             |||| :||||||||||
Db   361 ALHNRFTQKSLSLSPGK 377

RESULT 3
A60764
Ig gamma-3 chain C region, form LAT - human
C;Species: Homo sapiens (man)
C;Date: 14-May-1993 #sequence_revision 14-May-1993 #text_change 09-Jul-2004
A;Accession: A60764
R;Huck, S.; Lefranc, G.; Lefranc, M.P.
Immunogenetics 30, 250-257, 1989
A;Title: A human immunoglobulin IGHG3 allele (Gmb0, b1, c3, c5, u) with an IGHG4 convert
A;Reference number: A60764; MUID:9007613; PMID:2571587
A;Accession: A60764
A;Molecule type: DNA
A;Status: preliminary
A;Residues: 1-377 <HUC>
A;Cross-references: UNIPROT:Q8N4Y9
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin

F;20-85/Domain: immunoglobulin homology <IMM>
Query Match   53.0%; Score 1628.5; DB 2; Length 377;
Best Local Similarity   82.0%; Pred. No.3.9e-84;
Matches 309; Conservative 10; Mismatches 11; Indels 47; Gaps 1;

```
Qy 120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
        |||||||||||||:| :||||||||||||||||||||||||||||||||||||||||||||
Db   1 ASTKGPSVFPLAPCSRSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  60

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKV------------------------ 217
        |||||||||||||||||||||| |||||||||||||:|
Db  61 GLYSLSSVVTVPSSSLGTQTYTCNVNHKPSNTKVDKRVELKTPLGDTTHTCPRCPEPKSC 120

Qy 218 ------------------------EPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDT 252
                                 ||||:||| ||:||||||||||||||||||||||
Db 121 DTPPPCPRCPEPKSCDTPPPCPRCPEPKSCDTPPPCPRCPAPELLGGPSVFLFPPKPKDT 180

Qy 253 LMISRTPEVTCVVVDVSHEDPEVQFKNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH 312
        |||||||||||||||||||||||:|.||||||||||||||||||||||||||:|||||||||
Db 181 LMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTFRVVSVLTVLH 240

Qy 313 QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVK 372
        ||||||||||||||||||||||||||||:||||||||||||||||:::.:|||||||||||
Db 241 QDWLNGKEYKCKVSNKALPAPIEKTISKTKGQPREPQVYTLPPSREEMTKNQVSLTCLVK 300

Qy 373 GFYPSDIAVEWESNSGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHE 432
        ||||||||||||||.|||||||:||||||||||||||||:||||||||||:||||||||||
Db 301 GFYPSDIAVEWESSGQPENNYNTTPPVLDSDGSFFLYSRLTVDKSRWQEGNVFSCSVMHE 360

Qy 433 ALHNHYTQKSLSLSPGK 449
        ||||:.||||||||||||
Db 361 ALHNRFTQKSLSLSPGK 377
```

RESULT 4
G2HU
Ig gamma-2 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 30-Apr-1981 #sequence_revision 13-Jun-1983 #text_change 09-Jul-2004
C;Accession: A93906; A92809; A90752; A93132; A02148
R;Ellison, J.; Hood, L.
Proc. Natl. Acad. Sci. U.S.A. 79, 1984-1988, 1982
A;Title: Linkage and sequence homology of two human immunoglobulin gamma heavy chain con
A;Reference number: A93906; MUID:82197621; PMID:6804948
A;Accession: A93906
A;Contents: myeloma protein Til
A;Accession: A92809
A;Molecule type: protein
A;Residues: 1-19,'Q',21-57,'Z',59,'A',61-193,'D',195-325 <WAN>
R;Connell, G.E.; Parr, D.M.; Hofmann, T.
Can. J. Biochem. 57, 758-767, 1979
A;Note: Trp-156 is at or near the complement-binding site
R;Wang, A.C.; Tung, E.; Fudenberg, H.H.
J. Immunol. 125, 1048-1054, 1980
A;Reference number: A92809; A90752; A93132; A02148
A;Title: The primary structure of a human IgG2 heavy chain: genetic, evolutionary, and f
A;Reference number: A92809; MUID:81007873; PMID:6774012
A;Contents: myeloma protein Til
A;Accession: A92809
A;Molecule type: protein
A;Residues: 1-19,'Q',21-57,'Z',59,'A',61-193,'D',195-325 <WAN>
R;Connell, G.E.; Parr, D.M.; Hofmann, T.
Can. J. Biochem. 57, 758-767, 1979
A;Note: Trp-156 is at or near the complement-binding site
R;Wang, A.C.; Tung, E.; Fudenberg, H.H.
J. Immunol. 125, 1048-1054, 1980
A;Reference number: A90752
A;Contents: myeloma protein Zie
A;Accession: A90752
A;Molecule type: protein
A;Residues: 1-24,'E',26-57,'EV',60-85;132-171,'ZZZ',175,'B',177-193,'D',195-196,'Q',198-
A;Note: this sequence has been revised
A;Residues: 1-24,'E',26-57,'EV',60-85,132-171,'ZZZ',175,'B',177-193,'D',195-196,'Q',198-
A;Note: this sequence has been revised since
A;Title: The amino acid sequences of the three heavy chain constant region domains of a
A;Accession: A90752; MUID:80001357; PMID:113060
A;Contents: myeloma protein Zie
A;Accession: A90752
A;Molecule type: protein
R;Hofmann, T.; Parr, D.M.
Mol. Immunol. 16, 923-925, 1979
A;Title: A note on the amino acid sequence of residues 381-391 of human immunoglobulin g
A;Reference number: A93132; MUID:8011419; PMID:118920
A;Contents: Zie

A;Accession: A93132
A;Molecule type: protein
A;Residues: 238-275 <HOF>
R;Hofmann, T.; Parr, D.M.
submitted to the Atlas, March 1980
A;Reference number: A94591
A;Contents: annotation; Zie, revisions to residues 25, 59, 60, and 264-268
A;Note: the revised sequence differs from that shown in having 60-Ala and in the amidat
R;Milstein, C.; Frangione, B.
Biochem. J. 121, 217-225, 1971
A;Title: Disulfide bridges of the heavy chain of human immunoglobulin G2.
A;Reference number: A90253; MUID:72033500; PMID:4940472
A;Contents: annotation; myeloma protein Sa, disulfide bonds
R;Frangione, B.; Milstein, C.; Pink, J.R.L.
Nature 221, 145-148, 1969
A;Title: Structural studies of immunoglobulin G.
A;Reference number: A93157; MUID:69064124; PMID:5782707
A;Contents: annotation; Sa, disulfide bonds
C;Genetics:
A;Gene: GDB:IGHG2
A;Cross-references: GDB:119338; OMIM:147110
A;Map position: 14q32.33-14q32.33
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (ka
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into l
C;Superfamily: immunoglobulin C region; heterotetramer; immunoglobulin
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin homology
F;20-85/Domain: immunoglobulin homology <IM1>
F;113-202/Domain: immunoglobulin homology <IM2>
F;239-306/Domain: immunoglobulin homology <IM3>
F;14/Disulfide bonds: interchain (to light chain) #status experimental
F;27-83,140-200,246-304/Disulfide bonds: #status experimental
F;102,103,106,109/Disulfide bonds: interchain (to heavy chain) #status predicted
F;176/Binding site: carbohydrate (Asn) (covalent) #status experimental

RESULT 5
G4HU
Ig gamma-4 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 02-Apr-1982 #sequence_revision 02-Apr-1982 #text_change 09-Jul-2004
C;Accession: A90933; A90249; A02150
R;Ellison, J.; Buxbaum, J.; Hood, L.
DNA 1, 11-18, 1981
A;Title: Nucleotide sequence of a human immunoglobulin C-gamma4 gene.

Query Match   52.2%; Score 1604; DB 1; Length 326;
Best Local Similarity   91.2%; Pred. No.7.7e-83;
Matches 301; Conservative 12; Mismatches 13; Indels 4; Gaps 2;

```
Qy 120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
        |||||||||||||:| :.|:||||||||||||||||||||||||||||||||||||||||||
Db   1 ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  60

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
        ||||||||||||||| ||||||||:||||||||||:|::||||...||:|||  |:|.|
Db  61 GLYSLSSVVTVPSSSNFGTQTYTCNVDHKPSNTKVDKTVERKCCVE---CPPCPAPP-VAG 116

Qy 240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQYN 299
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||:.|
Db 117 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQFN 176

Qy 300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
        ||:|||||||||:||:||||||||||||||.|||||||||||:||||||||||||||||:|
Db 177 STFRVVSVLTVVHQDMLNGKEYKCKVSNKGLPAPIEKTISKTKGQPREPQVYTLPPSREE 236

Qy 360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSKLTVDKSRW 419
        :|||||||||||||||||||||||||||||||||||||||||||||||||||:|||||||||
Db 237 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSRLTVDKSRW 296

Qy 420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||||
Db 297 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 326
```

A;Reference number: A90933; MUID:83157104; PMID:6299662
A;Accession: A90933
A;Molecule type: DNA
A;Residues: 1-327 <ELL>
A;Cross-references: UNIPROT:P01861
A;Note: the sequence was determined from the germline gene
R;Pink, J.R.L.; Buttery, S.H.; De Vries, G.M.; Milstein, C.
Biochem J; 117 33-47; 1970
A;Title: Human immunoglobulin subclasses. Partial amino acid sequence of the constant r
A;Reference number: A90249; MUID:70207560; PMID:4192699
A;Accession: A90249
A;Molecule type: protein
A;Residues: 1-30,81-326 <PIN>
C;Genetics:
A;Gene: GDB:IGHG4
A;Cross-references: GDB:119340; OMIM:147130
A;Map position: 14q32.33-14q32.33
A;Introns: 99/1; 111/1; 221/1
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin
F;20-85/Domain: immunoglobulin homology <IM1>
F;99-110/Region: hinge
F;134-203/Domain: immunoglobulin homology <IM2>
F;240-307/Domain: immunoglobulin homology <IM3>
F;14/Disulfide bonds: interchain (to light chain) #status predicted
F;27-83,141-201,247-305/Disulfide bonds: #status predicted
F;106,109/Disulfide bonds: interchain (to heavy chain) #status experimental
F;177/Binding site: carbohydrate (Asn) (covalent) #status predicted

Query Match   51.8%;   Score 1590.5; DB 1; Length 327;
Best Local Similarity   90.9%; Pred. No. 4.4e-82;
Matches   300; Conservative   12; Mismatches   15; Indels   3; Gaps   1;

Qy 120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   60

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
              ||||||||||||||||||||||||||||||||| :| : |||| : :|| : ||
Db   61 GLYSLSSVVTVPSSSLGTKYTCNVDHKPSNTKVDKRVESK----YGPPCPSCPAPEFLGG 117

Qy 240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
              ||||||||||||||||||||||||||||||||||||||||||||||||||| :|
Db 118 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQN   177

Qy 300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
              |||||||||||||||||||||||||||||| ||||||||||||||||||||||:||
Db 178 STYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE 237

Qy 360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
              ||||||||||||||||||||||||||||||||||||||||||||||||:||||||||
Db 238 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSRLTVDKSRW 297

Qy 420 QEGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              |||||||||||||||:|||||||||||
Db 298 QEGNVFSCSVMHEALHNHYTQKSLSLSLGK 327

RESULT 6
PC4436
monoclonal antibody 13-1 heavy chain - mouse (fragment)
C;Species: Mus musculus (house mouse)
A;Accession: PC4436
C;Date: 04-Feb-1998 #sequence_revision 13-Mar-1998 #text_change 21-Jan-2000
R;Akabani, S.; Kato, K.; Torizawa, T.; Dohnae, N.; Yamaguchi, H.; Kamachi, M.; Harada, A.;
Biochem. Biophys. Res. Commun. 240, 566-572, 1997
A;Title: Structural characterization of mouse monoclonal antibody 13-1 against a porphyr
A;Reference number: JC5810; MUID:98063277; PMID:9398605
A;Molecule type: protein
A;Accession: PC4436
A;Residues: 1-444 <AKA>

C;Comment: This catalytic antibody has peroxidase oxidase activity. It is directed again
C;Superfamily: immunoglobulin C region; immunoglobulin homology
F;251-320/Domain: immunoglobulin homology <IMM>
F;22/Disulfide bonds: interchain (to 98) #status predicted
F;99/Disulfide bonds: interchain (to 109) #status predicted

Query Match   49.1%;   Score 1508.5; DB 2; Length 444;
Best Local Similarity   61.1%; Pred. No. 2.5e-77;
Matches   277; Conservative   73; Mismatches   90; Indels   13; Gaps   6;

Qy   1 EVQLVESGGDFVQPGGGSLRVSCAASGFPAFSHYANSWVRQAPGKGLEWVAYIS--SGGSGT   58
              ||||| || : |:|||||:|| ||| : || :||: |||: |:||||| || |||||
Db   1 EVQXVETGGGLVRPGNSLKLSCLITSGFTFSNYRMHWLRQPGPGKLEWIAVITVKSDNYGA   60

Qy   59 YYSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVS 118
              || |:|||||||||||:|||:|||||| : || ||||||: | |||:||||||: ||
Db   61 KYAESVRGRFTISRDDSKSSVYLQMNRLREEDTATYYCCRTP--WYYAMDCWGQGTSVIVS 119

Qy 119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db 120 SAKTTPPSVYPLAPGSAAQINSMVTLGCLVKDYFPEPVTVSWNSGSLSSGVHTFPAVLQS 179

Qy 179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP--CPAPEL 236
              |||||||||||||||||||| |||| : ||||||||| :: : || || |||
Db 180 D-LYTLSSSVTVPSSTWPSETVTCNVAHPASSTKVDKKIVPRDCG---CKPCICTVPEV   234

Qy 237 LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE 296
              |||||||||||||||| : :||| |||||||: : || : |||||: :||| : |||
Db 235 --SSVFIFPPKPKDVLTITLTPKVTCVVVDISKDDPEVQFSWFVDDVEHTAQTQPREE 291

Qy 297 QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS 356
              |||||||||||||||:||||| : :||||| : |||||||||||||| ||| :| : ||
Db 292 QFNSTFRSVSELPIMHQDWLNGKEFKCRVNSAAFPAPIEKTISKTKGRPKAPQVVTIPPP 351

Qy 357 RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDK 416
              | ||||||||| ||| ||:|||||||||| :|| ||:: || || || : |||:|||
Db 352 KEQMAKDKVSLTCMITDFFPEDITVEWQWNGQPAENYKNTQPIMDTDGSYFVYSKLNVQK 411

Qy 417 SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              ||| |||:|||||:|||||||: ||| |:|||
Db 412 SNWEAGNTFTCSVLHEGLHNHHTEKSLSHSPGK 444

RESULT 7
S22080
Ig heavy chain precursor (B/MT.4A.17.H5.A5) - bovine
N;Alternate names: Ig gamma-1 chain C region (clone 8.10)
C;Species: Bos primigenius taurus (cattle)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
A;Accession: S22080; S06610; A31303
A;Note: the sequence was determined from the germline gene
R;Sanderr, P.G.
submitted to the EMBL Data Library, November 1991
A;Reference number: S22080
A;Accession: S22080
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-470 <SAN>
A;Cross-references: EMBL:X62916; NID:g439; PIDN:CAA44699.1; PID:g440
R;Symons, D.B.A.; Clarkson, C.A.; Beale, D.
Mol. Immunol. 26, 841-850, 1989
A;Title: Structure of bovine immunoglobulin constant region heavy chain gamma 1 and gamm
A;Reference number: S06610; MUID:90097956; PMID:2513487
A;Accession: S06610
A;Molecule type: DNA
A;Residues: 142-470 <SYM>
A;Cross-references: EMBL:X16701
A;Note: the sequence was determined from the germline gene
C;Genetics:
A;Gene: Ig CH gamma-1
A;Introns: 98/1; 111/1; 221/1
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: glycoprotein; heterotetramer; immunoglobulin; membrane protein
F;161-225/Domain: immunoglobulin homology <IMM>

F;318/Binding site: carbohydrate (Asn) (covalent) #status predicted

```
Query Match   48.4%;   Score 1487;   DB 2;   Length 470;
Best Local Similarity  62.4%;   Pred. No. 4.3e-76;
Matches  284;  Conservative  60;  Mismatches 101;  Indels  10;  Gaps  6;

Qy    1  EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60
            :||: :||:  ||| |||  |||||| | ||||  |||| ||||||| |   |||||  |||
Db   20  QVQLRESGPSLVKPSQTLSLTCTVSGFSLSSYALTWNVRQAPGKALEWVGGIISGGG-TYY   78

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT----YYFDSWGQGTLLT-  116
            | ||:||||  :|||||  |:  || |  |||||||||       :||||||||||| |
Db   79  NPALKSRLSITKENSKSQVSLSVSSVTPEDTATYYCARSTYGEVGDGAIADAWGQGLLVT-  138

Qy  117  VSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL-  176
            ||||||  |||  |||   ::|:|| ||||||  ||||||:|:||||||:||||||||||
Db  139  VSSASTTAPKVYPLSSCCGDKSSSVVTLGCLVSSTMPEPVVTWNSGALKSGVHTFPAVL--  198

Qy  177  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL-  236
            |||||||||| :||| |||:|:| |||| | :|||||||  |  ||  |  |  | | |||
Db  199  QSSGLYSLSSMVTVPGSSTSG-QTFTCNVAHPASSTKVDKAVDP-TC-KPSPCDCCPPEL-  255

Qy  237  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE-  296
            :||||||:||||||||| || |||||||||||  :||||||  ||| ||| |  ||||||
Db  256  PGGPSVFIFPPKPKDTLTISGTPEVTCVVVDVGHDDPEVKFKSWFVDDVEVNTATIKPREE  315

Qy  297  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS-  356
            ||:||||||| | :|||||  ||| |||| |  ||||| ||||  || ||||||| | ||
Db  316  QFNSTYRVVSALRIQHODWTGGKEFKCKVNNEGLPAPIVRTISRTGKPAREPQVVVLAPP-  375

Qy  357  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQP---ENNYKTTPPVLDSDGSFFLYSKLTV  414
            ::||:|  |||||:| :||| ||||||: |||||    :  |||| | | ||::||||| |
Db  376  QEELSKSTVSLTCMVTSFYPDYIAVEWQRNGQPEESEDKYGTTPPQLDADSSYFLYSKLRV  435

Qy  415  DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
            | ::|| |:  |||||||||||| |||| | |:||
Db  436  DRNSWQEGDTYTCVVMHEALHNHYTQKSTSKSAGK  470
```

RESULT 8
S37483

Ig gamma-2a chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C;Accession: S37483
R;Ducancel, F.F.D.
submitted to the EMBL Data Library, February 1993
A;Reference number: S37483
A;Accession: S37483
A;Molecule type: mRNA
A;Residues: 1-469 <DUC>
A;Cross-references: EMBL:X70423; NID:g406252; PIDN:CAA49868.1; PID:g406253
A;Superfamily: immunoglobulin C region; immunoglobulin homology
A;Keywords: immunoglobulin
F;276-345/Domain: immunoglobulin homology <IMM>

```
Query Match   46.9%;   Score 1440.5;   DB 2;   Length 469;
Best Local Similarity  59.1%;   Pred. No. 1.7e-73;
Matches  267;  Conservative  72;  Mismatches 108;  Indels  5;  Gaps  4;

Qy    1  EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60
            :||: :||| |   | || ||:|||||||||| ||||| ||||| |||| |: | | ||||
Db    1  QIQLQQSGPELVKPGASVKISCKASGYTFTDYIINWVKQRPGQGLKWIGWIYPASGNTKY   79

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT-YYFDSWGQGTLLTVSS   119
            :: :||| |:  |:|| | |||  || | |:||||| |   | | ::|| |||||| ||||
Db   80  NENFKGKATLTVDTSSSTAYMQLSSLTSEDTAVYFCARAGMATATLLDYWGQGTLTVSS   139

Qy  120  ASTKGPSVFPLAPSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   179
            | | | ||:||||   ::|:|  ||||||  |||||: :|||| | ||||||||||||||
Db  140  AKTTAPSVYPLAPVCGDTTGSSVTLGCLVKGYFPEVTLTWNSGSLSSGVHTFPAVLQSD   199
```

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP--CPAPELL 237
```
            -||:|||| :|| |: |||| |||| |  |||||||||:|| | |  | |||  |||| ||
```
Db 200 -LYTLSSSVTVTSSTWPSQSITCNVAHPASSTKVDKKIEPRG-PTIKPCPPCKCPANLL 257

Qy 238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
```
            |||||| |||||||||||| | | |||||||| :|| || |  | | ||| | | : :::
```
Db 258 GGPSVFIFPPKPKDTLMISLSPIVTCVVVDVSEDDPDVQISWFVNNVEVHTAQTQTHRED 317

Qy 298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
```
            |||| ||||  : |||||: ||| ||||:| |||||||:|||| || ::| |||| |||
```
Db 318 YNSTLRVVSALPIQHQDWMSGKEFKCKVNNKDLPAPIERTISKPKGSVRAPQVYVLPPPE 377

Qy 358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
```
            :|:|| ||:||||:  |:| ||||||: ||:  ||| : |||||||||:|:||||| |:|
```
Db 378 EEMTKKQVTLTCMVTDFMPEDIYVEWTNNGKTELNYKNTEPVLDSDGSYFMYSKLRVEKK 437

Qy 418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
```
            :|  |:  ||||:||.|||| ||||: || ||
```
Db 438 NWVERNSYSCSVVHEGLHNHHTTKSFSRTPGK 469

RESULT 9
S40295

Ig gamma-2a chain (mAb735) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 07-Apr-1994 #sequence_revision 07-Apr-1994 #text_change 09-Jul-2004
C;Accession: S40295
R;Klebert, S.; Kratzin, H.D.; Zimmermann, B.; Vaesen, M.; Frosch, M.; Weisgerber, C.; B...
A;Description: Primary structure of the murine monoclonal IgG2a antibody mAb735 against
submitted to the EMBL Data Library, January 1993
A;Reference number: S40295
A;Accession: S40295
A;Molecule type: protein
A;Residues: 1-446 <KLB>
A;Cross-references: UNIPROT:Q99L25
C;Genetics:
C;Map position: 12
A;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Superfamily: immunoglobulin C region; glycoprotein; immunoglobulin homology
C;Keywords: disulfide bond; glycoprotein; immunoglobulin; pyroglutamic acid
F;1-446/Product: Ig gamma-2a chain #status experimental <MAT>
F;1-117/Domain: V-D-J region <VDJ>
F;1-446/Domain: C region <CHR>
F;118-214/Domain: C1 region <CH1>
F;118-446/Domain: C region <CHR>
F;215-230/Region: hinge
F;231-340/Domain: C2 region <CH2>
F;341-446/Domain: C3 region <CH3>
F;360-427/Domain: immunoglobulin homology <IMM>
F;1/Modified site: Pyrrolidone carboxylic acid (Gln) #status experimental
F;22-96,144-199,261-321,367-425/Disulfide bonds: #status predicted
F;132/Disulfide bond: interchain (to light chain) #status predicted
F;224,227,229/Disulfide bonds: interchain #status predicted
F;297/Binding site: carbohydrate (Asn) (covalent) #status predicted

```
Query Match   46.8%;   Score 1437;   DB 2;   Length 446;
Best Local Similarity  59.3%;   Pred. No. 2.5e-73;
Matches  267;  Conservative  70;  Mismatches 107;  Indels  6;  Gaps  4;

Qy    1  EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY   60
            :||: :||| |   | || ||:|||||||||| ||||: ||| |||||| |: | | ||||
Db    1  QIQLQQSGPELVRPGASVKISCKASGYTFTDYIIHWVKQRPGEGLEWIGWIYPGSGNTKY   60

Qy   61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSSA  120
            :: :||| |:  |:|| | |||  || | |:||||| |  |   :|| |||||| ||||||
Db   61  NEKFKGKATLTVDTSSSTAYMQLSSLTSEDSAVYFCARG--GKFAMDYWGQGTSVTVSSA  118

Qy  121  STKGPSVFPLAPSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG  180
            | | | ||:||||   ::|:|  |||||  |||||:::||||:| ||||||||||||||
Db  119  KTTAPSVYPLAPVCGDTTGSSVTLGCLVKGYFPEPVTLTWNSGSLSSGVHTFPAVLQSD-  177

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP--CPAPELLG  238
            ||:|||| :|| |: |||| |||| |  |||||||||:|| | |  | |||  |||| ||
Db  178  LYTLSSSVTVTSSTWPSQSITCNVAHPASSTKVDKKIEPRG-PTIKPCPPCKCPANLLG  236
```

```
Qy  239  GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREQQY 298
         |||||||||| ||| |||| |  |||||||||| ||| |  ||  |||  | |
Db  237  GPSVFIFPPKIKDVLMISLSPMVTCVVVDVSEDDPDVQISWFVNNVEVLTAQTQTHREDY 296

Qy  299  NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVVTLPPSRD 358
         ||| |||| | | ||||  ||| ||||   ||||| ||| || | |   ||| |  |
Db  297  NSTLRVVSALPIQHQDWMSGKEFKCKVNNCDLPAPIERTISKPRGSVRAPQVVLPPPEE  356

Qy  359  ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
         | ||||| || | |  | ||  ||| |||    ||  | |||||||| |  |||| | |
Db  357  EMTKKQVTLTCMVTDFMPEDIYVEWTNNGKTELNYKNTEPVLDSDGSYFMYSKLRVEKKN  416

Qy  419  WQQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
         |   | |||||| ||||||   | |  | |
Db  417  WVERNSYSCSVVHEGLHNHHTTKSFSRTPG 446
```

RESULT 10

S31459

Ig gamma-1 chain - sheep (fragment)
C;Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 16-Jul-1999
C;Accession: S31459
R;Patri, S.; Nau, F.
submitted to the EMBL Data Library, December 1992
A;Reference number: S31459
A;Accession: S31459
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-472 <PAT>
A;Cross-references: EMBL:X69797
C;Superfamily: immunoglobulin C region; immunoglobulin homology
F;277-346/Domain: immunoglobulin homology <IMM>

Query Match 46.7%; Score 1434; DB 2; Length 472;
Best Local Similarity 59.4%; Pred. No. 4e-73;
Matches 274; Conservative 64; Mismatches 105; Indels 18; Gaps 5;

```
Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSG---  57
         :||::|:| ||  | ||| |:|  :|| | |||     |||||| |||  | ::  |
Db   18  QVRLQESGPSLAILLQTLSVTCTIISGFSLNNYGVDWVRQAPGKALEWL----GGSGYDE  72

Qy   58  -TYYSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYY------FDSWG 110
          ||||||||||||||||||| |||| |:||||||:|||||||: |  ||      |||||
Db   73  DIDYNPVLKSRLSITKDTSKSQVSLTLSVVTEDTAVYYCARDYDSSHAFAYASYDFWG   132

Qy  111  QGTLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 170
         :|||||||||||| | | | | |  |:||:||:|||||  ||||||||:|||||||||||
Db  133  PGLLISVLSASTPPKVYPLTSCCGDTSSSIVTLGCLVSSYMPEPVTVTWNSGALTSGVH  192

Qy  171  TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 230
         ||||:||||||||||:|||||:| ||:||:||||:| |:|:||||:|||  | | | | |
Db  193  TFPAILQSSGLYSLSVVTVPASTSGAQTFICNVAHPASSTKVDKRVEPGCPDPCKHC-R  251

Qy  231  CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 290
         || || ||||||| |||||||||:|| |||||||||||   || |:  | ||:|| : |
Db  252  CPPPELPGGPSVFIFPPKPKDTLTISGTPEVTCVVVDVQFSWFVDNVEVRTAR         311

Qy  291  TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 350
         ||||||| |||:|||| | | |||| |||: |||| | ||||||  |||: | |  ||||
Db  312  TKPREEQFNSTFRVVSALPIQHQDWTGGKRFKCKVHNEALPAPIVRTISRTKCQAREPQV 371

Qy  351  YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQP--ENNYKTTPPVLDSDGSFFL 408
         | | | :| |:|: :|:||||:|||| |||||| :|||  | :|  |:| |||||| || 
Db  372  YVLAPPQELSKSTLSVTCLVTGFYPDYIAVEWQKNGQPESEDKYGTTTSQLDADGSYFL  431

Qy  409  YSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         || | ||  ||| |  : |||||||||||||||| |  |||
Db  432  YSRLRVDKNSWQEGDTYACVVMHEALHNHYTQKSISKPGK  472
```

RESULT 11

S69339

Ig heavy chain V region precursor - human
C;Species: Homo sapiens (man)
C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 01-Dec-2000
C;Accession: S69339; S72664
R;Khamlichi, A.A.; Aucouturier, P.; Preud'homme, J.L.; Cogne, M.
A;Title: Structure of abnormal heavy chains in human heavy-chain-deposition disease.
Eur. J. Biochem. 229, 54-60, 1995
A;Reference number: S69339; MUID:95262687; PMID:7744049
A;Accession: S69339
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-374 <KHA>
A;Cross-references: EMBL:X81695
submitted to the EMBL Data Library, September 1994
A;Reference number: S72664
A;Accession: S72664
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-140,'C',142-374 <KH2>
A;Cross-references: EMBL:X81695
C;Superfamily: immunoglobulin C region; immunoglobulin homology

Query Match 46.5%; Score 1429; DB 2; Length 374;
Best Local Similarity 62.1%; Pred. No. 5.7e-73;
Matches 282; Conservative 23; Mismatches 45; Indels 104; Gaps 4;

```
Qy    1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSH--YAMSWVRQAPGKGLEWVAYISSGGSGT  58
         :: |:||| |  | | |:|:|  :|| |    | :||:||| |:|||||  | ||    
Db   20  QITLKESGPTLVKPTQTLTLTCTFSGFSLSKSGVGVGWIRQPPGQALEWLALI-FWDDDK  78

Qy   59  YYSDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLG---TYYFDSWGQGTLL 115
         || | |   :|:| | |:  | |  ::   |  | ||     |    :||| |||||||:
Db   79  RYSPSLRTRLTITKDTSKNQVVLTMTNVDPADTATYYCGYSVEGYGVQQGYRFHSWCGTLV 138

Qy  116  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
         ||||                                                         
Db  139  TVSS------                                                    142

Qy  176  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCPAPE  235
                                                 |||||||||||||||||||
Db  143  -------------------------------------EPKSCDKTHTCPCPAPE       160

Qy  236  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  161  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 220

Qy  296  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  221  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 280

Qy  356  SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
         || | ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  281  SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 340

Qy  416  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         |||||||||||||||||||||||||||| |||||
Db  341  KSRWQQGNVFSCSVMHEALHNHYTQKSISLSPGK 374
```

RESULT 12

G2MS11

Ig gamma-2b chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 31-Mar-1980 #sequence_revision 01-Dec-2000 #text_change 09-Jul-2004
C;Accession: S25057; A02157; A26235; A26233; A5359B
R;Fischer, R.; Voss, A.; Niersbach, M.; Munziker, W.; Hirsch, H.J.; Kreuzaler, F.
submitted to the EMBL Data Library, July 1992
A;Description: Production of a Tobacco mosaic virus (TMV) inactivating neotop specific m
A;Reference number: S25057
A;Accession: S25057
A;Status: preliminary

A;Molecule type: mRNA
A;Residues: 1-474 <PIS>
A;Cross-references: UNIPROT:P01866; EMBL:X67210; NID:g54826; PIDN:CAA47649.1; PID:g54827
R;Yamawaki-Kataoka, Y.; Kataoka, T.; Takahashi, N.; Obata, M.; Honjo, T.
Nature 283, 786-789, 1980
A;Title: Complete nucleotide sequence of immunoglobulin gamma2b chain gene cloned from r
R;Tucker, P. W.; Marcu, K. B.; Slightom, J. L.; Blattner, F. R.
Science 206, 1299-1303, 1979
A;Title: Structure of the constant and 3' untranslated regions of the murine gamma2b hea
A;Contents: a allele
A;Accession: A02157
A;Molecule type: DNA
A;Residues: 138-161, 'L', 163-189, 'FP', 193-474 <YAM>
A;Cross-references: GB:J00461
A;Note: the sequence was determined from the germline gene
R;Ollo, R.; Rougeon, F.
Nature 296, 761-763, 1982
A;Title: Mouse immunoglobulin allotypes: post-duplication divergence of gamma2a and gamm
A;Contents: b allele
A;Accession: A26233
A;Molecule type: DNA
A;Residues: 138-161, 'L', 163-189, 'FP', 193-376, 'T', 378-474 <TU1>
R;Tucker, P. W.; Marcu, K. B.; Newell, N.; Richards, J.; Blattner, F. R.
Science 206, 1303-1306, 1979
A;Title: Sequence of the cloned gene for the constant region of murine gamma2b immunoglo
A;Reference number: A26232; MUID:80081502; PMID:117549
A;Accession: A26232
A;Molecule type: DNA
A;Residues: 138-172, 'P', 174-189, 'FP', 193-376, 'T', 378-474 <TU2>
A;Title: O-glycosylation in hinge region of mouse immunoglobulin G2b.
A;Reference number: A53598; MUID:94216359; PMID:7512967
A;Accession: A53598
A;Status: preliminary
A;Molecule type: protein
A;Residues: 234-251 <KIM>
A;Comment: The a allele sequence is shown.
C;Genetics:
A;Introns: 138/1; 236/1; 258/1; 368/1
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kar
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: alternative splicing; duplication; glycoprotein; heterotetramer; immunoglobu
F;236-257/Region: hinge
F;281-350/Domain: immunoglobulin homology <IM2>
F;387-454/Domain: immunoglobulin homology <IM3>
F;152/Disulfide bonds: interchain (to light chain) #status predicted
F;164-220/Disulfide bonds: #status predicted
F;247,250,253,256/Disulfide bonds: interchain (to heavy chain) #status predicted
F;324/Binding site: carbohydrate (Asn) (covalent) #status predicted

Query Match   45.3%;   Score 1390;   DB 1;   Length 474;
Best Local Similarity   56.6%;   Pred. No. 1.2e-70;
Matches   260;   Conservative   72;   Mismatches   113;   Indels   14;   Gaps   4;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGSTYY    60
          ||:|: ||| |:|  |  |||||||: :  ||    ||  || |     |:   :::::|
Db   20 EVQLQQSGPELVNPGASVKMSCKASGYTFITYVMHWVKQKPGQGLEWIGYINPNKDGTKP   79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTY---DYDYDWFAYWGQGTLLTV  117
          ::|  |||:||::::||| |||::| |:||||:|||:            || : ||  |||:|
Db   80 NEKFKGKATLTSDKSSNTAYMELSSLTSEDSAVYYCAR-----DYDYDFAYWGQGTLVTV  135
```

RESULT 13
S01321
Ig gamma-2b chain precursor - mouse
C;Species: Mus musculus (house mouse)
C;Date: 30-Sep-1989 #sequence_revision 30-Sep-1989 #text_change 23-Jul-1999
C;Accession: S01321
A;Molecule type: mRNA
A;Residues: 1-475 <DE1>
A;Cross-references: EMBL:X13188; NID:g51780; PIDN:CAA31580.1; PID:g51781
A;Note: this sequence was determined from the differentiated gene
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin
R;de Waele, P.; Feys, V.; van de Voorde, A.; Molemans, F.; Fiers, W.
Eur. J. Biochem. 176, 287-295, 1988
A;Title: Expression in non-lymphoid cells of mouse recombinant immunoglobulin directed
A;Reference number: S01320; MUID:88329081; PMID:3138116
A;Accession: S01321
F;1-19/Domain: signal sequence #status predicted <SIG>
F;20-475/Product: Ig gamma-2b chain #status predicted <MAT>
F;159-223/Domain: immunoglobulin homology <IMM>

Query Match   44.5%;   Score 1367.5;   DB 2;   Length 475;
Best Local Similarity   56.2%;   Pred. No. 2.1e-69;
Matches   257;   Conservative   75;   Mismatches   116;   Indels   9;   Gaps   4;

```
Qy    1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGSTYY    60
          ||:|: ||| |:|  |  |||||||: :  ||    ||  || |     |:   :::::|
Db   20 QVQLQQSGAELARPGASVKLSCKASGYTILTSYGISWVKQRTGQGLEWIGEIYPGSNSYF   79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK-LGTYYFDSWGQGTLITVSS  119
          ::|  |||:||::::||| |||::| |:||||:|||:        ||: ||  |||:|:||
Db   80 NEKFKGKATLTVDKSSSTAYLHLSSLTSEDSAVYFCAGPRQVGLLPFGYWGQGTLVTASA  139

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSVNSGALTSGVHTFPAVLQSS  179
          |:||||||||| :|||:|:|||:|| |||||||||:||:::::|  ||||  || |:  ||
Db  140 AKTTPPSVYPLAPGCGDTTGSSVTLGCLVKGYFPESVTVTWNSGSLSSSVHTFPALLQ-S  198

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT-HTCPP-----CP  232
          ||| ||::|:|||| :||| |:|||:|  ||||||| ||   |  :|  ||||     |:
Db  199 GLYTMSSVTVPSSTWPSQVTVCSVAHPASSTTVDKKLEPSGPTSTINPCPPCKECHKCP  258

Qy  233 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK  292
          ||||| |||||:|||||||| |||  ||||||||||| :| |||::::  |  ||: |
Db  259 APNLEGGPSVFIFPPNIKDVLMISLTPKVTCVVVDVSEDDPDVQISWFVNNVEVLTAQTQ  318

Qy  293 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  352
          |||||||||| |:||| || | || |:|:||:||  |   :|| ::|:|  ||    ||
Db  319 PREEQFNSTFRSVSELPIMHQDWLNGKEFKCAVNNKDLPSPIERTISKIKGLVRAPQV    375
```

```
Db    319  THREDYNSTIRVVSALPIQHQDWMSGKEFKCKVNNKDLPAPIERTISKIKGIVRAPQVYI 378

Qy    353  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 412
           ||:: ||:: :|| |::|| |||:|||||||||||||||||||||||||||||||||||
Db    379  LSPPPEQLSRKDVSLTCLAVGFSPEDISVEWTSNGHTEENYKDTAPVLDSDGSYFIYSKL 438

Qy    413  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           :|::|  |::||||||||||| |:|| ||||||||||
Db    439  NMKTSKWEKTDSFSCNVRHEGLKNYYLKKTISRSPGK 475
```

RESULT 14
I47159

Ig gamma 2a chain constant region - pig (fragment)
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 21-Jan-2000
C;Accession: I47159
R;Kacskovics, I.; Sun, J.; Butler, J.E.
J. Immunol. 153, 3565-3573, 1994
A;Title: Five putative subclasses of swine IgG identified from the cDNA sequences of a m
A;Reference number: I47158; MUID:95015845; PMID:7930579
A;Accession: I47159
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-328 <KAC>
C;Cross-references: EMBL:U03779; NID:g433123; PIDN:AAA52217.1; PID:g433124
C;Genetics:
A;Gene: IgG2a
A;Superfamily: immunoglobulin C region; immunoglobulin homology
F;133-202/Domain: immunoglobulin C region; immunoglobulin homology <IMM>

Query Match   41.1%; Score 1263; DB 2; Length 328;
Best Local Similarity   69.6%; Pred. No. 9.4e-64;
Matches 231; Conservative   43; Mismatches   52; Indels   6; Gaps   2;

```
Qy    120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
           ||:|:||:::|| |: |:  |  |||||||||  |:||  |||| :||:|| |:||||||
Db      1  APKTAPSVYPLAPCSRDTSGPNVALGCLLASSYFPEPVTVTWNSGALSSGVHTFPSVLQPS 60

Qy    180  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
           ||||||| ||||:  | | ||||||||:|  | ||||||:||:|:|  | |||||| |||
Db     61  GLYSLSSMVTVPASSLSSKSYTCNVNHPATTIKVDKRVGTKTKPPCPICPACESP----G 116

Qy    240  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
           |||||||||||||||||||||||||||||||||||| |: ||  ||::|  |||||||||
Db    117  PSVFIFPPKPKDTLMISRTPQVTCVVVDVSQENPEVQFSWYVDGVEVHTAQTRPKEEQFN 176

Qy    300  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
           ||||||||| |: ||| |||| ||||||| |||||||||||||||||||||||||||:||
Db    177  STYRVVSVLPIQHQDWLNGKEFKCKVNNKDLPAPITRTISKAKGQTREPQVYTLPPHAEE 236

Qy    360  LTKNQVSLTCLVKGFYPSDIAVEWESNGQ--PENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
           |||||||| ||:|||||||||||||||||  ||||||||||||||||||||||| ||:||
Db    237  LSRKVSITCLVIGFYPPDIDVEWQRNGQPEPEGNYRTTPPQQDVDGTYFLYSKFSVDKA 296

Qy    418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           :|  |||||||||||||||||||:||| ||||
Db    297  SWQGGIFQCAVMHEALHNHYTQKSISIKTPGK 328
```

RESULT 15
S31866

Ig gamma-1 chain C region - synthetic
C;Species: Synthetic
A;Note: Homo sapiens (man) gene engineered and expressed in Escherichia coli
C;Date: 06-Jan-1995 #sequence_revision 17-Mar-1997 #text_change 19-May-2000
C;Accession: S31866
R;Plpula, D.
submitted to the EMBL Data Library, February 1993
A;Description: Screening method for protein-protein interactions of cloned gene products.
A;Reference number: S31866
A;Accession: S31866
A;Molecule type: mRNA

A;Residues: 1-255 <FIL>
A;Cross-references: EMBL:X70421; NID:g33068; PIDN:CAA49866.1; PID:g33069
C;Keywords: immunoglobulin
F;1-22/Region: Escherichia coli outer membrane protein A precursor
F;23-255/Region: human Ig gamma-1 chain C region

Query Match   41.0%; Score 1260; DB 4; Length 255;
Best Local Similarity   97.5%; Pred. No. 1e-63;
Matches 233; Conservative   0; Mismatches   6; Indels   0; Gaps   0;

```
Qy    211  TKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH 270
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     17  TVAQADVESKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH 76

Qy    271  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKAL 330
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     77  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKAL 136

Qy    331  PAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPE 390
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    137  PAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPE 196

Qy    391  NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||:||
Db    197  NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSISIKTPGK 255
```

Search completed: December 23, 2004, 19:06:04
Job time : 33.449 secs

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 18:31:20 ; Search time 161.904 Seconds
                                              (without alignments)
                                              2068.313 Million cell updates/sec

Title: US-10-089-500-53
Perfect score: 3071
Sequence: 1 EVQLVESGGDFVQPGGSLRV..........IVEFLNRWITFCQSIISTLT 582

Scoring table: BLOSUM62
                 Gapop 10.0 , Gapext 0.5

Searched: 1825181 seqs, 575374646 residues

Total number of hits satisfying chosen parameters: 1825181

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   UniProt_02:*
                 1: uniprot_sprot:*
                 2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match Length	DB	ID	Description
1	2226.5	72.5	471	2	Aah24289	Aah24289 homo sapi
2	2223	72.4	470	2	Q6pja4	Q6pja4 homo sapien
3	2223	72.4	470	2	Aah18747	Aah18747 homo sapi
4	2212	72.0	478	2	Q6pi81	Q6pi81 homo sapien
5	2212	72.0	478	2	Aah41037	Aah41037 homo sapi
6	2212	72.0	475	2	Q6mzq6	Q6mzq6 homo sapien
7	2211.5	72.0	475	2	Cae45972	Cae45972 homo sapi
8	2211.5	72.0	475	2	Q6mzv7	Q6mzv7 homo sapien
9	2191.5	71.4	473	2	Cae45920	Cae45920 homo sapi
10	2191	71.4	472	2	Bac85232	Bac85232 homo sapi
11	2191	71.3	472	2	Cab45920	Cae45920 homo sapi
12	2188.5	71.3	475	2	Q6gmw7	Q6gmw7 homo sapien
13	2187	71.2	466	2	Q6in78	Q6in78 homo sapien
14	2187	71.2	472	2	Q6n089	Q6n089 homo sapien
15	2185.5	71.2	479	2	Cae45781	Cae45781 homo sapi
16	2185	71.2	544	2	Aah06402	Aah06402 homo sapi
17	2184.5	71.1	544	2	Q6pj95	Q6pj95 homo sapien
18	2184.5	71.1	468	2	Aah19046	Aah19046 homo sapi
19	2173	70.8	468	2	Bac85444	Bac85444 homo sapi
20	2172	70.7	480	2	Q6n094	Q6n094 homo sapien
21	2172	70.7	480	2	Cae45776	Cae45776 homo sapi
22	2159	70.3	466	2	Q6n096	Q6n096 homo sapien
23	2159	70.3	466	2	Cae45774	Cae45774 homo sapi
24	2158	70.3	466	2	Q7z5w1	Q7z5w1 homo sapien
25	2149.5	70.0	473	2	Q6p055	Q6p055 homo sapien
26	2149.5	70.0	473	2	Aah65820	Aah65820 homo sapi
27	2147.5	69.9	471	2	Bac85388	Bac85388 homo sapi
28	2145	69.8	470	2	Bac85172	Bac85172 homo sapi
29	2144	69.8	466	2	Aah64496	Aah64496 homo sapi
30	2142	69.7	478	2	Bac85385	Bac85385 homo sapi
31	2136	69.6	464	2	Bac85373	Bac85373 homo sapi
32	2134	69.5	482	2	Q7z351	Q7z351 homo sapien
32	2123	69.1	474	2	Bac85350	Bac85350 homo sapi
33	2113.5	68.8	474	2	Aah14667	Aah14667 homo sapi
34	2109	68.7	479	2	Aah19337	Aah19337 homo sapi
35	2107	68.6	464	2	Bac85175	Bac85175 homo sapi
36	2105.5	68.6	468	2	Q6n097	Q6n097 homo sapien
37	2105.5	68.6	481	2	Cae45773	Cae45773 homo sapi
38	2096	68.3	481	2	Bac85171	Bac85171 homo sapi
39	2084	67.9	474	2	Bac86225	Bac86225 homo sapi
40	2083.5	67.8	472	2	Q7z7p5	Q7z7p5 homo sapien
41	2082	67.8	469	2	Aah62336	Aah62336 homo sapi
42	2096	67.6	470	2	Q727p5	Q727p5 homo sapien
43	2075	67.6	476	2	Bac05017	Bac05017 homo sapi
44	2070	67.4	474	2	Bac86514	Bac86514 homo sapi
45	2069.5	67.4	473	2	Bac05013	Bac05013 homo sapi

ALIGNMENTS

RESULT 1
AAH24289

Query Match   72.5%;   Score 2226.5;   DB 2;   Length 471;
Best Local Similarity 92.9%;   Pred. No. 7.7e-137;
Matches 420;   Conservative 15;   Mismatches 14;   Indels 3;   Gaps 2;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
         ||||||||| |||||||||||||||||:||||||||||||||||||||||:||||||||||
Db   20 EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKGLEWVSSMSSSSYIYY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR--VKLGTY-YFDSWGQGTLLTV 117

```
RESULT 2
ID    Q6PJA4
AC    Q6PJA4;
DT    05-JUL-2004 (TrEMBLrel. 27, Created)
DT    05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT    05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE    Hypothetical protein.
OS    Homo sapiens (Human).
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX    NCBI_TaxID=9606;
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RX    MEDLINE=22388257; PubMed=12477932;
RA    Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA    Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA    Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA    Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA    Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA    Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA    Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA    Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA    Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA    Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA    Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA    Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA    Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA    Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA    Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA    Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA    Jones S.J., Marra M.A.;
RT    "Generation and initial analysis of more than 15,000 full-length human
RT    and mouse cDNA sequences.";
RL    Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
DR    EMBL; BC018747; AAH18747.1; -.
RN    [2]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RL    Submitted (DEC-2001) to the EMBL/GenBank/DDBJ databases.
DR    InterPro; IPR003599; Ig.
DR    InterPro; IPR007110; Ig-like.
DR    InterPro; IPR003597; Ig_c1.
DR    InterPro; IPR003006; Ig_MHC.
DR    InterPro; IPR003596; Ig_v.
DR    Pfam; PF07654; C1-set; 3.
DR    Pfam; PF00047; ig; 4.
DR    SMART; SM00409; IG; 2.
DR    SMART; SM00407; IGc1; 3.
DR    SMART; SM00406; IGv; 1.
DR    PROSITE; PS50835; IG_LIKE; 4.
DR    PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW    Hypothetical protein.
SQ    SEQUENCE 470 AA; 51715 MW; 7B49556A11FD7D99 CRC64;

Query Match             72.4%;   Score 2223;  DB 2;  Length 470;
Best Local Similarity   93.1%;   Pred. No. 1.3e-136;
Matches  420;  Conservative  7;  Mismatches  22;  Indels  2;  Gaps  1;

Qy        1 EVQLVESGDFVQPGGSLRVSCAASGFARSHYAMSWVRQAPGKGLEWVAYISSSGSGTYY   60
            ::||:||:|:|||||||:||||::|:.:  .|| |||||||||||||||| ::|||::||
Db        1 EVQLVESGGGLVQPGGSLRLSCVGSGFTSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY   79

Qy       61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTY--YFDSWGQGTLLTVS  118
            .||:||||||||||.||.||||||.||||||:||||: :  ||.  | | ||:|||:|||
Db       80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDGSSWYRDWFDPWGQGTLVTVS  139

Qy      119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  178
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      140 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  199

Qy      179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG  238
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      200 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG  259

Qy      239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY  298
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      260 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY  319

Qy      299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD  358
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      320 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD  379

Qy      359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR  418
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      380 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR  439

Qy      419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK                               449
            ||||||||||||||||||||||||||||||
Db      440 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK                               470


RESULT 3
ID    AAH18747
AC    AAH18747;
DT    02-MAR-2004 (TrEMBLrel. 27, Created)
DT    02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT    02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE    Hypothetical protein.
OS    Homo sapiens (Human).
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX    NCBI_TaxID=9606;
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RX    MEDLINE=22388257; PubMed=12477932;
RA    Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA    Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA    Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA    Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA    Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA    Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA    Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA    Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
```

RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA Jones S.J., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
RT and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903 (2002).

RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Primary B-Cells;
RA Strausberg R.;
RL Submitted (DEC-2001) to the EMBL/GenBank/DDBJ databases.
DR EMBL; BC018747; AAH18747.1; -.
KW Hypothetical protein.
SQ SEQUENCE 470 AA; 51715 MW; 7B49S6A11FD7D99 CRC64;

Query Match 72.4%; Score 2223; DB 2; Length 470;
Best Local Similarity 93.1%; Pred. No. 1.3e-136;
Matches 420; Conservative 7; Mismatches 22; Indels 2; Gaps 1;

Qy   1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTTY 60
         |||||||||||||||||||||||||||||||||||||||||||||||||||| ||||||
Db   20 EVQLVESGGGLVQPGGSLRLSCVVSGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTY--YFDSWGQGTLLTVS 118
         ||||||||||||||||| || ||| ||| |||||:|:| ||| :| ||||||||||:||
Db   80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDSGSSWYRDWFDPWGQGTLVTVS 139

Qy 119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 140 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 199

Qy 179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 238
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 200 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 259

Qy 239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 319

Qy 299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 320 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 379

Qy 359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 380 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 439

Qy 419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         ||||||||||||||||||||||||||||||||
Db 440 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 470

RESULT 4
ID Q6PI81
AC Q6PI81;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Hypothetical protein.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Primary B-Cells;

Q6PI81
RESULT 4

RX MEDLINE=22388257; PubMed=12477932;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA Bosak S., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA Jones S.J., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
RT and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903 (2002).

RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Primary B-Cells;
RA Strausberg R.;
RL Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
DR EMBL; BC041037; AAH41037.1; -.
DR InterPro; IPR003599; Ig.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_C1.
DR InterPro; IPR013006; Ig_MHC.
DR InterPro; IPR003596; Ig_V.
DR Pfam; PF07654; C1-set; 3.
DR Pfam; PF00047; Ig; 4.
DR SMART; SM00409; IG; 2.
DR SMART; SM00407; IGc1; 3.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW Hypothetical protein.
SQ SEQUENCE 478 AA; 52666 MW; 17BED38D917970D6 CRC64;

Query Match 72.0%; Score 2212; DB 2; Length 478;
Best Local Similarity 91.3%; Pred. No. 6.9e-136;
Matches 419; Conservative 10; Mismatches 20; Indels 10; Gaps 2;

Qy   1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTTY 60
         |||||||||||||||||||||||||||||||||||||||||||||||||||| ||||||
Db   20 EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR------VKLGTYYF--DSWG 110
         |||||||||||||||| || ||| ||| |||||:|:| :| ||| ||
Db   80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAREFESTMTVNADYYFYMDVWG 139

Qy 111 QGTLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 170
         :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 140 KGTTVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 199

Qy 171 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 230
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 200 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPP 259

Qy 231 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 290
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 319

Qy 291 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 350
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 320 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 379

Qy 351 YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 410
         |||||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 380 YTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 439

RESULT 5

AAH41037

ID   AAH41037   PRELIMINARY;   PRT;   478 AA.
AC   AAH41037;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RA   Strausberg R.;
RL   Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC041037; AAH41037.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   478 AA; 52666 MW; 17BED38D917970D6 CRC64;

Query Match   72.0%; Score 2212; DB 2; Length 478;
Best Local Similarity   91.3%; Pred. No. 6.9e-136;
Matches 419; Conservative 10; Mismatches 20; Indels 10; Gaps 2;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
              ||||||||| ||||||||||||||||:|||||||||||||||||||||||||||||||||
Db   20 EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVFCTR-------VKLGTYYF--DSWG 110
              :|||||||||||||||||||||||||||||:|||| :| | : :|||
Db   80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAREFESTMTTVNADYYFMDVWG 139

Qy   111 QGTLLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 170
              |||:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140 KGTTVTVSSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 199

Qy   171 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 230
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   200 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 259

Qy   231 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 290
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 319

Qy   291 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 350
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   320 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 379

Qy   351 YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 410
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380 YTLPPSREMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 439

Qy   411 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              |||||||||||||||||||||||||||||||||||||||
Db   440 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 478

RESULT 6

Q6MZQ6

ID   Q6MZQ6   PRELIMINARY;   PRT;   475 AA.
AC   Q6MZQ6;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686G11190.
GN   Name=DKFZp686G11190;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human esophagus tumor;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Lauber J., Bahr A., Mewes H.W., Weil B., Amid C., Osanger A., Fobo G.,
RA   Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640947; CAE45972.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE   475 AA; 52043 MW; B7EAE255A26FAB8E CRC64;

Query Match   72.0%; Score 2211.5; DB 2; Length 475;
Best Local Similarity   91.2%; Pred. No. 7.4e-136;
Matches 416; Conservative 13; Mismatches 20; Indels 7; Gaps 1;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
              ||||||||| ||||||||||||||||:|||||||||||||||||||||||||||||||||
Db   20 EVQLLESGGGLVQPGGSLRLSCAASGFTFRNYAMWVRQAPGKGLEWVSGISSGGVNTIY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTY-------YFDSWGQGT 113
              :|||||||||:|||||||||||:||||||||||| || |:|| |||
Db   80 ADSVKGRFTISGDISTNTLYLQMHSLRADDTAVYYCARADYRDYQVSPAYWYFDVWGRGT 139

Qy   114 LLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 173
              ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140 LVSVSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 199

Qy   174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 233
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 259

Qy   234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 293
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 319

RESULT 7

```
ID   CAE45972         PRELIMINARY;      PRT;    475 AA.
AC   CAE45972;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686G11190.
GN   DKFZp686G11190.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human esophagus tumor;
RA   Lauber J., Bahr Z., Mewes H.W., Weil B., Amid C., Osanger A., Fobo G.,
RA   Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640947; CAE45972.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   475 AA;  52043 MW;  B7EAE255A26F4B8E CRC64; .
```

```
Query Match       72.0%;  Score 2211.5;  DB 2;  Length 475;
Best Local Similarity  91.2%;  Pred. No. 7.4e-136;
Matches  416;  Conservative  13;  Mismatches  20;  Indels  7;  Gaps  1;

Qy        1 EVQLVESGGDFVQPCGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
            |||||:|:|||||:||||||||||||||||||||||||||||||||||:|||||||||||
Db       20 EVQLLESGGGLVQPGGSLRLSCAASGFTFNYAMMWVRQAPGKGLEWVSGISSSGVNTVY 79

Qy       61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTY-------YFDSWGQGT 113
            |:|||||||||||:||||||||||||||||||||||||||||         |||||||||
Db       80 ADSVKGRFISGDISTNTLYLQMHSLRADDTAVYCARADYRDQVSPAYWYFDVWGRGT 139

Qy      114 LLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 173
            |:|||:|||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      140 LVSVAAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 199

Qy      174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 233
            |:|||:||||||||:||||||||||||||||||||||||||||||||||||:|||||||:
Db      200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 259

Qy      234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 293
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db      260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 319

Qy      294 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 353
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      320 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 379

Qy      354 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 413
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      380 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 439

Qy      414 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            |||||||||||||||||||||||||||||||||||
Db      440 VDKSRWQQGNVFSCSVMHEGLHNHYTQKSLSLSPGK 475
```

RESULT 8

```
ID   Q6MZV7           PRELIMINARY;      PRT;    473 AA.
AC   Q6MZV7;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686C11235.
GN   Name=DKFZp686C11235;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human small intestine;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Bloecker H., Boecker M., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640853; CAE45920.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_cl.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; Cl-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00408; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   SMART; SM00407; IGc2; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE   473 AA;  52121 MW;  9476EAB4C0BFC447 CRC64; .
```

```
Query Match       71.4%;  Score 2191.5;  DB 2;  Length 473;
Best Local Similarity  90.1%;  Pred. No. 1.5e-134;
Matches  409;  Conservative  21;  Mismatches  19;  Indels  5;  Gaps  1;

Qy        1 EVQLVESGGDFVQPCGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
            |||||:|:|||||:||||||||||||||||||||||||||||||||||:|||||||||||
Db       20 EIQLVESGGGLVQPGGSLRLSCAASGFTFSSFEMNWVRQAPGKGLEWLSYITRSGNTVVY 79

Qy       61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT-------YFFDSWGQGILV 115
            |:|||||||||||:|||||||:||||:|||||||:|||         |||||||:|:|
Db       80 ADSLCGRFTISRDNARNSLYLQMNSLRAEDTAVYCARQNEHTSPWYPSFFPDYWGQGILV 139

Qy      116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      140 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 199

Qy      176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 235
            ||||||||||||||||||||||||||||||||||||||||:|||||||||||||||||:|
Db      200 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPCPAPE 259

Qy      236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      260 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 319

Qy      296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      320 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 379

Qy      356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
            |:|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      380 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 439

Qy      416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            |||||||||||||||||||||||||||||||||
Db      440 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 473
```

RESULT 9
CAE45920
ID   CAE45920   PRELIMINARY;   PRT;   473 AA.
AC   CAE45920;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686C11235.
GN   DKFZp686C11235.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human small intestine;
RA   Bloecker H., Boecher M., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640853; CAE45920.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   473 AA;   52121 MW;   9476EAB4C0BFC447 CRC64;

Query Match   71.4%; Score 2191.5; DB 2; Length 473;
Best Local Similarity   90.1%;
Matches 409;   Conservative 21;   Mismatches 19;   Indels   5;   Gaps   1;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGYSTY   60
            |||||||:|| |||||:|| | ::|:| |||||||||| |||||||| |||| ||||||
Db   20 EIQLVESGGGLVQPGGSLRLSCAASGFTFSSFEMNWVRQAPGKGLEWLSYITRSGNTVYY   79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT------YYFDSWGQGTLL 115
            |||:|||||||||| ||:|||||| ||||||:|| || |::|: ||||||| |:
Db   80 ADSLQGRFTISRDNARNSLYLQMNSLRAEDTAVYYCARQNEHTISPWYPSFFDIWGQGILV 139

Qy 116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
            |||||||||||||||||||||||||||||||||||||| ||||||||||||||||||||||
Db 140 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFLEPVTVSWNSGALTSGVHTPPAV 199

Qy 176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
            ||||||||||||||||||||||||||||||||||||||||||:|||||||||||||||||
Db 200 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 259

Qy 236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 319

Qy 296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 320 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 379

Qy 356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 380 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 439

Qy 416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            ||||||||||||||||||||||||||||||||||
Db 440 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 473

RESULT 10
BAC85232
ID   BAC85232   PRELIMINARY;   PRT;   472 AA.
AC   BAC85232;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Dermoid tumor;
RA   Ota T., Nakagawa S., Senoh A., Mizuguchi H., Inagaki H., Suzuki Y.,
RA   Hata H., Nakagawa K., Mizuno S., Morinaga M., Nakamura M., Kawamura T.,
RA   Sugiyama T., Irie R., Otsuki T., Sato H., Nishikawa T., Sugiyama A.,
RA   Kawakami B., Nagai K., Isogai T., Sugano S.;
RT   "NEDO human cDNA sequencing project.";
RL   Submitted (JUL-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AK129776; BAC85232.1; -.
SQ   SEQUENCE   472 AA;   51212 MW;   01BF215F99809164 CRC64;

Query Match   71.3%; Score 2191; DB 2; Length 472;
Best Local Similarity   90.1%;
Matches 410;   Conservative 17;   Mismatches 20;   Indels   8;   Gaps   2;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGSGYSTY   60
            |:|||||| |||||||:||||||| | : :|:|||||:|||||||| |: ||| ||||
Db   20 EVNLLQSGGGLVQPGGSLRLSCAASGFAFGGTAMTWVRQVPGKGLEWLSAIGGSGYSTYY   79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYY------FDSWGQGTLL 114
            |||: |||| |||||: || ||||| || ||:| | || : | : |||||||| :
Db   80 ADSVTGRFTVSRDNSNNTVYLQMNSLRVEDTAMYYCAKDRVG--YGGNPDSFDAWGQGTM 137

Qy 115 LTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 174
            :|| |||||||||||||||||||||||||||||||||||||||||||||||||||||| |
Db 138 VTVGSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPPA 197

Qy 175 VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAP 234
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 198 VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAP 257

Qy 235 ELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPR 294
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 258 ELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPR 317

Qy 295 EEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLP 354
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 318 EEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLP 377

Qy 355 PSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTV 414
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 378 PSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTV 437

Qy 415 DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            |||||||||||||||||||||||||||||||||||
Db 438 DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472

RESULT 11
Q6GMW7
ID   Q6GMW7   PRELIMINARY;   PRT;   475 AA.
AC   Q6GMW7;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,

RESULT 12

Left column:

RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA Jones S.J., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
RT and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903 (2002).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Spleen;
RX Strausberg R.;
RL Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR EMBL; BC073782; AAH73782.1; -.
DR InterPro; IPR003599; Ig.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_c1.
DR InterPro; IPR003006; Ig_MHC.
DR InterPro; IPR003596; Ig_v.
DR Pfam; PF07654; C1-set; 3.
DR Pfam; PF00047; Ig; 4.
DR SMART; SM00409; IG; 2.
DR SMART; SM00407; IGc1; 3.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW Hypothetical protein.
SQ SEQUENCE 475 AA; 51987 MW; 2A1FE55D73660F8 CRC64;

Query Match   71.3%;   Score 2188.5;   DB 2;   Length 475;
Best Local Similarity   91.0%;   Pred. No. 2.3e-134;
Matches 415;   Conservative 11;   Mismatches 23;   Indels 7;   Gaps 2;

```
Qy     1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGSTYY  60
           ||||||||| ||||||||||||||||||||||||||||||||||||||:||||||||||||
Db    20 EVQLVESGGGLVQPGGSLRLSCVASAFTLSRHAMHVRQAPGKGLEYVSGTISNSNSTYY   79

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVK------LGTYY-FDSWGQGT  113
           |||||||||||||||||||||:|||||||||||||||:|||     ||||| |||||||
Db    80 ADSVKGRFTISRDNYKNTLYLQLGSLRAEDKAVYYCARACRGDTCLNFYYGLDVWGQGT   139

Qy   114 LLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP  173
           : |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140 TVIVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP  199

Qy   174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA  233
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA  259

Qy   234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP  293
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP  319

Qy   294 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL  353
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   320 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL  379

Qy   354 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT  413
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT  439

Qy   414 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
           |||||||||||||||||||||||||||||||||||
Db   440 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  475
```

Right column:

ID Q6IN78   PRELIMINARY;   PRT;   466 AA.
AC Q6IN78;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE IGHG1 protein.
GN Name=IGHG1;
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Peripheral Nervous System;
RX MEDLINE=22388257; PubMed=12477932;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA Jones S.J., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
RT and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903 (2002).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Peripheral Nervous System;
RX Strausberg R.;
RL Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR EMBL; BC072419; AAH72419.1; -.
DR InterPro; IPR003599; Ig.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_c1.
DR InterPro; IPR003006; Ig_MHC.
DR InterPro; IPR003596; Ig_v.
DR Pfam; PF07654; C1-set; 3.
DR Pfam; PF00047; Ig; 4.
DR SMART; SM00409; IG; 2.
DR SMART; SM00407; IGc1; 3.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_2.
SQ SEQUENCE 466 AA; 53E80BCED810076E CRC64;

Query Match   71.2%;   Score 2187;   DB 2;   Length 466;
Best Local Similarity   92.0%;   Pred. No. 2.9e-134;
Matches 415;   Conservative 11;   Mismatches 19;   Indels 6;   Gaps 3;

```
Qy     1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGSTYY  60
           ||||||||| ||||||||||||||||||||||||||||||||||||||:||||||||||||
Db    20 EVQLVESGGGLIQPGGSLTLSCAASGLTVSSNYMHWVRQAPGKGLEWVSVLYIGGA-TYY   78

Qy    61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDS--WGQGTLLTVS  118
           |||||||||||||||||||||:|||||||||||||||:||||||||    |||||||||
Db    79 ADSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCAR---GNYYVPAFWGQGTLVTVS  135

Qy   119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  178
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   136 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS  195

Qy   179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG  238
```

RESULT 13

ID   Q6N089   PRELIMINARY;   PRT;   472 AA.
AC   Q6N089;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686P15220.
GN   Name=DKFZp686P15220;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human rectum tumor;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640627; CAE45781.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE   472 AA;   51724 MW;   26CB340D00046D279 CRC64;

Query Match   71.2%;   Score 2187;   DB 2;   Length 472;
Best Local Similarity 91.2%;   Pred. No. 2.9e-134;
Matches   414;   Conservative   13;   Mismatches   21;   Indels   6;   Gaps   3;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
          ||||||||| ||||||||||||||||||||||||||| |||||||||||||||| |||
Db   20 EVQLVESGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVSGISWNSGSIAY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT---YYF--DSWGQGTLL 115
          :||||||||||||||||||||||||||||| :|::| ||: ||| ||||||||
Db   80 ADSVKGRFTISRDNGKNSLYLQMNSLRAEDTALYYCAK-EIGAHNFYYGMDVWGQGTTV 138

Qy   116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 198

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 235
          ||||||||||||||||||||||||||||||||||||||||||||||:| | |||||| |||
Db   196 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLG 255

Qy   239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYDGVEVHNAKTKPREEQY 298

Qy   256 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 315

Qy   299 NSTYRVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358

Qy   316 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 375

Qy   359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418

Qy   376 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 435

Qy   419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449

Db   436 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 466

RESULT 14

ID   CAE45781   PRELIMINARY;   PRT;   472 AA.
AC   CAE45781;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686P15220.
GN   DKFZp686P15220;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human rectum tumor;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640627; CAE45781.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   472 AA;   51724 MW;   26CB340D00046D279 CRC64;

Query Match   71.2%;   Score 2187;   DB 2;   Length 472;
Best Local Similarity 91.2%;   Pred. No. 2.9e-134;
Matches   414;   Conservative   13;   Mismatches   21;   Indels   6;   Gaps   3;

Qy   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60
          ||||||||| ||||||||||||||||||||||||||| |||||||||||||||| |||
Db   20 EVQLVESGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVSGISWNSGSIAY 79

Qy   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGT---YYF--DSWGQGTLL 115
          :||||||||||||||||||||||||||||| :|::| ||: ||| ||||||||
Db   80 ADSVKGRFTISRDNGKNSLYLQMNSLRAEDTALYYCAK-EIGAHNFYYGMDVWGQGTTV 138

Qy   116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 198

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
          ||||||||||||||||||||||||||||||||||||||||||||:| | ||||||||||
Db   199 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 258

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295

Qy   259 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 318

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355

Qy   319 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 378

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415

Db   379 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 438

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449

Db   439 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472

```
Db    379  SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  438
                |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy    416  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
                |||||||||||||||||||||||||||||||||
Db    439  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  472


RESULT 15
AAH06402
ID    AAH06402;          PRELIMINARY;      PRT;      479 AA.
AC    AAH06402;
DT    02-MAR-2004 (TrEMBLrel. 27, Created)
DT    02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT    02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE    Hypothetical protein.
OS    Homo sapiens (Human).
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX    NCBI_TaxID=9606;
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RX    MEDLINE=22388257; PubMed=12477932;
RA    Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA    Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA    Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA    Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA    Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA    Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA    Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA    Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA    Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA    Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA    Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA    Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA    Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA    Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA    Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA    Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA    Jones S.J., Marra M.A.;
RT    "Generation and initial analysis of more than 15,000 full-length human
RT    and mouse cDNA sequences.";
RL    Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN    [2]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RA    Strausberg R.;
RL    Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
DR    EMBL; BC006402; AAH06402.1; -.
KW    Hypothetical protein.
SQ    SEQUENCE   479 AA;  52281 MW;  D74E0C89082A9788 CRC64;

Query Match             71.2%;  Score 2185.5;  DB 2;  Length 479;
Best Local Similarity   90.0%;
Matches  414;  Conservative  13;  Mismatches  22;  Indels  11;  Gaps  2;

Qy     1  EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAVISSGSGSGTIY   60
              ||||||||.|||:|||||||||||||||||.||||||||||||||:|||.:|.||.||||
Db    20  EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHVRQVPGKGLEWVSGISCNSGSGIY   79

Qy    61  SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTR-VKL----------GTYYFDSW  109
              :|.||||||||||||.||:||:|||:||||||||:.| |||          ||||||||
Db    80  ADSVKGRFTISRDNAKKSLYLQMNSLRAEDTALYYCAKDIELDIVVPAPMRGSLGFDYW  139

Qy   110  GQGTLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGV  169
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140  GQGTLVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGV  199

Qy   170  HTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCP  229
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   200  HTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCP  259

Qy   230  PCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNA  289
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260  PCPAPELLGGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNA  319

Qy   290  KTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ  349
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   320  KTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ  379

Qy   350  VYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLY  409
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380  VYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLY  439

Qy   410  SKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
              ||||||||||||||||||||||||||||||||||||||||
Db   440  SKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  479
```

Search completed: December 23, 2004, 19:04:37
Job time : 163.904 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 18:30:04 ; Search time 28.8913 Seconds
(without alignments)
1340.986 Million cell updates/sec

Title: US-10-089-500-54
Perfect score: 568
Sequence: 1 DIQMTQSPSSLSASVGDRVT.........HQYSKLPWTFGQGTKVEIKR 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2002273 seqs, 358729299 residues

Total number of hits satisfying chosen parameters: 2002273

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database : A_Geneseq_23Sep04:*
            1: geneseqp19808:*
            2: geneseqp19908:*
            3: geneseqp20008:*
            4: geneseqp20018:*
            5: geneseqp20028:*
            6: geneseqp2003aa:*
            7: geneseqp2003b8:*
            8: geneseqp20048:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	568	100.0	108	4	AAB81988	Gangliosi
2	568	100.0	128	2	AAB81999	Gangliosi
3	562	98.9	108	6	ABU11011	Modified
4	561	98.8	128	6	AAB81994	Gangliosi
5	555	97.7	128	4	AAB81997	Gangliosi
6	551	97.0	128	4	AAB81993	Gangliosi
7	548	96.5	108	5	AAB81986	Gangliosi
8	545	96.0	128	4	AAB81995	Gangliosi
9	545	96.0	128	4	AAB81996	Gangliosi
10	544	95.8	128	4	AAB81998	Gangliosi
11	532	93.7	128	4	AAB81992	Gangliosi
12	514	90.5	108	4	AAB81990	Gangliosi
13	514	90.5	108	3	ABU11013	Modified
14	514	90.5	108	3	AAB01628	Murine im
15	514	90.5	128	4	AAB81978	Gangliosi
16	514	90.5	128	6	ABU11003	Modified
17	513	90.3	128	2	AAR33257	Rat immun
18	507	89.3	110	2	AAW70673	Anti-VEGF
19	507	89.3	110	5	ABP61242	Humanised
20	507	89.3	237	2	AAW70703	Protein e
21	507	89.3	650	5	ABP61241	Phage-dis
22	505	89.1	128	2	AAY28368	pKM641 LA
23	505	89.0	107	2	AAW86805	Variable
24	505	89.0	107	2	AAW70625	Humanised
25	505	88.9	107	5	ABP61194	Humanised
26	504	88.7	110	2	AAW70675	Anti-VEGF
27	504	88.7	110	5	ABP61244	Humanised
28	503	88.6	108	2	AAW70618	Anti-VEGF
29	503	88.6	108	5	ABP61187	Humanised
30	503	88.6	108	8	ADG31782	V(L) doma
31	503	88.6	108	8	ADG31768	V(L) doma
32	503	88.6	108	8	ADG31893	V(L) prot
33	503	88.6	110	3	AAB05897	Humanised
34	503	88.6	110	3	AAB13376	F(ab)-12
35	501	88.2	110	2	AAW70623	Humanised
36	501	88.2	107	2	AAW86804	Variable
37	501	88.2	107	2	ABP61192	Humanised
38	500	88.0	108	8	ADG31770	V(L) doma
39	500	88.0	108	8	ADG31782	V(L) doma
40	500	88.0	108	5	AAW70677	Anti-VEGF
41	500	88.0	108	3	AAW70687	Anti-VEGF
42	500	88.0	110	5	AAB13380	Anti-VEGF
43	500	88.0	110	5	ABP61256	Humanised
44	500	88.0	214	7	ADC26154	Parent an
45	505	88.0	237	5	ABB81107	Anti-VEGF

ALIGNMENTS

RESULT 1
AAB81988
ID   AAB81988 standard; protein; 108 AA.
XX
AC   AAB81988;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 54.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP005774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 22; Page 172-173; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 108 AA;

  Query Match   100.0%; Score 568; DB 4; Length 108;
  Best Local Similarity   100.0%; Pred. No. 1.2e-35;
  Matches 108; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108

RESULT 2
AAB81999
ID   AAB81999 standard; protein; 128 AA.
XX
AC   AAB81999;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #8.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-0010508B.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86913.
XX
PT   New human type complementation region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 166; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;

Query Match   100.0%; Score 568; DB 4; Length 128;
Best Local Similarity   100.0%; Pred. No. 1.4e-35;
Matches 108; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 128

RESULT 3
ABU11011
ID   ABU11011 standard; protein; 108 AA.
XX

AC   ABU11011;
XX
DT   04-FEB-2003 (first entry)
XX
DE   Modified ganglioside GD3 antibody associated protein #4.
XX
KW   Ganglioside; GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS   Synthetic.
XX
XX
PN   WO200278739-A1.
XX
PD   10-OCT-2002.
XX
PF   29-MAR-2002; 2002WO-JP003170.
XX
PR   29-MAR-2001; 2001JP-00097483.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Niwa R, Kanazawa J, Asada M;
XX
DR   WPI; 2003-0674410/06.
XX
PT   Drugs containing genetically-modified antibody against ganglioside GD3,
PT   its fragment, immunocompetent cell activators or/and antitumor agents in
PT   combination, applicable in treating malignant tumor like melanoma.
XX
PS   Claim 8; Page 100; 121pp; Japanese.
XX
CC   The invention describes drugs contain a genetically-modified antibody
CC   against ganglioside GD3 or its fragment and at least 1 of a substance
CC   capable of activating immunocompetent cells and a substance having an
CC   antitumor activity in combination. The drugs can be used to treat tumour
CC   like melanoma and can provide a treatment with enhanced therapeutic
CC   effect and little side-reactions, particularly to relieve problems of
CC   side-effects during the conventional single administration. This sequence
CC   represents a protein associated with the anti- ganglioside GD3 antibody
XX
SQ   Sequence 108 AA;

Query Match   98.9%; Score 562; DB 6; Length 108;
Best Local Similarity   99.1%; Pred. No. 3.4e-35;
Matches 107; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||||||||||||||||||| |||||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAPKLLIFYSSNLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108

RESULT 4
AAB81994
ID   AAB81994 standard; protein; 128 AA.
XX
AC   AAB81994;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #3.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.

```
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999;   99JP-00278291.
PR   06-APR-2000; 2000JP-0105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86898.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 155-156; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;

Query Match             98.8%;  Score 561; DB 4; Length 128;
Best Local Similarity   98.1%;  Pred. No. 4.7e-35;
Matches  106; Conservative   1; Mismatches   1; Indels   0; Gaps   0;

Qy           1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 80

Qy          61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
               ||||||||||||||||||||||||||||:|||||||||||||||||||
Db          81 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 128


RESULT 5
ID   AAB81997 standard; protein; 128 AA.
XX
AC   AAB81997;
XX
DT   03-JUL-2001   (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #6.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999;   99JP-00278291.
PR   06-APR-2000; 2000JP-0105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86907.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 161-162; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;

Query Match             97.7%;  Score 555; DB 4; Length 128;
Best Local Similarity   98.1%;  Pred. No. 1.3e-34;
Matches  106; Conservative   0; Mismatches   2; Indels   0; Gaps   0;

Qy           1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 80

Qy          61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
               ||||||||||||||||||||||||||:|||||||||||||||||||||
Db          81 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 128


RESULT 6
ID   AAB81993 standard; protein; 128 AA.
XX
AC   AAB81993;
XX
DT   03-JUL-2001   (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #2.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999;   99JP-00278291.
PR   06-APR-2000; 2000JP-0105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86895.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 153; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;

Query Match             97.0%;  Score 551; DB 4; Length 128;
```

```
Best Local Similarity   97.2%;   Pred. No. 2.7e-34;
Matches  105;   Conservative   0;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||||||||||||||||||||||   | |||||||||||||||
Db  21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 80

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        ||||||||||||||||||||||  |||||||||||||||||||||||||
Db  81 RFSGGGSGTDYTLTISSLQPEDFATYFCHQYSKLPWTFGQGTKVEIKR 128
```

RESULT 7

```
AAB81986
ID   AAB81986 standard; protein; 108 AA.
XX
AC   AAB81986;
XX
DT   03-JUL-2001   (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 10.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 143-144; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 108 AA;
```

```
Query Match            96.5%;   Score 548;   DB 4;   Length 108;
Best Local Similarity   96.3%;   Pred. No. 3.9e-34;
Matches  104;   Conservative   1;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||||||||||||||||||||||   | |||||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 60

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        ||||||||||||||||||||||  |||||||||||||||||||||||||
Db  61 RFSGGGSGTDYTLTISSLQPEDFATYFCHQYSKLPWTFGQGTKVEIKR 108
```

RESULT 8

```
AAB81995
ID   AAB81995 standard; protein; 128 AA.
XX
AC   AAB81995;
XX
DT   03-JUL-2001   (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #4.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86901.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 157-158; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;
```

```
Query Match            96.0%;   Score 545;   DB 4;   Length 128;
Best Local Similarity   95.4%;   Pred. No. 7.6e-34;
Matches  103;   Conservative   3;   Mismatches   2;   Indels   0;   Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||||||||||||||||||||||   | |||||||||||||||
Db  21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 80

Qy  61 RFSGGGSGTDYSLTISNLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:|||:|:|||||||||||||||||||||||||||||||
Db  81 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 128
```

RESULT 9

```
AAB81996
ID   AAB81996 standard; protein; 128 AA.
XX
AC   AAB81996;
XX
DT   03-JUL-2001   (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #5.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
PN   WO20012432-A1.
XX
```

```
RESULT 10
ID   AAB81998 standard; protein; 128 AA.
XX
AC   AAB81998;
XX
DT   03-JUL-2001  (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #7.
XX
KW   Ganglioside GD3; complementarity determining region; CDR; antibody;
     cancer.
XX
OS   Synthetic.
XX
PN   WO20012343432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86904.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 159-160; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;
XX

Query Match             96.0%;  Score 545;  DB 4;  Length 128;
Best Local Similarity   95.4%;  Pred. No. 7.6e-34;
Matches  103;  Conservative  2;  Mismatches  3;  Indels  0;  Gaps  0;

Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 60
        |||||||||||||||||||||||||||||||||| ||| ||||||||||||||||||||||
Db   21 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        ||||||||||||||| |||||||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYTLTISNLQPEDFATYCHQYSKLPWTFGQGTKVEIKR 128
```

```
RESULT 11
ID   AAB81992 standard; protein; 128 AA.
XX
AC   AAB81992;
XX
DT   03-JUL-2001  (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein #1.
XX
KW   Ganglioside GD3; complementarity determining region; CDR; antibody;
     cancer.
XX
OS   Synthetic.
XX
PN   WO20012343432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86892.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 3; Page 164-165; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;
XX

Query Match             95.8%;  Score 544;  DB 4;  Length 128;
Best Local Similarity   96.3%;  Pred. No. 9.1e-34;
Matches  104;  Conservative  0;  Mismatches  4;  Indels  0;  Gaps  0;

Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||| ||| |||||||||||||||||||||||||| ||| |||||||||||||||||
Db   21 DIQMTQSASSLPASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||||||||||||| ||||||||||||||||||||||||
Db   81 RFSGGGSGTDYTLTISSLQPEDFATYFCHQYSKLPWTFGQGTKVEIKR 128
```

```
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 150-151; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;
XX
DR   WPI; 2001-266143/27.
DR   N-PSDB; AAF86912.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PD   05-APR-2001.
XX
PN   WO20012343432-A1.
XX
OS   Synthetic.
```

RESULT 12

Qy	Db

Query Match   93.7%;   Score 532; DB 4; Length 128;
Best Local Similarity   93.5%;   Pred. No. 7.3e-33;
Matches 101; Conservative   2; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||||:| |||.|||||||||||||||||||||||||:||||||||||||||||||||||
Db   21 DIQMTQTASLPASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 108
            ||||||||||||||||||||:|||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYSLTISSLQPEDFATYYCHQYSKLPWTFGGGTKVEIKR 128

XX
ID   AAB81990   standard; protein; 108 AA.
XX
AC   AAB81990;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 56.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Mus musculus.
XX
PN   WO20012343Z-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-0010508B.
XX
PA   (KYOW)   KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 11; Page 174-175; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 108 AA;

RESULT 13

Qy	Db

Query Match   90.5%;   Score 514; DB 4; Length 108;
Best Local Similarity   88.9%;   Pred. No. 1.4e-31;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||||:| |||.|||||||||||||||||||||||||:| :|||||||||||||||||||
Db   1 DIQMTQTASLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 108
            ||||||||||||:||||||||:||.||||||||||||||||:|:||||
Db   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108

ID   ABU11013   standard; protein; 108 AA.
XX
AC   ABU11013;
XX
DT   04-FEB-2003 (first entry)
XX
DE   Modified ganglioside GD3 antibody associated protein #6.
XX
KW   Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS   Mus musculus.
XX
PN   WO20027B739-A1.
XX
PD   10-OCT-2002.
XX
PF   29-MAR-2002; 2002WO-JP003170.
XX
PR   29-MAR-2001; 2001JP-00097483.
XX
PA   (KYOW)   KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Niwa R, Kanazawa J, Asada M;
XX
DR   WPI; 2003-067410/06.
XX
PT   Drugs containing genetically-modified antibody against ganglioside GD3,
PT   its fragment, immunocompetent cell activators or/and antitumor agents in
PT   combination, applicable in treating malignant tumor like melanoma.
XX
PS   Claim 7; Page 113; 121pp; Japanese.
XX
CC   The invention describes drugs contain a genetically-modified antibody
CC   against ganglioside GD3 or its fragment and at least 1 of a substance
CC   capable of activating immunocompetent cells and a substance having an
CC   antitumor activity in combination. The drugs can be used to treat tumour
CC   like melanoma and can provide a treatment with enhanced therapeutic
CC   effect and little side-reactions, particularly to relieve problems of
CC   side-effects during the conventional single administration. This
CC   represents a protein associated with the anti- ganglioside GD3 antibody
XX
SQ   Sequence 108 AA;

RESULT 14

Qy	Db

Query Match   90.5%;   Score 514; DB 6; Length 108;
Best Local Similarity   88.9%;   Pred. No. 1.4e-31;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||||:| |||.|||||||||||||||||||||||||:| :|||||||||||||||||||
Db   1 DIQMTQTASLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYYCHQYSKLPWTFGQGTKVEIKR 108
            ||||||||||||:||||||||:||.||||||||||||||||:|:||||
Db   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108

ID   AAB01628   standard; protein; 128 AA.
XX
AC   AAB01628;
XX
DT   07-DEC-2000 (first entry)
XX
DE   Murine immunoglobulin light chain variable region.
XX
KW   Mouse; immunoglobulin; L chain; light chain; variable region; cancer;
KW   humanised antibody.
XX
OS   Mus sp.
XX
FH   Key   Location/Qualifiers

FT   Peptide
FT   /label= signal_peptide
FT   1..20
FT   /label= 128
FT   21..128
FT   /label= mature_immunoglobulin_light_chain_V_region
XX
PN   Protein
XX
PD   28-JUN-2000.
XX
PF   18-SEP-1992; 99EP-00124345.
XX
PR   18-SEP-1991; 91JP-00238375.
PR   18-SEP-1992; 92EP-00116026.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Hanai N, Hasegawa M, Miyaji H, Kuwana Y;
XX
DR   WPI; 2000-402204/35.
DR   N-PSDB; AAA51004.
XX
PT   New humanized chimera antibody KM-871 useful for treating cancer,
PT   comprises variable region of mouse monoclonal antibody, reactive with
PT   ganglioside and human antibody constant region.
XX
PS   Claim 14; Page 28-29; 65pp; English.
XX
CC   The present sequence is a murine immunoglobulin light chain variable
CC   region from plasmid KM-641. The coding sequence was used in the creation
CC   of an expression vector, along with the sequence for a human antibody, to
CC   produce humanised chimeric antibodies, which can be used to treat
CC   cancer. Humanised chimeric antibodies are more effective than mouse
CC   antibodies as they do not provoke a reaction in the human and side
CC   effects, such as the formation of anti-mouse immunoglobulin antibody and
CC   the rapid half-life of the immunoglobulins, do not occur
XX
SQ   Sequence 128 AA;

Query Match   90.5%; Score 514; DB 3; Length 128;
Best Local Similarity   88.9%;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
               ||||||| :|||||||||||::|||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
               |||||||||||||:||||||:|||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128

RESULT 15
AAB81978
ID   AAB81978 standard; protein; 128 AA.
XX
AC   AAB81978;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 2.
KW   cancer.
XX
OS   Mus musculus.
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.

PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 1; Page 140; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 128 AA;

Query Match   90.5%; Score 514; DB 4; Length 128;
Best Local Similarity   88.9%;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
               ||||||| :|||||||||||::|||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
               |||||||||||||:||||||:|||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128

This Page Blank (uspto)

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 18:46:39 ; Search time 7.13276 Seconds
(without alignments)
1004.148 Million cell updates/sec

Title: US-10-089-500-54
Perfect score: 568
Sequence: 1 DIQMTQSPSSLSASVGDRVT..........HQYSKLPWTFGQGTKVEIKR 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 478139 seqs, 66318000 residues

Total number of hits satisfying chosen parameters:　478139

Minimum DB seq length: 0
Maximum DB seq length: 200000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA:*
1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match Length	DB	ID	Description
1	514	90.5	128	4	US-09-225-322B-10	Sequence 10, Appl
2	514	90.5	128	4	US-09-225-322B-19	Sequence 19, Appl
3	514	90.5	128	4	US-09-764-304-10	Sequence 10, Appl
4	514	90.5	128	4	US-09-764-304-19	Sequence 19, Appl
5	503	88.6	110	4	US-09-440-781-94	Sequence 94, Appl
6	491	86.4	108	3	US-09-065-059-3	Sequence 3, Appl
7	487	85.7	127	4	US-08-649-100-33	Sequence 33, Appl
8	484	85.2	214	1	US-08-458-516-12	Sequence 12, Appl
9	481	84.7	110	2	US-09-440-781-95	Sequence 95, Appl
10	480	84.5	107	2	US-07-934-373C-17	Sequence 17, Appl
11	480	84.5	107	2	US-08-652-558-2	Sequence 2, Appl
12	480	84.5	107	3	US-08-437-642B-17	Sequence 17, Appl
13	480	84.5	107	4	US-08-146-206C-17	Sequence 17, Appl
14	480	84.5	107	4	US-09-705-686-17	Sequence 17, Appl
15	480	84.5	107	4	US-09-705-392A-17	Sequence 17, Appl
16	480	84.5	107	2	PCT-US93-07832-17	Sequence 17, Appl
17	480	84.5	109	2	US-07-934-373C-47	Sequence 47, Appl
18	480	84.5	109	3	US-08-437-642B-47	Sequence 47, Appl
19	480	84.5	109	3	US-07-934-373C-40	Sequence 40, Appl
20	480	84.5	214	2	US-08-788-800-11	Sequence 11, Appl
21	480	84.5	214	3	US-08-437-642B-40	Sequence 40, Appl
22	480	84.5	214	3	US-09-097-309-2	Sequence 2, Appl
23	480	84.5	214	3	US-09-097-171A-2	Sequence 2, Appl
24	480	84.5	214	3	US-09-460-587-2	Sequence 2, Appl
25	480	84.5	214	5	US-09-940-166A-2	Sequence 2, Appl
26	480	84.5	214	5	PCT-US93-07832-40	Sequence 40, Appl
27	480	84.5	233	2	US-07-934-373C-25	Sequence 25, Appl
28	480	84.5	233	3	US-08-437-642B-25	Sequence 25, Appl
29	480	84.5	233	4	US-08-146-206C-25	Sequence 25, Appl
30	480	84.5	233	4	US-09-705-686-25	Sequence 25, Appl
31	480	84.5	233	4	US-09-705-392A-25	Sequence 25, Appl
32	480	84.5	233	5	PCT-US93-07832-25	Sequence 25, Appl
33	480	84.5	237	3	US-09-097-309-6	Sequence 6, Appli
34	480	84.5	237	3	US-09-097-171A-10	Sequence 10, Appli
35	480	84.5	237	3	US-09-097-712B-2	Sequence 2, Appli
36	480	84.5	237	4	US-09-607-756-2	Sequence 2, Appli
37	480	84.5	237	4	US-09-460-587-6	Sequence 6, Appli
38	480	84.3	107	4	US-08-458-516-8	Sequence 8, Appli
39	479	84.3	107	3	US-09-254-189-1	Sequence 1, Appli
40	476	83.8	108	3	US-08-974-899-3	Sequence 3, Appli
41	475	83.6	108	4	US-09-795-798-3	Sequence 3, Appli
42	475	83.6	108	4	US-09-927-712B-2	Sequence 2, Appli
43	475	83.6	111	2	US-08-137-117D-67	Sequence 67, Appl
44	475	83.6	111	3	US-08-436-717-67	Sequence 67, Appl
45	475	83.6	126	1	US-08-137-117D-71	Sequence 71, Appl

ALIGNMENTS

RESULT 1
US-09-225-322B-10

; Sequence 10, Application US/09225322B
; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US/08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-09-225-322B-10

Query Match　　96.3%; Score 514; DB 4; Length 128;
Best Local Similarity　90.5%; Pred. No. 1.2e-43;
Matches　96; Conservative　7; Mismatches　5; Indels　0; Gaps　0;

Qy　1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
||||||:| |||:|||||||||:||||||||||||||||||||||||||| |||||||||
Db　21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy　61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
||||||||||||||||||||||||||||||||||||||||||||||||
Db　81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGQGTKLEIKR 128

RESULT 2
US-09-225-322B-19
; Sequence 19, Application US/09225322B

```
; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:light chain
; OTHER INFORMATION: variable region
US-09-225-322B-19

Query Match     90.5%;  Score 514;  DB 4;  Length 128;
Best Local Similarity  88.9%;  Pred. No. 1.2e-43;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         ||||| ||||||||||||| ||||||||||||||||||||| :||||||||||||||||
Db  21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         |||||||||||: ||:|:|||||||||||||||||||| :|||:||||
Db  81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128


RESULT 3
US-09-764-304-10
; Sequence 10, Application US/09764304
; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
```

```
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641
US-09-764-304-10

Query Match     90.5%;  Score 514;  DB 4;  Length 128;
Best Local Similarity  88.9%;  Pred. No. 1.2e-43;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         ||||| ||||||||||||| ||||||||||||||||||||| :||||||||||||||||
Db  21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         |||||||||||: ||:|:|||||||||||||||||||| :|||:||||
Db  81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128


RESULT 4
US-09-764-304-19
; Sequence 19, Application US/09764304
; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: light chain
; OTHER INFORMATION: variable region
US-09-764-304-19

Query Match     90.5%;  Score 514;  DB 4;  Length 128;
Best Local Similarity  88.9%;  Pred. No. 1.2e-43;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         ||||| ||||||||||||| ||||||||||||||||||||| :||||||||||||||||
Db  21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         |||||||||||: ||:|:|||||||||||||||||||| :|||:||||
Db  81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128


RESULT 5
US-09-440-781-94
```

```
; Sequence 94, Application US/0944078l
; Patent No. 6632926
; GENERAL INFORMATION:
;   APPLICANT: Yvonne Man-yee Chen et al.
;   TITLE OF INVENTION: ANTIBODY VARIANTS
;   FILE REFERENCE: P1469R1
;   CURRENT APPLICATION NUMBER: US/09/440,781
;   CURRENT FILING DATE: 1999-11-16
;   NUMBER OF SEQ ID NOS: 99
; SEQ ID NO 94
;   LENGTH: 110
;   TYPE: PRT
;   ORGANISM: artificial sequence
;   FEATURE:
;   NAME/KEY: artificial
;   LOCATION: 1-110
;   OTHER INFORMATION: humanized antibody light chain variable domain
US-09-440-781-94

  Query Match           88.6%;  Score 503;  DB 4;  Length 110;
  Best Local Similarity 87.0%;  Pred. No. 1.2e-42;
  Matches  94; Conservative   8; Mismatches   6; Indels   0; Gaps   0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||:|| ||||||:|:|||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKVLIYFTSSLHSGVPS 60

Qy         61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| ||||||:||:|||||||||||:|:|:||||||||||||||||
Db         61 RFSGGGSGTDFTLTISSLQPEDFATYCQQYSTVPWTFGQGTKVEIKR 108


RESULT 6
US-09-065-059-3
; Sequence 3, Application US/09065059
; Patent No. 6068841
; GENERAL INFORMATION:
;   APPLICANT: SEINO, Ken-ichiro
;   APPLICANT: KAYAGAKI, No. 6068841uhiko
;   APPLICANT: YAGITA, Hideo
;   APPLICANT: OKUMURA, Ko
;   APPLICANT: NAKATA, Motomi
;   TITLE OF INVENTION: THERAPEUTIC AGENT FOR HEPATITIS
;   NUMBER OF SEQUENCES: 18
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: McDermott, Will & Emery
;   STREET: 99 Canal Center Plaza
;   CITY: Alexandria
;   STATE: Virginia
;   COUNTRY: USA
;   ZIP: 22314
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: Patentin Release #1.0, Version #1.30
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/065,059
;   FILING DATE:
;   CLASSIFICATION: 424
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Bucca Ph.D., Daniel
;   REGISTRATION NUMBER: P-42,368
;   REFERENCE/DOCKET NUMBER: 50356-151
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 703-518-5100
;   TELEFAX: 703-684-1124
; INFORMATION FOR SEQ ID NO: 3:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 108 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
```

```
; MOLECULE TYPE: peptide
US-09-065-059-3

  Query Match           86.4%;  Score 491;  DB 3;  Length 108;
  Best Local Similarity 84.3%;  Pred. No. 1.9e-41;
  Matches  91; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||||||||||||:|| |||||:|:|||||||||
Db          1 DIQMTQSPSSLSASVGDRVTISCRASQDISNYLNWYQQKPGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| |||||:|:|||||||||:|:|: ||||||:||:|
Db         61 RFSGGGSGTDYSLTISNLEPEDIATYFCQQYSEFPWTFGGGTKLEIKR 108


RESULT 7
US-08-649-100-33
; Sequence 33, Application US/08649100
; Patent No. 6114507
; GENERAL INFORMATION:
;   APPLICANT: SHIRAKAWA, KAMON
;   APPLICANT: MATSUSE, TOMOKAZU
;   APPLICANT: NAGATA, SHIGEKAZU
;   APPLICANT: CO, MAN SUNG
;   APPLICANT: VASQUEZ, MAXIMILIANO
;   TITLE OF INVENTION: ANTI-FAS LIGAND ANTIBODY AND ASSAY
;              METHOD USING THE ANTI-FAS LIGAND ANTIBODY
;   NUMBER OF SEQUENCES: 41
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/649,100
;   FILING DATE:
;   CLASSIFICATION: 435
;   ATTORNEY/AGENT INFORMATION:
;   NAME: MURPHY JR, GERALD M
;   REGISTRATION NUMBER: 28,977
;   REFERENCE/DOCKET NUMBER: 1110-160
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (703) 205-8000
;   TELEFAX: (703) 205-8050
; INFORMATION FOR SEQ ID NO: 33:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 127 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: peptide
US-08-649-100-33

  Query Match           85.7%;  Score 487;  DB 3;  Length 127;
  Best Local Similarity 86.0%;  Pred. No. 5.6e-41;
  Matches  92; Conservative   6; Mismatches   9; Indels   0; Gaps   0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||:|| |||||:|:|||||||||
Db         21 DIQMTQSPSSLSASVGDRVTITCRASQDISNYLNWYQQKPGKAPKLLIYYTSRLHSGVPS 80

Qy         61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
              |||| |||||:|:||||||||||:|:|:|||||||||||||||||||
Db         81 RFSGGGSGTNYTLTISSLQPDDFATYFCQQGSTLPWTFGQGTKVEVK 127
```

RESULT 8
US-08-458-516-12
Sequence 12, Application US/08458516
Patent No. 5777085
; GENERAL INFORMATION:
; APPLICANT: Co, Man Sung
; APPLICANT: Tso, J. Yun
; TITLE OF INVENTION: Humanized Antibodies Reactive with
; TITLE OF INVENTION: GPIIB/IIIA
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: One Market Plaza, Steuart Tower, Suite 2000
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/458,516
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/059,159
; FILING DATE: 03-MAY-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-37-3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; MOLECULE TYPE: protein
; TOPOLOGY: linear
; STRANDEDNESS: single
; TYPE: amino acid
; LENGTH: 214 amino acids
; SEQUENCE CHARACTERISTICS:
; INFORMATION FOR SEQ ID NO: 12:
US-08-458-516-12

Query Match   85.2%;   Score 484; DB 1;   Length 214;
Best Local Similarity   83.3%;   Pred. No. 2e-40;
Matches   90; Conservative   9; Mismatches   9; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         |||||||:||:|||||||||||:|||||||:|||||||||:||||:|||:|||::||||||
Db   1 DIQMTQTPSTLSASVGDRVTISCRASQDINNYLNWYQQKPGKAPKLLIYYTSTLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         ||||:||||||||||||||||:|||:||||:|:|||||||||||||:||
Db   61 RFSGSGSGTDYTLTISSLQPDDFATYFCQQGNTLPWTFGGGTKVEVKR 108

RESULT 9
US-09-440-781-95
Sequence 95, Application US/09440781
Patent No. 6632926
; GENERAL INFORMATION:
; APPLICANT: Yvonne Man-yee Chen et al.
; TITLE OF INVENTION: ANTIBODY VARIANTS
; FILE REFERENCE: P1469R1
; CURRENT APPLICATION NUMBER: US/09/440,781
; CURRENT FILING DATE: 1999-11-16
; NUMBER OF SEQ ID NOS: 99
; SEQ ID NO 95
; LENGTH: 110
; TYPE: PRT
; ORGANISM: artificial sequence
; FEATURE:
; NAME/KEY: artificial
; LOCATION: 1-110
; OTHER INFORMATION: humanized antibody light chain variable domain
US-09-440-781-95

Query Match   84.7%;   Score 481; DB 4;   Length 110;
Best Local Similarity   81.5%;   Pred. No. 1.9e-40;
Matches   88; Conservative 12; Mismatches   8; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         |||:|||||||||||||||||||:||:|||:|||||||||:||||:|||:|||::||||||
Db   1 DIQLTQSPSSLSASVGDRVTITCRANEQLSNYLNWYQQKPGKAPKVLIYFTSSLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         ||||:|||||| |||||||||||:|||:|:||::|||||||||||||||
Db   61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 108

RESULT 10
US-07-934-3736-17
Sequence 17, Application US/07943373C
Patent No. 5821337
; GENERAL INFORMATION:
; APPLICANT: Paul J. Carter
; APPLICANT: Leonard G. Presta
; TITLE OF INVENTION: Immunoglobulin Variants
; NUMBER OF SEQUENCES: 48
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/934,373C
; FILING DATE: 21-Aug-1992
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/05126
; FILING DATE: 15-JUN-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/715272
; FILING DATE: 14-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P0709P2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1994
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-07-934-3736-17

Query Match   84.5%;   Score 480; DB 2;   Length 107;
Best Local Similarity   86.0%;   Pred. No. 2.3e-40;
Matches   92; Conservative   4; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         ||||||||||||||||||||||:||:|||:|||||||||:||||:|||:|||::|:|||||
Db   1 DIQMTQSPSSLSASVGDRVTITCRASQDINNYLNWYQQKPGKAPKLLIYYTSRLESGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
            ||||| ||||||||||||||||||||||:||::||||||||||||||||
Db   61 RFSGSGSGTDYTLTISSLQPEDFATYYCQQGNTLPWTFGQGTKVEIK 107

RESULT 11
US-08-652-558-2
; Sequence 2, Application US/08652558
; Patent No. 5861155
; GENERAL INFORMATION:
; APPLICANT: LIN, AUGUSTINE YEE-THARN
; TITLE OF INVENTION: HUMANIZED ANTIBODIES AND USES
; TITLE OF INVENTION: THEREOF
; NUMBER OF SEQUENCES: 52
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BANNER & WITCOFF
; STREET: 75 STATE STREET, 23RD FLOOR
; CITY: BOSTON
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch diskette, 1.4 Mb storage
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WordPerfect 6.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/652,558
; FILING DATE: JUNE 6, 1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/IB94/00387
; FILING DATE: NOVEMBER 21, 1994
; ATTORNEY/AGENT INFORMATION:
; NAME: YANKWICH, LEON R.
; REGISTRATION NUMBER: 30,237
; REFERENCE/DOCKET NUMBER: 95,497-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-345-9100
; TELEFAX: 617-345-9111
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-652-558-2   MOLECULE TYPE: protein

Query Match   84.5%; Score 480; DB 2; Length 107;
Best Local Similarity 86.8%; Pred. No. 2.3e-40;
Matches   92; Conservative   6; Mismatches   8; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||||||||||||||||||||||||||||||||||||||||:|:||||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCSASQGISNYLNWYQQTPGKAPKLLIYYTSSLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEI 106
            ||||| |||||||||||||||||||:||:|||||||||||||||||
Db   61 RFSGSGSGTDYTFTISSLQPEDIATYYCQQYSKLPRTFGQGTKLQI 106

RESULT 12
US-08-437-642B-17
; Sequence 17, Application US/08437642B
; Patent No. 6054297
; GENERAL INFORMATION:
; APPLICANT: Paul J. Carter
; APPLICANT: Leonard G. Presta
; TITLE OF INVENTION: Immunoglobulin Variants
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way

; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/437,642B
; FILING DATE: 09-May-1995
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/934373
; FILING DATE: 21-AUG-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/146206
; FILING DATE: 17-NOV-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/05126
; FILING DATE: 15-JUN-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/715272
; FILING DATE: 14-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P0709P2C1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-9881
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; US-08-437-642B-17

Query Match   84.5%; Score 480; DB 3; Length 107;
Best Local Similarity 86.0%; Pred. No. 2.3e-40;
Matches   92; Conservative   4; Mismatches   11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||||||||||||||||||||||||||||||||||||||:|:||||||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCRASQDIRNYLNWYQQKPGKAPKLLIYYTSRLESGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
            ||||| ||||||||||||||||||||:||::||||||||||||||||
Db   61 RFSGSGSGTDYTLTISSLQPEDFATYYCQQGNTLPWTFGQGTKVEIK 107

RESULT 13
US-08-146-206C-17
; Sequence 17, Application US/08146206C
; Patent No. 6407213
; GENERAL INFORMATION:
; APPLICANT: Carter, Paul J.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method for Making Humanized Antibodies
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/146,206C
; FILING DATE: 17-No...
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/715272
; FILING DATE: 14-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P0709P1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1994
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-08-146-206C-17

Query Match   84.5%; Score 480; DB 4; Length 107;
Best Local Similarity   86.0%; Pred. No. 2.3e-40;
Matches   92; Conservative   4; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||:||:||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCRASQDIRNYLNWYQQKPGKAPKLLIYYTSRLESGVPS 60

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 RFSGSGSGTDYTLTISSLQPEDFATYYCQQGNTLPWTFGGGTKVEIK 107

RESULT 14
US-09-705-686-17
; Sequence 17, Application US/09705686
; Patent No. 6639055
; GENERAL INFORMATION:
; APPLICANT: Carter, Paul J.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method for Making Humanized Antibodies
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/705,686
; FILING DATE: 02-No. 6639055-2000
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/146206
; FILING DATE: 17-NOV-1993
; APPLICATION NUMBER: 07/715272
; FILING DATE: 14-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P0709P1D3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1994
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; SEQUENCE DESCRIPTION: SEQ ID NO: 17:
US-09-705-686-17

Query Match   84.5%; Score 480; DB 4; Length 107;
Best Local Similarity   86.0%; Pred. No. 2.3e-40;
Matches   92; Conservative   4; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||:||:||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCRASQDIRNYLNWYQQKPGKAPKLLIYYTSRLESGVPS 60

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
              ||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 RFSGSGSGTDYTLTISSLQPEDFATYYCQQGNTLPWTFGGGTKVEIK 107

RESULT 15
US-09-705-392A-17
; Sequence 17, Application US/09705392A
; Patent No. 6719971
; GENERAL INFORMATION:
; APPLICANT: Carter, Paul J.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method for Making Humanized Antibodies
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/705,392A
; FILING DATE: 02-No. 6719971-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/146206
; FILING DATE: 17-NOV-1993
; APPLICATION NUMBER: 07/715272
; FILING DATE: 14-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P0709P1D1 REVISED
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1994
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; SEQUENCE DESCRIPTION: SEQ ID NO: 17:
US-09-705-392A-17

Query Match   84.5%; Score 480; DB 4; Length 107;
Best Local Similarity   86.0%; Pred. No. 2.3e-40;
Matches   92; Conservative   4; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||:||:||||||||||||
Db   1 DIQMTQSPSSLSASVGDRVTITCRASQDIRNYLNWYQQKPGKAPKLLIYYTSRLESGVPS 60

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107

Db

61 |||| |||||||||||||||||||||||||:| ||| : | |||||||||||||||
      RFSGSGSGTDVTLTISSLQPEDFATYYCQQGNTLPWTFGQGTKVEIK 107

Search completed: December 23, 2004, 19:08:00
Job time : 17.1328 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 19:04:51 ; Search time 24.5684 Seconds
(without alignments)
1578.640 Million cell updates/sec

Title: US-10-089-500-54
Perfect score: 568
Sequence: 1 DIQMTQSPSSLSASVGDRVT........HQYSKLPWTFGQGTKVEIKR 108

Scoring table: BLOSUM62
                 Gapop 10.0 , Gapext 0.5
Searched: 1595201 seqs, 359116952 residues

Total number of hits satisfying chosen parameters: 1595201

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Published_Applications_AA:*
1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
7: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
8: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
9: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
10: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
11: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
12: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
13: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
14: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
15: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep:*
16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
17: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:*
18: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
19: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*
20: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match Length	%	DB ID	Description
1	514	90.5	128	9	US-09-764-304-10	Sequence 10, Appl
2	514	90.5	128	9	US-09-764-304-19	Sequence 19, Appl
3	514	90.5	128	14	US-10-265-713-10	Sequence 10, Appl
4	514	90.5	128	14	US-10-265-713-19	Sequence 19, Appl
5	514	90.5	128	14	US-10-166-626-10	Sequence 10, Appl
6	514	90.5	128	14	US-10-166-626-19	Sequence 19, Appl
7	507	89.3	110	9	US-09-056-160B-103	Sequence 103, App
8	507	89.3	110	14	US-10-234-671-101	Sequence 101, App
9	507	89.3	237	9	US-09-056-160B-100	Sequence 100, App
10	507	89.3	237	14	US-10-234-671-100	Sequence 100, App
11	507	89.3	491	13	US-10-011-125-2	Sequence 2, Appl
12	505	88.9	107	9	US-09-056-160B-15	Sequence 15, Appl
13	505	88.9	107	14	US-10-234-671-15	Sequence 15, Appl
14	504	88.7	110	9	US-09-056-160B-105	Sequence 105, App
15	504	88.7	110	14	US-10-234-671-103	Sequence 103, App
16	503	88.6	108	9	US-09-056-160B-8	Sequence 8, Appl
17	503	88.6	108	13	US-10-153-159-2	Sequence 2, Appli
18	503	88.6	108	14	US-10-153-159-16	Sequence 16, Appl
19	503	88.6	108	14	US-10-153-176-2	Sequence 2, Appli
20	503	88.6	108	14	US-10-153-176-16	Sequence 16, Appl
21	503	88.6	108	14	US-10-443-134A-4	Sequence 4, Appli
22	503	88.6	108	15	US-10-443-134A-16	Sequence 16, Appl
23	503	88.6	110	14	US-10-443-134A-127	Sequence 127, App
24	503	88.6	110	15	US-10-234-671-18	Sequence 8, Appl
25	503	88.6	667	15	US-10-624-153-94	Sequence 94, Appl
26	503	88.6	110	14	US-10-234-671-25	Sequence 25, Appl
27	501	88.2	107	9	US-09-056-160B-13	Sequence 13, Appl
28	501	88.2	108	14	US-10-234-671-13	Sequence 13, Appl
29	500	88.0	108	13	US-10-153-159-4	Sequence 4, Appli
30	500	88.0	108	14	US-10-153-176-4	Sequence 4, Appli
31	500	88.0	108	15	US-10-443-134A-7	Sequence 7, Appli
32	500	88.0	108	9	US-09-056-160B-107	Sequence 107, App
33	500	88.0	110	9	US-09-056-160B-117	Sequence 117, App
34	500	88.0	110	14	US-10-234-671-105	Sequence 105, App
35	500	88.0	213	14	US-10-379-392-115	Sequence 115, App
36	500	88.0	213	15	US-10-379-392-135	Sequence 135, App
37	500	88.0	213	16	US-10-379-392-137	Sequence 137, App
38	500	88.0	214	13	US-10-379-392-139	Sequence 139, App
39	500	88.0	214	14	US-10-364-953-1	Sequence 1, Appli
40	500	88.0	237	14	US-10-020-786-10	Sequence 10, Appl
41	500	88.0	667	17	US-10-764-428-7	Sequence 7, Appli
42	500	88.0	667	17	US-10-764-428-13	Sequence 13, Appl
43	500	88.0	670	17	US-10-764-428-5	Sequence 5, Appli
44	500	88.0	670	17	US-10-764-428-9	Sequence 9, Appli
45	500	88.0	670	17	US-10-764-428-11	Sequence 11, Appl

ALIGNMENTS

RESULT 1
US-09-764-304-10

; Sequence 10, Application US/09764304
; Patent No. US2002026036A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641
US-09-764-304-10

```
Query Match
Best Local Similarity    90.5%;    Score 514;  DB 9;   Length 128;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy    1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
         ||||| :  ||:|| |||| :|||||||||||||||||||   ||||||||||||||||||
Db   21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy   61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
         |||||||||| :|||: |||||||||||||||||||||| || |||||
Db   81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

RESULT 2
US-09-764-304-19
; Sequence 19, Application US/09764304
; Patent No. US20020260036A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: light chain
; OTHER INFORMATION: variable region
US-09-764-304-19

RESULT 3
US-10-265-713-10
; Sequence 10, Application US/10265713
; Publication No. US20030095964A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/265,713
; CURRENT FILING DATE: 2002-10-08
; PRIOR APPLICATION NUMBER: US/09/225,322
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-10-265-713-10

```
Query Match
Best Local Similarity    90.5%;    Score 514;  DB 14;  Length 128;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy    1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
         ||||| :  ||:|| |||| :|||||||||||||||||||   ||||||||||||||||||
Db   21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy   61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
         |||||||||| :|||: |||||||||||||||||||||| || |||||
Db   81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

RESULT 4
US-10-265-713-19
; Sequence 19, Application US/10265713
; Publication No. US20030095964A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/265,713
; CURRENT FILING DATE: 2002-10-08
; PRIOR APPLICATION NUMBER: US/09/225,322
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:light chain

; OTHER INFORMATION: variable region
US-10-265-713-19

Query Match
Best Local Similarity   90.5%;   Score 514; DB 14;   Length 128;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

```
Qy    1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
         ||||||:|||.|||:||||||||||||||||||||:|||||||||||||||||||||||||
Db   21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy   61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
         ||||||||||||.|:|.||:|:|||||||||||||||||||||||||
Db   81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

RESULT 5
US-10-166-626-10
; Sequence 10, Application US/10166626
; Publication No. US20030166876A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/166,626
; CURRENT FILING DATE: 2002-06-12
; PRIOR APPLICATION NUMBER: US/09/225,322B
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641

RESULT 6
US-10-166-626-19
; Sequence 19, Application US/10166626
; Publication No. US20030166876A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/166,626
; CURRENT FILING DATE: 2002-06-12
; PRIOR APPLICATION NUMBER: US/09/225,322B
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: light chain
US-10-166-626-19

Query Match
Best Local Similarity   88.9%;   Score 514; DB 14;   Length 128;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

```
Qy    1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
         ||||||:|||.|||:||||||||||||||||||||:|||||||||||||||||||||||||
Db   21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy   61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
         ||||||||||||.|:|.||:|:|||||||||||||||||||||||||
Db   81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

RESULT 7
US-09-056-160B-103
; Sequence 103, Application US/09056160B
; Patent No. US20020032315A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Presta, Leonard G.
; APPLICANT: Wells, James A.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION NUMBER: US/09/056,160B
; APPLICATION NUMBER: US/09/056,160B
; FILING DATE: 06-Apr-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/054,856
; FILING DATE: 06-AUG-1997

Query Match
Best Local Similarity   90.5%;   Score 514; DB 14;   Length 128;
Matches 96; Conservative   7; Mismatches   5; Indels   0; Gaps   0;

```
Qy    1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
         ||||||:|||.|||:||||||||||||||||||||:|||||||||||||||||||||||||
Db   21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy   61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
         ||||||||||||.|:|.||:|:|||||||||||||||||||||||||
Db   81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

; ATTORNEY/AGENT INFORMATION:
;   NAME: Hasak, Janet E.
;   REGISTRATION NUMBER: 28,616
;   REFERENCE/DOCKET NUMBER: P1093R2
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-1896
;   TELEFAX: 650/952-9881
;
; INFORMATION FOR SEQ ID NO: 103:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 110 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear

US-09-056-160B-103

Query Match   89.3%; Score 507; DB 9; Length 110;
Best Local Similarity   88.0%; Pred. No. 2.5e-36;
Matches   95; Conservative   7; Mismatches   6; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        |||:||||||||||||||||||||||||||||||||||||||||||::||:||||||||
Db   1 DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 60

Qy 61 RFSGGGSGTDYTLTIISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||||||||||||||||:|||:||:|||||||||||
Db 61 RFSGGGSGTDYTLTIISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 108

RESULT 8
US-10-234-671-101
; Sequence 101, Application US/10234671
; Publication No. US20030190317A1
; GENERAL INFORMATION:
;   APPLICANT: Baca, Manuel
;   APPLICANT: Wells, James A.
;   APPLICANT: Presta, Leonard G.
;   APPLICANT: Lowman, Henry B.
;   APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/10/234,671
;   FILING DATE: 03-Sep-2002
;   CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 09/056160
;   FILING DATE: 06-Apr-1998
;   APPLICATION NUMBER: 60/126446
;   FILING DATE: 07-APR-1997
;   APPLICATION NUMBER: 60/054856
;   FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
;   NAME: Cui, Steven X.
;   REGISTRATION NUMBER: 44,637
;   REFERENCE/DOCKET NUMBER: P1093R2C1
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-8674
;   TELEFAX: 650/952-9881
;
; INFORMATION FOR SEQ ID NO: 101:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 110 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear
;   SEQUENCE DESCRIPTION: SEQ ID NO: 101:

US-10-234-671-101

Query Match   89.3%; Score 507; DB 14; Length 110;
Best Local Similarity   88.0%; Pred. No. 2.5e-36;
Matches   95; Conservative   7; Mismatches   6; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        |||:||||||||||||||||||||||||||||||||||||||||||::||:||||||||
Db   1 DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 60

Qy 61 RFSGGGSGTDYTLTIISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||||||||||||||||:|||:||:|||||||||||
Db 61 RFSGGGSGTDYTLTIISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 108

RESULT 9
US-09-056-160B-100
; Sequence 100, Application US/09056160B
; Patent No. US2002003231SA1
; GENERAL INFORMATION:
;   APPLICANT: Baca, Manuel
;   APPLICANT: Wells, James A.
;   APPLICANT: Presta, Leonard G.
;   APPLICANT: Lowman, Henry B.
;   APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Genentech, Inc.
;   STREET: 1 DNA Way
;   CITY: South San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94080
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/056,160B
;   FILING DATE: 06-Apr-1998
;   CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 60/054,856
;   FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
;   NAME: Hasak, Janet E.
;   REGISTRATION NUMBER: 28,616
;   REFERENCE/DOCKET NUMBER: P1093R2
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 650/225-1896
;   TELEFAX: 650/952-9881
;
; INFORMATION FOR SEQ ID NO: 100:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 237 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear

US-09-056-160B-100

Query Match   89.3%; Score 507; DB 9; Length 237;
Best Local Similarity   88.0%; Pred. No. 5.3e-36;
Matches   95; Conservative   7; Mismatches   6; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        |||:||||||||||||||||||||||||||||||||||||||||||::||:||||||||
Db 24 DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 83

Qy 61 RFSGGGSGTDYTLTIISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||||||||||||||||:|||:||:|||||||||||
Db 84 RFSGGGSGTDYTLTIISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 131

RESULT 10
US-10-234-671-100
Sequence 100, Application US/10234671
Publication No. US2003019017A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
;   Wells, James A.
;   Presta, Leonard G.
;   Lowman, Henry B.
;   Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/234,671
; FILING DATE: 03-Sep-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/056160
; FILING DATE: 06-Apr-1998
; APPLICATION NUMBER: 60/126446
; FILING DATE: 06-AUG-1997
; APPLICATION NUMBER: 07-APR-1997
; APPLICATION NUMBER: 60/054856
; FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Cui, Steven X.
; REGISTRATION NUMBER: 44,637
; REFERENCE/DOCKET NUMBER: P1093R2C1
; TELEPHONE: 650/225-8674
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 100:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 237 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; SEQUENCE DESCRIPTION: SEQ ID NO: 100:
US-10-234-671-100

Query Match   89.3%; Score 507; DB 14; Length 237;
Best Local Similarity   88.0%; Pred. No. 5.3e-36;
Matches 95; Conservative 7; Mismatches 6; Indels 0; Gaps 0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||:||||||||||||||||||||||||||||||||||||||:|||||||| ||||||||||
Db   24 DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 83

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
            ||||||||||||||||||||||||||| ||:|| |||||||||||
Db   84 RFSGGSGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 131

RESULT 11
US-10-011-125-2
Sequence 2, Application US/10011125
Publication No. US20020142288A1
; GENERAL INFORMATION:
; APPLICANT: Chen, Christina Yu-Ching
; TITLE OF INVENTION: BACTERIAL HOST STRAINS
; FILE REFERENCE: P1804R1

; CURRENT APPLICATION NUMBER: US/10/011,125
; CURRENT FILING DATE: 2001-12-07
; PRIOR APPLICATION NUMBER: US 60/256,162
; PRIOR FILING DATE: 2000-12-14
; NUMBER OF SEQ ID NO: 10
; SEQ ID NO 2
; LENGTH: 491
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Sequence is synthesized.
US-10-011-125-2

Query Match   89.3%; Score 507; DB 13; Length 491;
Best Local Similarity   88.0%; Pred. No. 1.1e-35;
Matches 95; Conservative 7; Mismatches 6; Indels 0; Gaps 0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||:|||||||||||||||||||||||||||||||||||||:|||||||||||||||||||
Db   24 DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 83

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
            ||||||||||||||||||||||||||| ||:|| |||||||||||
Db   84 RFSGGSGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 131

RESULT 12
US-09-056-160B-15
Sequence 15, Application US/09056160B
Patent No. US20020032315A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Wells, James A.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/056,160B
; FILING DATE: 06-Apr-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/054,856
; FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Hasak, Janet E.
; REGISTRATION NUMBER: 28,616
; REFERENCE/DOCKET NUMBER: P1093R2
; TELEPHONE: 650/225-1896
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; SEQUENCE DESCRIPTION FOR SEQ ID NO: 15:
US-09-056-160B-15

Query Match   88.9%; Score 505; DB 9; Length 107;
Best Local Similarity   88.8%; Pred. No. 3.6e-36;

Matches 95; Conservative 6; Mismatches 6; Indels 0; Gaps 0;

```
Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||:||||||||||||||||||||||||||||||||:||||:|||:|||:|||||||||||
Db    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
          ||||||||||||||||||||||:||||:|||||:|||||||||||||
Db   61 RFSGGGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIK 107
```

RESULT 13
US-10-234-671-15
; Sequence 15, Application US/10234671
; Publication No. US20030190317A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Wells, James A.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/234,671
; FILING DATE: 03-Sep-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/056160
; FILING DATE: 06-APR-1998
; APPLICATION NUMBER: 60/126446
; FILING DATE: 06-APR-1997
; APPLICATION NUMBER: 07/054856
; FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Cui, Steven X.
; REGISTRATION NUMBER: 44,637
; REFERENCE/DOCKET NUMBER: P1093R2C1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-8674
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 107 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear
;
; SEQUENCE DESCRIPTION: SEQ ID NO: 15:

US-10-234-671-15

Query Match   88.9%; Score 505; DB 14; Length 107;
Best Local Similarity   88.8%; Pred. No. 3.6e-36;
Matches   95; Conservative   6; Mismatches   6; Indels   0; Gaps   0;

```
Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||:||||||||||||||||||||||||||||||||:||||:|||:|||:|||||||||||
Db    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKLLIYFTSSLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
          ||||||||||||||||||||||:||||:|||||:|||||||||||||
Db   61 RFSGGGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIK 107
```

RESULT 14
US-09-056-160B-105
; Sequence 105, Application US/0905160B
; Patent No. US2002003315A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Wells, James A.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/056,160B
; FILING DATE: 06-Apr-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/054,856
; FILING DATE: 06-AUG-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Haaak, Janet E.
; REGISTRATION NUMBER: 28,616
; REFERENCE/DOCKET NUMBER: P1093R2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1896
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 105:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 110 amino acids
;   TYPE: Amino Acid
;   TOPOLOGY: Linear
;
US-09-056-160B-105

Query Match   88.7%; Score 504; DB 9; Length 110;
Best Local Similarity   87.0%; Pred. No. 4.5e-36;
Matches   94; Conservative   8; Mismatches   6; Indels   0; Gaps   0;

```
Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||:||||||||||||||||||||||||||||||||:||||:||||:|:|||||||||||
Db    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKVLIYFTSSLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
          ||||||||||||||||||||||:||||:|||||:||||||||||||||
Db   61 RFSGGGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR 108
```

RESULT 15
US-10-234-671-103
; Sequence 103, Application US/10234671
; Publication No. US20030190317A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Wells, James A.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.

```
;    STREET: 1 DNA Way
;    CITY: South San Francisco
;    STATE: California
;    COUNTRY: USA
;    ZIP: 94080
;    COMPUTER READABLE FORM:
;    MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;    COMPUTER: IBM PC compatible
;    OPERATING SYSTEM: PC-DOS/MS-DOS
;    SOFTWARE: WinPatin (Genentech)
;    CURRENT APPLICATION DATA:
;    APPLICATION NUMBER: US/10/234,671
;    FILING DATE: 03-Sep-2002
;    CLASSIFICATION: <Unknown>
;    PRIOR APPLICATION DATA:
;    APPLICATION NUMBER: 09/056160
;    FILING DATE: 06-APR-1998
;    APPLICATION NUMBER: 60/126446
;    FILING DATE: 07-APR-1997
;    APPLICATION NUMBER: 60/054856
;    FILING DATE: 06-AUG-1997
;    ATTORNEY/AGENT INFORMATION:
;    NAME: Cui, Steven X.
;    REGISTRATION NUMBER: 44,637
;    REFERENCE/DOCKET NUMBER: P1093R2C1
;    TELECOMMUNICATION INFORMATION:
;    TELEPHONE: 650/225-8674
;    TELEFAX: 650/952-9881
;    INFORMATION FOR SEQ ID NO: 103:
;    SEQUENCE CHARACTERISTICS:
;    LENGTH: 110 amino acids
;    TYPE: Amino Acid
;    TOPOLOGY: Linear
;    SEQUENCE DESCRIPTION: SEQ ID NO: 103:

US-10-234-671-103

Query Match             88.7%;    Score 504;   DB 14;   Length 110;
Best Local Similarity   87.0%;    Pred. No. 4.5e-36;
Matches  94;  Conservative  8;  Mismatches  6;  Indels  0;  Gaps  0;

Qy       1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
            |||:||||||||||||||||||||||||||||||||| |||:::||||||||||||||||
Db       1  DIQLTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPGKAPKVLIYFTSSLHSGVPS  60

Qy      61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
            ||||  ||||||||||||||||||||   | |||:|||||||||||||
Db      61  RFSGSGSGTDYTLTISSLQPEDFATYYCQQYSTVPWTFGQGTKVEIKR  108
```

Search completed: December 23, 2004, 19:35:47
Job time : 25.5684 secs

This Page Blank (uspto)

```
                                        GenCore version 5.1.6
                                        Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:        December 23, 2004, 18:46:03 ; Search time 5.83589 Seconds
                                        (without alignments)
                                        1780.604 Million cell updates/sec

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Title:         US-10-089-500-54
Perfect score: 568
Sequence:      1 DIQMTQSPSSLSASVGDRVT.........HQYSKLPWTFGQGTKVEIKR 108

Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched:      283416 seqs, 9621676 3 residues

Total number of hits satisfying chosen parameters:        283416

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Database :     PIR.79:*
               1: pir1:*
               2: pir2:*
               3: pir3:*
               4: pir4:*

               Pred. No. is the number of results predicted by chance to have a
               score greater than or equal to the score of the result being printed,
               and is derived by analysis of the total score distribution.

                                        SUMMARIES

Result                Query
No.    Score  Match Length DB  ID         Description
------ -----  ------------ --  ---------  -----------
   1   480    84.5%  108   1   KIHUAU     Ig kappa chain V-I
   2   479    84.3   111   1   A38740     Ig kappa chain V r
   3   477    84.0   111   2   E38740     Ig kappa chain V r
   4   472    83.1   111   2   G38740     Ig kappa chain V r
   5   469    82.6   111   2   C38740     Ig kappa chain V r
   6   466    82.0   107   2   B49026     Ig kappa chain V r
   7   462    81.3   127   2   S40367     Ig kappa chain V-J
   8   461    81.2   108   1   S40367     Ig kappa chain V-J
   9   461    81.2   108   1   KVMS73     Ig kappa chain V r
  10   456    80.3   108   1   S69900     Ig kappa chain (cl
  11   454    79.9   122   2   KIHURE     Ig kappa chain V-I
  12   452    79.6   108   1   A29380     Ig kappa chain pre
  13   452    79.6   115   2   S69903     Ig kappa chain (cl
  14   451    79.4   129   2   JL0080     Ig kappa chain V-J
  15   450    79.2   110   2   S52789     Ig kappa chain V r
  16   448    78.9   108   1   S44118     Ig kappa chain V-J
  17   447    78.7   108   2   KVMSAR     Ig kappa chain V r
  18   447    78.7   108   2   S69902     Ig kappa chain (cl
  19   447    78.7   126   2   PH0888     Ig kappa chain V r
  20   445    78.3   108   1   A34904     Ig kappa chain pre
  21   445    78.3   108   2   KIHUAG     Ig kappa chain V-I
  22   445    78.3   125   2   I39154     Ig kappa chain (BR
  23   444    78.2   128   2   S40333     Ig kappa chain V-J
  24   443.5  78.2   107   2   A26406     Ig kappa chain (cl
  25   443    78.1   139   2   S69901     Ig kappa chain V r
  26   443    78.0   139   2   S40365     Ig kappa chain V-J
  27   442    77.8   123   2   S40331     Ig kappa chain - h
  28   441.5  77.7   131   2   S40352     Ig kappa chain V-J
  29   441    77.6   108   2   B49047     Ig kappa chain V r
  30   440    77.5   107   2   A46677     Ig kappa chain V-J
  31   439    77.3   108   2   S44122     Ig kappa chain V r
  32   439    77.3   108   2   C26405     Ig kappa chain V r
  33   438    77.1   108   1   KIHURY     Ig kappa chain V r
  34   438    77.1   108   2   S19970     Ig kappa chain V-I
  35   437.5  77.0   107   2   S36275     Ig lambda chain V
  36   437    76.9   107   2   B46677     Ig lambda chain V
  37   437    76.9   107   2   B28044     Ig kappa chain V-J
  38   436    76.8   108   2   PL0282     Ig kappa chain V r
  39   436    76.8   109   2   S31998     Ig lambda chain - h
  40   434    76.6   107   2   S36264     Ig kappa chain V r
  41   434    76.4   107   2   A28044     Ig kappa chain V-J
  42   433    76.2   107   2   D46677     Ig kappa chain V-J
  43   433    76.2   108   1   KIHUWE     Ig kappa chain V-I
  44   433    76.2   108   2   B26405     Ig kappa chain V r
  45   433    76.2   127   2   PH1224     Ig kappa chain pre
```

                                        ALIGNMENTS

```
RESULT 1
KIHUAU
     Ig kappa chain V-I region (Au) - human
C;Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence_revision 02-Jul-1998 #text_change 09-Jul-2004
C;Accession: A91653; A01862; S02573
R;Schiechl, H.; Hilschmann, N.
A;Title: Die Primaerstruktur einer monoklonalen Immunglobulin-L-Kette vom kappa-Typ, Su
Hoppe-Seyler's Z. Physiol. Chem. 353, 345-370, 1972
A;Note: the C region of this chain has the Inv (3) marker
R;Fehlhammer, H.; Schiffer, M.; Epp, O.; Colman, P.M.; Lattman, E.E.; Schwager, P.; Ste
Biophys. Struct. Mech. 1, 139-146, 1975
A;Title: The structure determination of the variable portion of the Bence-Jones protein
A;Reference number: A90729; MUID:77022433; PMID:1234024
A;Contents: annotation; X-ray crystallography
A;Note: the structure of the V region was determined by molecular replacement methods u
R;Steiner, V.; Chang, J.Y.
FEBS Lett. 222, 6-10, 1987
A;Title: Chemical modification of the carboxyl groups of protein substrates enhances th
A;Reference number: S02572; MUID:88005152; PMID:3115831
C;Contents: annotation
C;Comment: This is a Bence Jones protein.
C;Genetics:
A;Gene: GDB;IGKV1
A;Cross-references: GDB:136264
A;Map position: 2p12-2p12
C;Complex: an immunoglobulin heterotetramer subunit consists of two identical light (ka
hain disulfide bonds; in some cases, such as IgA and IgM, the subunits associate into 1
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

Query Match        84.5%;  Score 480;  DB 1;  Length 108;
Best Local Similarity   85.2%;  Pred. No. 1.7e-36;
Matches   92;   Conservative    5;  Mismatches  11;  Indels    0;  Gaps    0;

Qy       1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
           |||||||||||||||||||||||| ||:|| :||||||||  |||| |:|:||:|||||||
Db       1 DIQMTQSPSSLSASVGDRVTITCQASQDISDYLNWYQQKPGKAPKLLIYDASNLESGVPS 60

Qy      61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
           ||||||| |:|||||||||||||||||:||||||||||||||||||||
Db      61 RFSGGGSGAHFTFTISSLQPEDIATYYCQQYDYLPWTFGQGTKVEIKR 108
```

RESULT 2

A38740
Ig kappa chain V region (Py20) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
A;Accession: A38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J;Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:91177923; PMID:1706720
A;Molecule type: mRNA
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

```
Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         :|:|||||||||:||||||||||:|:|:||||:||||||||||:|:||||||||||||||
Db   4 DVQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYYTSSLHSGVPS 63

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         ||||||||||||||||||:|||||||:|||||||||||||||||:|||
Db  64 RFSGGGSGTDYSLTISNLEPEDVATYYCQQYSKVPWTFGGGTKLEIKR 111
```

Query Match   84.3%;   Score 479;   DB 2;   Length 111;
Best Local Similarity   80.6%;   Pred. No. 2.2e-36;
Matches   87;   Conservative   14;   Mismatches   7;   Indels   0;   Gaps   0;

RESULT 3
E38740
Ig kappa chain V region (Py54) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
A;Accession: E38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J;Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:91177923; PMID:1706720
A;Molecule type: mRNA
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match   84.0%;   Score 477;   DB 2;   Length 111;
Best Local Similarity   81.5%;   Pred. No. 3.3e-36;
Matches   88;   Conservative   11;   Mismatches   9;   Indels   0;   Gaps   0;

```
Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         |||||||||||||||||:||||||||:|||||||||||||||||:|||
Db  64 RFSGGGSGTDYSLTISDLEPEDIATYYCQQYSKVPWTFGGGTKLEIKR 111
```

RESULT 4
G38740
Ig kappa chain V region (Py69) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
A;Accession: G38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J;Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:91177923; PMID:1706720

A;Accession: G38740
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Molecule type: mRNA
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match   83.1%;   Score 472;   DB 2;   Length 111;
Best Local Similarity   81.5%;   Pred. No. 9.4e-36;
Matches   88;   Conservative   10;   Mismatches   10;   Indels   0;   Gaps   0;

```
Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         :|||||||||:|||||||||||:|:|:||||:||||||||||:|:||||||||||||||
Db   4 DVLMTQTSSLSASLGDRVTISCSASQDIRNYLNWYQQKPDGTVKLLIYYTSSLHSGVPS 63

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         ||||||||||||||||||:||||||||:|||||||||||||||||:|||
Db  64 RFSGGGSGTDYSLTISDLEPEDIATYYCQQYSKVPWTFGGGTKLEIKR 111
```

RESULT 5
C38740
Ig kappa chain V region (Py2) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
A;Accession: C38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J;Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:91177923; PMID:1706720
A;Molecule type: mRNA
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match   82.6%;   Score 469;   DB 2;   Length 111;
Best Local Similarity   78.7%;   Pred. No. 1.8e-35;
Matches   85;   Conservative   14;   Mismatches   9;   Indels   0;   Gaps   0;

```
Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
         :|||||||||:|||||||||||:|:|:||||:||||||||||:|:||||||||||||||
Db   4 DVLMTQTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYYTSSLHSGVPS 63

Qy  61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
         ||||||||||||||||||:|||||||:|||||||||||||||||:|||
Db  64 RFSGGGSGTDYSLTISNLEPEDVATYYCQQYSKVPWTFGGGTKLEIKR 111
```

RESULT 6
B49026
Ig kappa chain V region, anti-idiotypic monoclonal antibody - mouse
C;Species: Mus musculus (house mouse)
C;Date: 19-Dec-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
A;Accession: B49026; PL0220
R;Koizumi, T.; Puccetti, A.; Migliorini, P.; Barrett, K.J.; Schwartz, R.S.
Eur. J. Immunol. 21, 2185-2193, 1991
A;Title: Molecular heterogeneity of auto-anti-idiotypic antibodies in MLR-lpr/lpr mice.
A;Reference number: A49026; MUID:91364791; PMID:1909645
A;Molecule type: nucleic acid
A;Status: preliminary; not compared with conceptual translation
A;Residues: 1-107 <KOI>
A;Experimental source: MLR-lpr/lpr
A;Note: sequence extracted from NCBI backbone (NCBIP:60876)
R;Koizumi, T.; Puccetti, A.; Migliorini, P.; Andre-Schwartz, J.; Barrett, K.J.; Schwartz
J;Exp. Med. 171, 1919-1930, 1990
A;Title: An immunoglobulin light chain from a lupus-prone mouse induces autoantibodies t

A;Reference number: PL0220; MUID:90278348; PMID:1693654
A;Accession: PL0220
A;Status: nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-107 <PUC>
A;Experimental source: strain lupus-prone MRL-lpr/lpr mouse
A;Superfamily: immunoglobulin V region; immunoglobulin homology
A;Keywords: heterotetramer; immunoglobulin
C;Superfamily: immunoglobulin homology <IMM>
F;16-90/Domain: immunoglobulin homology <IMM>
F;24-34/Region: complementarity-determining 1
F;50-56/Region: complementarity-determining 2
F;89-97/Region: complementarity-determining 3

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||:|:|:||:||||||||||||||||||||||||:||||||:|:||||:|||:|||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIK 107
            ||||||||||||:|||:||||:|||||||||:|||:||||||||||:|
Db   61 RFSGGGSGTDYSLTISNLEPEDIATYYCQQYSKLPRTFGGGTKLEIK 107

RESULT 7
S40367
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40367
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23; 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40367
A;Molecule type: mRNA
A;Status: preliminary; translation not shown
A;Residues: 1-127 <KLE>
A;Cross-references: EMBL:X72477
A;Superfamily: immunoglobulin V region; immunoglobulin homology; immunoglobulin
A;Keywords: heterotetramer; immunoglobulin
C;Superfamily: immunoglobulin homology <IMM>
F;33-107/Domain: immunoglobulin homology <IMM>

Query Match   82.0%; Score 466; DB 2; Length 107;
Best Local Similarity   82.2%;
Matches 88; Conservative 10; Mismatches   9; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||:|:|:||:||||||||||||||||||||||||:||||||:|:||||:|||:|||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIK 107
            ||||||||||||:|||:||||:|||||||||:|||:||||||||||:|
Db   61 RFSGGGSGTDYSLTISNLEPEDIATYYCQQYSKLPRTFGGGTKLEIK 107

RESULT 8
KVMS73
Ig kappa chain V region (MOPC 173) - mouse (tentative sequence)
C;Species: Mus musculus (house mouse)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
C;Accession: A01926
R;Schiff, C.; Fougereau, M.
Eur. J. Biochem. 59, 525-537, 1975
A;Title: Determination of the primary structure of a mouse IgG2a immunoglobulin. Amino-a
A;Reference number: A01926; MUID:76091934; PMID:812696
A;Accession: A01926
A;Molecule type: protein
A;Residues: 1-108 <SCH>
A;Cross-references: UNIPROT:P01643
C;Comment: This chain was isolated from a myeloma protein.

C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (ka
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into 1
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
C;Superfamily: immunoglobulin homology <IMM>
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||:|:|:||:||||||||||||||||||||||||:||||||:|:||||:|||:|||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQSIGNYLBWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIKR 108
            ||||||||||||:|||:||||:|||||||||:|||:||||||||||:||
Db   61 RFSGGGSGTDYSLTISBLZPZBIATYYCQQYSKLPRTFGGGTKLEIKR 108

RESULT 9
S69900
Ig kappa chain (clone KL2.18 / KL4B10 / KL4C11) - mouse
C;Species: Mus musculus (house mouse)
Immunology 75, 116-121, 1992
R;Wysocki, L.J.; Creadon, G.; Lehmann, K.R.; Cambier, J.C.
A;Title: B-cell proliferation initiated by Ia cross-linking and sustained by interleuki
A;Reference number: S69900; MUID:92165291; PMID:1537587
A;Accession: S69900
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Residues: 1-108 <WYS>
A;Cross-references: EMBL:X55041; NID:g511023; PIDN:CAA38881.1; PID:g511024
A;Accession: S69907
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Residues: 1-108 <WY2>
A;Cross-references: EMBL:X55040; NID:g511037; PIDN:CAA38888.1; PID:g511038
A;Accession: S69908
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Residues: 1-108 <WY3>
A;Cross-references: EMBL:X55049; NID:g511039; PIDN:CAA38889.1; PID:g511040
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;16-90/Domain: immunoglobulin homology <IMM>

Query Match   81.2%; Score 461; DB 1; Length 108;
Best Local Similarity   78.7%;
Matches 85; Conservative 13; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||:|:|:||:||||||||||||||||||||||||:||||||:|:||||:|||:|||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIKR 108
            ||||||||||||:|||:||||:|||||||||:|||:||||||||||:||
Db   61 RFSGGGSGTDYSLTISBLZPZBIATYYCQQYSKLPRTFGGGTKLEIKR 108

RESULT 10
KIHURE
Ig kappa chain V-I region (Rei) - human (tentative sequence)
C;Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
C;Accession: A91663; A01873
R;Palm, W.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 356, 167-191, 1975
A;Title: Die Primaerstruktur einer kristallinen monoklonalen Immunglobulin-L-Kette vom
vollstaendige Aminosaeuresequenz des Proteins.
A;Reference number: A91663; MUID:76023758; PMID:809329
A;Accession: A91663

RESULT 9
S69900
Ig kappa chain (clone KL2.18 / KL4B10 / KL4C11) - mouse

Query Match   81.2%; Score 461; DB 2; Length 108;
Best Local Similarity   80.6%;
Matches 87; Conservative 10; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
            ||||:|:|:||:||||||||||||||||||||||||:||||||:|:||||:|||:|||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQSIGNYLNWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIKR 108
            ||||||||||||:|||:||||:|||||||||:|||:||||||||||:||
Db   61 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR 108

A;Molecule type: protein
A;Residues: 1-108 <PAL>
A;cross-references: UNIPROT:P01607
A;Note: the C region of this chain has the Inv (1,2) marker
R;Epp, O.; Lattman, E.E.; Schiffer, M.; Huber, R.; Palm, W.
Biochemistry 14, 4943-4952, 1975
A;Title: The molecular structure of a dimer composed of the variable portions of the Ben
A;Reference number: A90392; MUID:76039968; PMID:1182131
A;Contents: annotation; X-ray crystallography, 2.0 angstroms
A;Comment: This is a Bence Jones protein.
A;Gene: GDB:IGKV1
A;Cross-references: GDB:136264
A;Map position: 2p12-2p12
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status experimental

RESULT 11
A29380
Ig kappa chain precursor V region (AC-1001) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 31-Dec-1988 #sequence_revision 31-Dec-1988 #text_change 21-Jan-2000
C;Accession: A29380
R;Chen, H.T.; Kabat, E.A.; Lundblad, A.; Ratcliffe, R.M.
J. Biol. Chem. 262, 13579-13583, 1987
A;Title: Nucleotide and translated amino acid sequences of cDNA coding for the variable
A;Reference number: A92612; MUID:88007582; PMID:3115981
A;Accession: A29380
A;Molecule type: mRNA
A;Residues: 1-122 <CHE>
A;Cross-references: GB:M17160; GB:J02815; NID:gi96895; PIDN:AAA38824.1; PID:gi96896
A;Note: the authors translated the codon TTC for residue 1 as Leu
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;30-104/Domain: immunoglobulin homology <IMM>

Query Match   80.3%; Score 456; DB 1; Length 122;
Best Local Similarity   80.6%;
Matches 87; Conservative 7; Mismatches 14; Indels 0; Gaps 0;

```
Qy  1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||| ||||| | ||||| :|:|| |||||:|:|||:||||
Db  1 DIQMTQSPSSLSASVGDRVTITCQASQDIIKYLNWYQQTPGKAPKLLIYEASNLQAGVPS 60

Qy 61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||| |||||||||||| :||||| | |||| ||||  |
Db 61 RFSGSGSGTDYTFTISSLQPEDIATYYCQQYQSLPYTFGGGTKLQITR 122
```

RESULT 12
S69903
Ig kappa chain (clone KL2.29 / KL2.33 / KL3.8) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 14-Feb-1997 #sequence_revision 13-Mar-1997 #text_change 21-Jan-2000
C;Accession: S69903; S69904; S69905
R;Wysocki, L.J.; Creadon, G.; Lehmann, K.R.; Cambier, J.C.
Immunology 75, 116-121, 1992
A;Title: B-cell proliferation initiated by Ia cross-linking and sustained by interleukin
A;Reference number: S69900; MUID:92165291; PMID:1537587
A;Accession: S69903
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-108 <WYS>
A;Cross-references: EMBL:X55044; NID:g511029; PIDN:CAA38884.1; PID:g511030
A;Accession: S69904
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-108 <WY2>
A;Cross-references: EMBL:X55045; NID:g511031; PIDN:CAA38885.1; PID:g511032
A;Accession: S69905
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-108 <WY3>
A;Cross-references: EMBL:X55046; NID:g511033; PIDN:CAA38886.1; PID:g511034
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;16-90/Domain: immunoglobulin homology <IMM>

Query Match   79.6%; Score 452; DB 2; Length 108;
Best Local Similarity   79.6%;
Matches 86; Conservative 11; Mismatches 11; Indels 0; Gaps 0;

```
Qy  1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||| ||||| |||||| |||| ||||||||:|:|| |||||:||:|||:|||||
Db  1 DIQMTQSPSSLSASVGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:||||:| |||||||||||| |||||||||||||||
Db 61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPYTFGGGTKLEIKR 108
```

RESULT 13
JL0080
Ig kappa chain precursor V region (anti-phenyloxazolone, 18C10) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 21-Jan-2000
C;Accession: JL0080
R;Kaartinen, M.; Rocca-Serra, J.; Maekelae, O.
Mol. Immunol. 25, 859-865, 1988
A;Title: Combinatorial association of V genes: one VH gene codes for three non-cross-re
A;Reference number: JL0076; MUID:89096973; PMID:3211160
A;Accession: JL0080
A;Molecule type: mRNA
A;Residues: 1-115 <KAA>
A;Cross-references: GB:M27793; NID:g171161; PIDN:AAA38937.1; PID:g171162
A;Note: the authors translated the codon AGG for residue 30 as Ser
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;1-6/Domain: signal sequence (fragment) #status predicted <SIG>
F;7-115/Product: Ig light chain precursor (fragment) #status predicted <MAT>
F;22-96/Domain: immunoglobulin homology <IMM>
F;30-40/Region: complementarity-determining 1
F;56-62/Region: complementarity-determining 2

Query Match   79.6%; Score 452; DB 2; Length 115;
Best Local Similarity   79.6%;
Matches 86; Conservative 11; Mismatches 11; Indels 0; Gaps 0;

```
Qy  1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||| ||||| |||||| ||||| ||||||||:|:|| |||||:|:|||:|||||
Db  7 DIQMTQTTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIHYTSRLHSGVPS 66

Qy 61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:||||:| |||||||||||| |||||||||||||||
Db 67 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPYTFGGGTKLEIKR 114
```

RESULT 14
S52789
Ig kappa chain V region - human (fragment)

```
C;Species: Homo sapiens (man)
C;Date: 19-May-1995 #sequence_revision 21-Jul-1995 #text_change 21-Jan-2000
C;Accession: S52789
R;Rocca, A.; Khamlichi, A.A.; Touchard, G.; Mougenot, B.; Ronco, P.; Denoroy, L.; Deret,
submitted to the EMBL Data Library, March 1995
A;Description: Light chain V region gene usage restriction and peculiarities in myeloma-
A;Reference number: S52789
A;Accession: S52789
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-129 <ROC>
A;Cross-references: EMBL:X85995; NID:g758588; PIDN:CAA59987.1; PID:g758589
C;Superfamily: immunoglobulin V region; immunoglobulin; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;38-112/Domain: immunoglobulin homology <IMM>

Query Match           79.4%;  Score 451;  DB 2;  Length 129;
Best Local Similarity 81.3%;  Pred. No. 8.6e-34;
Matches     87;  Conservative   7;  Mismatches  13;  Indels   0;  Gaps   0;

Qy       1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
           ||||||||||||||||||||||||||||||||||||||||| |:|:| :||||:||||||
Db      23 DIQMTQSPSSLSASVGDRVTITCQASQDISNYLNWYQQKPGKAPKLLIHAASLETGVPS 82

Qy      61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIK 107
           ||||||||||||||||||||||||||:|||||||||:|||| |||||||
Db      83 RFSGGGSGTDFSFTISSLQPEDIATYYCQQYVDNLPLITFGGGTKVEIK 129


RESULT 15
S44118
Ig kappa chain V-J region - human
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 24-May-2001
C;Accession: S44118
R;Hawkins, R.E.; Zhu, D.; Ovecka, M.; Winter, G.; Hamblin, T.J.; Stevenson, F.K.
submitted to the EMBL Data Library, March 1994
A;Description: Idiotypic vaccination against human B-cell lymphoma: rescue of variable r
A;Reference number: S44105
A;Accession: S44118
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-110 <HAW>
A;Cross-references: EMBL:Z31395; NID:g472972; PIDN:CAA83270.1; PID:g940529
C;Superfamily: immunoglobulin V region; immunoglobulin; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

Query Match           79.2%;  Score 450;  DB 2;  Length 110;
Best Local Similarity 80.9%;  Pred. No. 8.9e-34;
Matches     89;  Conservative   6;  Mismatches  13;  Indels   2;  Gaps   1;

Qy       1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
           |||||||||||||||||||||||||||||||||||||||||||| ||||:||| :||||
Db       1 DIQMTQSPSSLSASVGDRVTSTCQASQDISNYLNWYQQKPGKAPKLLIYDASNLETGVPS 60

Qy      61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLP--WTFGQGTKVEIKR 108
           |||||||||:||||:||||||||||||||:||||    |||||||:|||
Db      61 RFSGGGSGTDFTFTISSLQPEDIATYYCQQYDNLPPGVTFGPGTKVDIKR 110
```

Search completed: December 23, 2004, 19:06:05
Job time : 6.83589 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.
GenCore version 5.1.6

Run on: December 23, 2004, 18:31:20 ; Search time 30.044 Seconds
                                             (without alignments)
                                             2068.313 Million cell updates/sec

Title: US-10-089-500-54
Perfect score: 568
Sequence: 1 DIQMTQSPSSLSASVGDRVT.........HQYSKLPWTFGQGTKVEIKR 108

Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched: 1825181 seqs, 575374646 residues

Total number of hits satisfying chosen parameters: 1825181

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   UniProt_02:*
               1: uniprot_sprot:*
               2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	%	Query Match Length	DB	ID	ID	Description
1	480	84.5	108	1	KV1B_HUMAN	P01594	homo sapien
2	465	81.9	233	1	Q91WS9	Q91WS9	mus musculu
3	461	81.2	108	1	KV5J_MOUSE	P01643	mus musculu
4	461	81.2	234	2	Q8R062	Q8R062	mus musculu
5	456	80.3	111	2	KV1O_HUMAN	P01607	homo sapien
6	454	79.9	108	2	AAR10992	Aar10992	mus muscu
7	448	78.9	108	1	KV5K_MOUSE	P01644	mus musculu
8	447	78.7	108	2	KV5L_MOUSE	P01646	mus musculu
9	447	78.7	108	1	KV5M_MOUSE	P01646	mus musculu
10	445	78.3	108	1	KV1A_HUMAN	P01593	homo sapien
11	445	78.3	108	2	KV5O_MOUSE	P01648	mus musculu
12	445	78.3	108	1	KV5N_MOUSE	P01647	homo sapien
13	443	78.0	108	2	KV5U_MOUSE	P01177	homo sapien
14	439	77.3	236	2	Q6GMW1	Q6GMW1	homo sapien
15	438	77.1	108	1	KV1P_HUMAN	P01608	homo sapien
16	436	76.8	108	1	KV1Y_HUMAN	P80362	homo sapien
17	434	76.4	108	2	Q9UL70	Q9UL70	homo sapien
18	433.5	76.3	107	2	Q96SA9	Q96SA9	homo sapien
19	433	76.2	108	1	KV1R_HUMAN	P01610	homo sapien
20	433	76.2	234	2	Q91WF8	Q91WF8	mus musculu
21	433	76.2	236	2	Q96SA9	Q96SA9	homo sapien
22	430	75.7	236	2	Q6GMX9	Q6gmx9	homo sapien
23	430	75.7	236	2	Q7Z3Y4	P04946	homo sapien
24	429	75.5	107	2	Q9J184	Q9j184	mus musculu
25	429	75.5	108	1	KV1M_HUMAN	P01605	homo sapien
26	427	75.2	236	2	Q6GMX8	Q6gmx8	homo sapien
27	425	74.8	103	2	AAR11052	Aar11052	mus muscu
28	424	74.6	108	1	KV1H_HUMAN	P01600	homo sapien
29	423	74.5	236	2	Q6GMX0	Q6gmx0	homo sapien
30	422	74.3	129	1	KV1W_HUMAN	P04431	homo sapien
31	420	73.9	108	1	KV1K_HUMAN	P01603	homo sapien
32	420	73.9	108	1	KV1Q_HUMAN	P01609	homo sapien
33	419	73.8	108	1	KV1V_HUMAN	P04430	homo sapien
34	418	73.6	108	1	KV1L_HUMAN	P01604	homo sapien
35	417	73.4	108	1	KV1C_HUMAN	P01595	homo sapien
36	416.5	73.3	107	2	Q9UL81	Q9UL81	homo sapien
37	416	73.2	108	1	KV1N_HUMAN	P01606	homo sapien
38	416	73.2	116	2	Q96PF6	Q96PF6	homo sapien
39	414	72.9	108	1	KV1I_HUMAN	Q6PIH7	homo sapien
40	414	72.9	236	2	AAH34141	Aah34141	homo sapi
41	413	72.7	108	1	KV1S_HUMAN	P01611	homo sapien
42	412	72.5	108	1	KV1G_HUMAN	P01599	homo sapien
43	411	72.4	108	1	KV1E_HUMAN	P01597	homo sapien
44	411	72.4	234	2	Q7Z473	Q7z473	homo sapien
45	408.5	71.9	107	1	KV1D_HUMAN	P01596	homo sapien

ALIGNMENTS

RESULT 1
KV1B_HUMAN

```
ID   KV1B_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01594;
DT   21-JUN-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   01-OCT-2004 (Rel. 45, Last annotation update)
DE   Ig kappa chain V-I region AU.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=72189444; PubMed=5028201;
RA   Schiechl H., Hilschmann N.;
RT   "Rule of antibody structure. The primary structure of a monoclonal
RT   immunoglobulin L-chain of the kappa-type, subgroup I (Bence-Jones
RT   protein Au).";
RL   Hoppe-Seyler's Z. Physiol. Chem. 353:345-370(1972).
RN   [2]
RP   X-RAY CRYSTALLOGRAPHY.
RX   MEDLINE=77022433; PubMed=1234024;
RA   Fehlhammer H., Schiffer M., Epp O., Colman P.M., Lattman E.E.,
RA   Schwager P., Steigemann W., Schramm H.J.;
RT   "The structure determination of the variable portion of the Bence-
RT   Jones protein Au.";
RL   Biophys. Struct. Mech. 1:139-146(1975).
CC   -!- MISCELLANEOUS: The structure of the V region was determined by
CC       molecular replacement methods using the known structure of the V
CC       region of the kappa chain REI.
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
DR   PIR; A91653; KIHUAU.
DR   PDB; 1JVS; X-ray; A=1-107.
DR   GO; GO:0005576; C:extracellular; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF00047; Ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   3D-structure; Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin V region.
FT   DOMAIN        1     23       Framework-1.
FT   DOMAIN       24     34       Complementarity-determining-1.
FT   DOMAIN       35     49       Framework-2.
FT   DOMAIN       50     56       Complementarity-determining-2.
FT   DOMAIN       57     88       Framework-3.
FT   DOMAIN       89     97       Complementarity-determining-3.
FT   DOMAIN       98    107       Framework-4.
FT   DISULFID     23     88       By similarity.
FT   STRAND        4      5
```

```
FT   STRAND          10     13
FT   TURN            15     16
FT   STRAND          19     25
FT   TURN            30     31
FT   STRAND          33     38
FT   TURN            40     41
FT   STRAND          44     49
FT   TURN            50     52
FT   STRAND          53     54
FT   TURN            56     57
FT   STRAND          60     61
FT   TURN            62     67
FT   STRAND          68     69
FT   HELIX           70     75
FT   STRAND          80     82
FT   STRAND          85     90
FT   STRAND          97     98
FT   STRAND         102    106
FT   NON_TER          1
FT   NON_TER        108
SQ   SEQUENCE      108 AA;  11939 MW;  E8011187BE6F6FB9 CRC64;
```

```
Query Match             84.5%;  Score 480;  DB 1;  Pred. No. 9.5e-43;  Length 108;
Best Local Similarity   85.2%;  Conservative 5;  Mismatches 11;  Indels 0;  Gaps 0;
Matches 92;

Qy         1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
              |||||||||||||||||||||||||||||:||||||||||:|:||||:||::||:|||||
Db         1  DIQMTQSPSSLSASVGDRVTITCSASQDISDYLNWYQQKPGKAPKLLIYDASNLESGVPS  60

Qy        61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIKR  108
              ||||||||| ::|:|||||||||||| |||| ||||||||||||||
Db        61  RFSGGGSGAHFTFISSLQPEDIATYYCQQYDYLPWTFGGGTKVEIKR  108
```

RESULT 2

```
ID   Q91WS9        PRELIMINARY;     PRT;   233 AA.
AC   Q91WS9;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Hypothetical protein (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22382257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RA   Strausberg R.;
RL   Submitted (SEP-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC013496; AAH13496.1; -.
DR   PIR; A38740; A38740.
DR   PIR; C38740; C38740.
DR   PIR; E38740; E38740.
DR   PIR; G38740; G38740.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF00047; ig; 1.
DR   Pfam; PF07686; IGv; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
DR   PROSITE; PS00290; IG_MHC; 1.
DR   PROSITE; PS50831; IG_V; 2.
KW   Hypothetical protein.
FT   NON_TER          1
SQ   SEQUENCE      233 AA;  25781 MW;  B1C184DA149A16EB CRC64;
```

```
Query Match             81.9%;  Score 465;  DB 2;  Pred. No. 9.2e-41;  Length 233;
Best Local Similarity   79.6%;  Conservative 12;  Mismatches 10;  Indels 0;  Gaps 0;
Matches 86;

Qy         1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
              ||||||  :|||||:||||| ||    :|:||||||| |||| ||||||  ::||||||||
Db        20  DIQMTQTTSSLSASLGDRVTISCGSGQGIANYLNWYLQKPDGTVKLLIYYTSSLHSGVPS  79

Qy        61  RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGGGTKVEIKR  108
              |||||||||||:|||| |:|||||||| ||| : |||||||||| |||
Db        80  RFSGGGSGTDYSLTISNLEPEDIATYYCQQYRYLPWTFGGGTKLEIKR  127
```

RESULT 3

```
ID   KV5J_MOUSE    STANDARD;     PRT;   108 AA.
AC   P01643;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region MOPC 173.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=76091934; PubMed=812696;
RA   Schiff C., Fougereau M.;
RT   "Determination of the primary structure of a mouse IgG2a
RT   immunoglobulin. Amino-acid sequence of the light chain.";
RL   Eur. J. Biochem. 59:525-537(1975).
CC   -!- MISCELLANEOUS: This chain was isolated from a myeloma protein.
DR   PIR; A01926; KVMS73.
DR   HSSP; P01594; 1JVS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN           1     23     Framework-1.
FT   DOMAIN          24     34     Complementarity-1.
FT   DOMAIN          35     49     Framework-2.
FT   DOMAIN          50     56     Complementarity-determining-2.
FT   DOMAIN          57     88     Framework-3.
FT   DOMAIN          89     97     Complementarity-determining-3.
FT   DOMAIN          98    108     Framework-4.
FT   DISULFID        23     88     By similarity.
FT   NON_TER        108
SQ   SEQUENCE      108 AA;  11819 MW;  2AD29D92A72AA0A3 CRC64;
```

```
Query Match             81.2%;  Score 461;  DB 1;  Length 108;
```

```
Best Local Similarity  78.7%;  Pred. No. 9.6e-41;
  Matches   85;  Conservative  13;  Mismatches   10;  Indels    0;  Gaps    0;

Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 DIQMTQTTSSLSASLGDRVTISCSASQSISNYLBWYQQKPDGTVKLLIYTSSLHSGVPS 60

Qy   61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:|||:||:||||||||||:||||||||||:||:||||
Db   61 RFSGSGSGTDYSLTISBLZPZBIATYYCQQYSKLPRTFGGGTKLEIKR 108

RESULT 4
Q8R062
ID   Q8R062;          PRELIMINARY;   PRT;  234 AA.
AC   Q8R062;
DT   01-JUN-2002 (TrEMBLrel. 21, Created)
DT   01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Hypothetical protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:|||:||:||||||||||:||||||||||:||:||||
Db   61 RFSGSGSGTDYSLTISBLZPZBIATYYCQQYSKLPRTFGGGTKLEIKR 108

Qy    1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 DIQMTQTTSSLSASLGDRVTISCSASQSISNYLBWYQQKPDGTVKLLIYTSSLHSGVPS 60

Db   21 DIQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYTSSLHSGVPS 80

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
        |||||||||||:|||:||:||||||||||:||||||||||:||:||||
Db   81 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSQPPITFGSGTKLEIKR 128

RESULT 5
KV10_HUMAN
ID   KV10_HUMAN       STANDARD;      PRT;  108 AA.
AC   P01607;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   01-OCT-2004 (Rel. 45, Last annotation update)
DE   Ig kappa chain V-I region Rei.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=76023758; PubMed=809329;
RA   Palm W., Hilschmann N.;
RT   "The primary structure of a crystalline monoclonal immunoglobulin
RT   kappa-type L-chain, subgroup I (Bence-Jones protein Rei); isolation
RT   and characterization of the tryptic peptides; the complete amino acid
RT   sequence of the protein; a contribution to the elucidation of the
RT   three-dimensional structure of antibodies, in particular their
RT   combining site.";
RL   Hoppe-Seyler's Z. Physiol. Chem. 356:167-191(1975).
RN   [2]
RP   X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS).
RX   MEDLINE=76039968; PubMed=1182131;
RA   Epp O., Lattman E.E., Schiffer M., Huber R., Palm W.;
RT   "The molecular structure of a dimer composed of the variable portions
RT   of the Bence-Jones protein REI refined at 2.0-A resolution.";
RL   Biochemistry 14:4943-4952(1975).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (1,2)
CC       marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
DR   PIR; A91663; KIHURE.
DR   PDB; 1A82; X-ray; @=1-107.
DR   PDB; 1AR2; X-ray; A/B=1-107.
DR   PDB; 1BWW; X-ray; A/B=1-107.
DR   PDB; 1REI; X-ray; A/B=1-107.
DR   GO; GO:0005576; C:extracellular; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; Ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   3D-structure; Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin V region.
FT   DOMAIN        1     23       Framework-1.
FT   DOMAIN       24     34       Complementarity-determining-1.
FT   DOMAIN       35     49       Framework-2.
FT   DOMAIN       50     56       Complementarity-determining-2.
FT   DOMAIN       57     88       Framework-3.
FT   DOMAIN       89     97       Complementarity-determining-3.
FT   DOMAIN       98    107       Framework-4.
FT   DISULFID     23     88
FT   STRAND        4      7
FT   STRAND       10     13
FT   TURN         15     16
FT   STRAND       19     25
FT   TURN         30     31
FT   STRAND       33     38
FT   TURN         40     41
FT   STRAND       45     49
FT   TURN         50     52
FT   STRAND       53     54
FT   TURN         56     57

Query Match          81.2%;
Best Local Similarity  79.6%;  Pred. No. 2.4e-40;
  Matches  86;  Conservative  13;  Mismatches   9;  Indels    0;  Gaps    0;
SEQUENCE    234 AA;   25858 MW;   4EB0BC81426AEAB1 CRC64;

  1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
    ||||||||||||||||||||||||||||||||:||:||:|||:|:||||:|:||:||||||
```

```
FT   TURN          60     61
FT   STRAND        62     67
FT   TURN          68     69
FT   STRAND        70     75
FT   HELIX         80     82
FT   STRAND        84     90
FT   STRAND        97     98
FT   STRAND       102    106
FT   NON_TER      108    108
SQ   SEQUENCE     108 AA; 11902 MW; 9E8143E1188BCE2A CRC64;

Query Match
Best Local Similarity   80.3%;     Score 456; DB 1; Length 108;
Matches   87;  Conservative   7;  Pred. No. 3.2e-40;  Mismatches 14; Indels 0; Gaps 0;

Qy   1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
        ||||||||||||||||||||||  ||||:||||||||| :||||||  :|||||||||||||
Db   1  DIQMTQSPSSLSASVGDRVTITCQASQDIIKYLNWYQQTPGKAPKLLIYEASNLQAGVPS  60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
        ||||:|||||||:|||||||||||||:|||:|:|||:||||:||||:|||
Db   61 RFSGSGSGTDYTFTISSLQPEDIATYYCQQYQSLPYTFGGGTKLQITR  108
```

RESULT 6

```
ID   AAR10992      PRELIMINARY;   PRT;  111 AA.
AC   AAR10992;
DT   02-MAR-2004  (TrEMBLrel. 27, Created)
DT   02-MAR-2004  (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004  (TrEMBLrel. 27, Last annotation update)
DE   ANA immunoglobulin kappa light chain (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=B6.S1e1; TISSUE=Spleen;
RA   Liang Z., Xie C., Chen C., Kreska D., Hsu K., Zhou J.X., Mohan C.;
RT   "Antinuclear autoantibodies from B6.S1e1 mice.";
RL   Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY436832; AAR10992.1; -.
FT   NON_TER       1     1
FT   NON_TER     111   111
SQ   SEQUENCE    111 AA; 12120 MW; 879A9D6B58880C59D CRC64;

Query Match
Best Local Similarity   79.9%;     Score 454; DB 2; Length 111;
Matches   85;  Conservative  10;  Pred. No. 5.5e-41;  Mismatches 10; Indels 0; Gaps 0;

Qy   4  MTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPSRFS  63
        |||:|||||||:|||||| :|:||||||||||||||||:|||||||:|:|:|||||||||||
Db   1  MTQTPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPSRFS  60

Qy   64 GGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
        |||||||||:||||:|:||||||||||:||:||:|||||:||||||
Db   61 GSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR  105
```

RESULT 7

```
ID   KV5K_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01644;
DT   21-JUL-1986  (Rel. 01, Created)
DT   21-JUL-1986  (Rel. 01, Last sequence update)
DT   05-JUL-2004  (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP R16.7.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RX   STRAIN=A/J;
RC   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   PIR; A01927; KVMSAR.
DR   HSSP; P01594; 1JVS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   DOMAIN        1    23       Framework-1.
FT   DOMAIN       24    34       Complementarity-determining-1.
FT   DOMAIN       35    49       Framework-2.
FT   DOMAIN       50    56       Complementarity-determining-2.
FT   DOMAIN       57    88       Framework-3.
FT   DOMAIN       89    97       Complementarity-determining-3.
FT   DOMAIN       98   108       Framework-4.
FT   DISULFID     23    88       By similarity.
FT   NON_TER     108   108
SQ   SEQUENCE    108 AA; 11910 MW; A554642C63EFF597 CRC64;

Query Match
Best Local Similarity   78.9%;     Score 448; DB 1; Length 108;
Matches   86;  Conservative  10;  Pred. No. 2.3e-39;  Mismatches 12; Indels 0; Gaps 0;

Qy   1  DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS  60
        ||||||:|||||||:||||| :|:||||||||||||||||:|||||||:|:|:|||||||||
Db   1  DIQMTQTPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS  60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR  108
        ||||:|||||||:||||:|:|||||||||||:|||:||:||||:||||||
Db   61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNSLPRTFGGGTKLEIKR  108
```

RESULT 8

```
ID   KV5L_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01645;
DT   21-JUL-1986  (Rel. 01, Created)
DT   21-JUL-1986  (Rel. 01, Last sequence update)
DT   05-JUL-2004  (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 93G7.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RX   STRAIN=A/J;
RC   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01607; 1REI.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   DOMAIN        1    23       Framework-1.
FT   DOMAIN       24    34       Complementarity-determining-1.
FT   DOMAIN       35    49       Framework-2.
```

```
FT   DOMAIN         50     56    Complementarity-determining-2.
FT   DOMAIN         57     88    Framework-3.
FT   DOMAIN         89     97    Complementarity-determining-3.
FT   DOMAIN         98    108    Framework-4.
FT   DISULFID       23     88    By similarity.
FT   NON_TER       108    108
SQ   SEQUENCE      108 AA;  11954 MW;  22F462AC63EFF58E CRC64;

Query Match     79.6%;  Score 447;  DB 1;  Length 108;
Best Local Similarity   86;  Conservative  10;  Mismatches  12;  Indels  0;  Gaps  0;
Matches

Qy      1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||||| |||||| ||||| | |||||||| |||| | | ||| |||||||||
Db      1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy     61 RFSGSGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
          |||||||||     |||:|||||||||||     ||| | |:|||
Db     61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNMLPRTFGGGTKLEIKR 108
```

```
RESULT 9
ID   KV5M_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01576;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 123E6.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01594; 1JV5.
DR   InterPro; IPR007110;
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; Ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN          1     23    Framework-1.
FT   DOMAIN         24     34    Complementarity-determining-1.
FT   DOMAIN         35     49    Framework-2.
FT   DOMAIN         50     56    Complementarity-determining-2.
FT   DOMAIN         57     88    Framework-3.
FT   DOMAIN         89     97    Complementarity-determining-3.
FT   DOMAIN         98    108    Framework-4.
FT   DISULFID       23     88    By similarity.
FT   NON_TER       108    108
SQ   SEQUENCE      108 AA;  11989 MW;  4C9B599C08EBA09A CRC64;

Query Match     78.7%;  Score 447;  DB 1;  Length 108;
Best Local Similarity   80.6%;  Pred. No. 2.9e-39;
Matches   87;  Conservative  8;  Mismatches  13;  Indels  0;  Gaps  0;

Qy      1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||||||||||||| ||||| | |||||||| |||||| | ||| |||||||||
Db      1 DIQMTQSPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy     61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
          |||| ||||||     |||:|||||||||||     ||| | |:|||
Db     61 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGYMLPRTFGGGTKLEIKR 108
```

```
RESULT 10
ID   KV1A_HUMAN   STANDARD;   PRT;   108 AA.
AC   P01593;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-I region AG.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=69234734; PubMed=4893682;
RA   Titani K., Shinoda T., Putnam F.W.;
RT   "The amino acid sequence of a kappa type Bence-Jones protein, 3. The
RT   complete sequence and the location of the disulfide bridges.";
RL   J. Biol. Chem. 244:3550-3560(1969).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
DR   PIR; A01861; KIHUAG.
DR   HSSP; P01607; 1BWW.
DR   GO; GO:0005576; C:extracellular; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110;
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; Ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin V region.
FT   DOMAIN          1     23    Framework-1.
FT   DOMAIN         24     34    Complementarity-determining-1.
FT   DOMAIN         35     49    Framework-2.
FT   DOMAIN         50     56    Complementarity-determining-2.
FT   DOMAIN         57     88    Framework-3.
FT   DOMAIN         89     97    Complementarity-determining-3.
FT   DOMAIN         98    107    Framework-4.
FT   DISULFID       23     88
FT   NON_TER       108    108
SQ   SEQUENCE      108 AA;  11992 MW;  E3B3246C18F0C4F CRC64;

Query Match     78.3%;  Score 445;  DB 1;  Length 108;
Best Local Similarity   78.7%;  Pred. No. 4.7e-39;
Matches   85;  Conservative  9;  Mismatches  14;  Indels  0;  Gaps  0;

Qy      1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
          |||||||||||||| ||||| | ||||| |||||||||| || ||| |:|||
Db      1 DIQMTQSPSSLSASVGDRVTITCQASQDINHYLNWYQQGKPKAPKILIYDASNLETGVPS 60

Qy     61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
          |||| ||||:| ||:|||||||||:     || || | |:|||
Db     61 RFSGSGFGTDFTFTISGLQPEDIATYYCQQYDTLPRTFGQGTKLEIKR 108
```

```
RESULT 11
ID   KV5O_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01648;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 91A3.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
```

RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M.; Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01594; 1JV5.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   108   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11961 MW; D52EDA5B9A45291C CRC64;

```
Query Match             78.3%;  Score 445;  DB 1;  Length 108;
Best Local Similarity   77.8%;  Pred. No. 4.7e-39;
Matches    84;  Conservative    13;  Mismatches    11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||||||||||| |||||:||||| ||||||||||
Db          1 DIQMTQTPSSLSASLGDRVTISCRASQDINNYLNWYQKPDGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGGGSGTDYTLTITSSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| |||||||||||||:|||::||||||||||||||| |||| ||||
Db         61 RFSGSGSGTDYSLTISNLEQEDISTYFCQQGNALPRTFGGGTKLEIKR 108
```

RESULT 12
ID   Q9UL77   PRELIMINARY;   PRT;   108 AA.
AC   Q9UL77;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Myosin-reactive immunoglobulin light chain variable region
DE   (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=98277139; PubMed=9614934;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
DR   EMBL; AF035037; AAD56273.1; -.
DR   PIR; B49047; B49047.
DR   PIR; S34083; S34083.
DR   HSSP; P01607; 1BWW.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   NON_TER   1   1
SQ   SEQUENCE   108 AA; 11738 MW; C06681716C4D16F3 CRC64;

```
Query Match             78.3%;  Score 445;  DB 2;  Length 108;
```

Best Local Similarity   79.6%; Pred. No. 4.7e-39;
Matches   86; Conservative   7; Mismatches   15; Indels   0; Gaps   0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||||||||||||||||:|:||||||||||||||||
Db          1 DIQMTQTPSSLSASVGDRVTITCRASQSISYLANVYQQKPGKAPNLLIYAASSLQSGVPS 60

Qy         61 RFSGGGSGTDYTLTITSSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| ||||||:|||||:|||:||||:|||||||:||::||||| ||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQSYSTSWTFGEGTKVEIKR 108
```

RESULT 13
ID   KV5N_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01647;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 124E1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M.; Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01607; 1REI.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   108   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11965 MW; 39971BC653EFEFA2 CRC64;

```
Query Match             78.0%;  Score 443;  DB 1;  Length 108;
Best Local Similarity   78.7%;  Pred. No. 7.7e-39;
Matches    85;  Conservative    10;  Mismatches    13;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||||||||||||||||:||||||||||||||||||
Db          1 DIQMTQTTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGGGSGTDYTLTITSSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| ||||||:|||||:|||::||||||||||||||| |||| ||||
Db         61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGKTLPRTFGGGTKLEIKR 108
```

RESULT 14
ID   Q6GMW1   PRELIMINARY;   PRT;   236 AA.
AC   Q6GMW1;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.

RESULT 15
ID   KV1P_HUMAN   STANDARD;   PRT;   108 AA.
AC   P01608;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-I region Roy.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RA   Strausberg R.;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC073791; AAH73791.1; -.
DR   InterPro; IPR003599; IG.
DR   InterPro; IPR007110; IG-like.
DR   InterPro; IPR003597; IG_c1.
DR   InterPro; IPR003006; IG_MHC.
DR   InterPro; IPR003596; IG_v.
DR   Pfam; PF07654; C1-set; 1.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS50290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein.
SQ   SEQUENCE   236 AA; 25751 MW; 5BFE6A087AFAC437 CRC64;

Query Match   77.3%; Score 439; DB 2; Length 236;
Best Local Similarity   81.3%;
Matches   87; Conservative   5; Mismatches   15; Indels   0; Gaps   0;

Qy   2 IQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPSR 61
              |||||||||||||||||||||| |||| || || ||||||| |||||||| || ||||||
Db   24 IQMTQSPSSLSASVGDRVTITCRASQGISNDLGWYQQKPGKAPKLLIYAASSLQSGVPSR 83

Qy   62 FSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||||||||| |||||||||| ||| | | |||||||||||| ||| |
Db   84 FSGGGSGTDFTLTISSLQPEDFATYCLQDYNYPWTFGQGTKVDFKR 130

OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=68362076; PubMed=5595110;
RA   Hilschmann N.;
RT   "Chemical structure of 2 kappa-type Bence Jones proteins (Roy and
RT   Cum.).";
RL   Hoppe-Seyler's Z. Physiol. Chem. 348:1077-1080(1967).
RN   [2]
RP   REVISIONS TO 39 AND 41.
RA   Hilschmann N., Barnikol H.U., Hess M., Langer B., Ponstingl H.,
RA   Steinmetz-Kayne M., Suter L., Watanabe S.;
RT   (In) Franek F., Shugar D. (eds.);
RL   Gamma globulins: structure and function, pp.57-74, Academic Press, New
RL   York (1969).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (1,2)
CC   marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
DR   PIR; A91638; KIHURY.
DR   HSSP; P01607; 1BWW.
DR   GO; GO:0005576; C:extracellular; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; IG-like.
DR   InterPro; IPR003596; IG_v.
DR   Pfam; PF00047; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin V region.
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   107   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11782 MW; F5ACEDE5A313DF3A CRC64;

Query Match   77.1%; Score 438; DB 1; Length 108;
Best Local Similarity   78.7%; Pred. No. 2.6e-38;
Matches   85; Conservative   8; Mismatches   15; Indels   0; Gaps   0;

Qy   1 DIQMTQSPSSLSASVGDRVTITCSASQDISNYLNWYQQKPDKAVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||| |||||| |||||||| |||||||| | | | ||
Db   1 DIQMTQSPSSLSASVGDRVTITCQASQDISIFLNWYQQKPGKAPKLLIYDASKLEAGVPS 60

Qy   61 RFSGGGSGTDYTLTISSLQPEDIATYFCHQYSKLPWTFGQGTKVEIKR 108
              |||| ||||| | |||||||||||| || | | ||| ||||| |||
Db   61 RFSGTGSGTDFTFTISSLQPEDIATYYCQQFDNLPLTFGGGTKVDFKR 108

Search completed: December 23, 2004, 19:04:38
Job time : 31.044 secs

This Page Blank (Intentionally)

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 18:30:04 ; Search time 31.8339 seconds
                                              (without alignments)
                                              1340.986 Million cell updates/sec

Title: US-10-089-500-55
Perfect score: 624
Sequence: 1 EVTLVESGGDFVKPGGSLKV.........KLGTYYFDSWGQGTTLTVSS 119
Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5
Searched: 2002273 seqs, 358729299 residues

Total number of hits satisfying chosen parameters: 2002273

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   A_Geneseq_23Sep04:*
               1: geneseqp1980s:*
               2: geneseqp1990s:*
               3: geneseqp2000s:*
               4: geneseqp2001s:*
               5: geneseqp2002s:*
               6: geneseqp2003as:*
               7: geneseqp2003bs:*
               8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	624	100.0	119	4	AAB81989	Aab81989 Gangliosi
2	624	100.0	119	2	ABU11012	Abu11012 Modified
3	624	100.0	119	2	AAR33256	Aar33256 Rat immun
4	624	100.0	130	2	AAR53341	Aar53341 KM641 L c
5	624	100.0	130	2	AAY28369	Aay28369 pXM641 HA
6	624	100.0	138	3	AAB01627	Aab01627 Murine im
7	624	100.0	138	4	AAB81977	Aab81977 Gangliosi
8	624	100.0	138	4	ABU11002	Abu11002 Modified
9	624	100.0	582	4	AAB81991	Aab81991 Gangliosi
10	579	92.8	582	4	AAB81985	Aab81985 Gangliosi
11	579	92.8	119	4	ABU11010	Abu11010 Modified
12	579	92.8	582	4	AAB81987	Aab81987 Gangliosi
13	493	79.0	119	2	AAW29994	Aaw29994 Heavy cha
14	487	78.0	134	4	ABP60555	Abp60555 Murine an
15	486.5	78.0	294	4	AAB20442	Aab20442 Anti-FIX/
16	486.5	78.0	325	4	AAB20438	Aab20438 Anti-FIX/
17	486.5	78.0	732	4	AAB20437	Aab20437 Anti-FIX/
18	486	77.9	140	6	ABG74241	Abg74241 Mouse ant
19	486	77.9	247	2	AAW11917	Aaw11917 Murine MA
20	482.5	77.3	247	2	AAB20436	Aab20436 Anti-FIX/
21	481	77.1	121	5	AAE16426	Aae16426 Mouse ant
22	480.5	77.0	121	6	ABR41818	Abr41818 Heavy cha
23	480	76.9	119	6	AAW29996	Aaw29996 Humanised
24	480	76.9	237	7	AAE38657	Aae38657 Mouse G1
25	477.5	76.5	121	8	ADM78071	Adm78071 Human SKB
26	477	76.4	232	7	ADF72730	Adf72730 Divalent
27	477	76.4	241	7	ADF72729	Adf72729 Monovalen
28	477	76.4	255	7	ADF72734	Adf72734 His-tagge
29	475.5	76.2	249	4	AAB20435	Aab20435 Anti-FIX/
30	475	76.1	119	6	AAU72814	Aau72814 Humanised
31	475	76.1	119	6	AAO29882	Aao29882 M type fu
32	475	76.1	119	7	ADJ79825	Adj79825 M-type hu
33	475	76.1	249	4	AAB20434	Aab20434 Anti-FIX/
34	475	76.1	462	6	AAO29869	Aao29869 Mouse ant
35	475	76.1	462	7	ADJ79787	Adj79787 TRA-8 ant
36	475	76.1	464	5	AAU72801	Aau72801 TRA-8 hea
37	473.5	75.9	120	5	AAO18391	Ao18391 Murine CB
38	472	75.6	119	2	AAR79887	Aar79887 Anti-EGFR
39	472	75.6	239	2	AAR79866	Aar79866 Anti-EGFR
40	471	75.5	262	6	ABR42295	Abr42295 Bispecifi
41	471	75.5	262	6	ABR42293	Abr42293 Bispecifi
42	471	75.5	262	6	ABR42290	Abr42290 Diabody h
43	471	75.5	262	6	ABR42291	Abr42291 Bispecifi
44	471	75.5	268	6	ABR42288	Abr42288 Diabody 6
45	471	75.5	268	6	ABR42287	Abr42287 Diabody 6

ALIGNMENTS

RESULT 1
AAB81989

ID   AAB81989 standard; protein; 119 AA.
XX
AC   AAB81989;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 55.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Mus musculus.
XX
XX
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-TP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
PS   Claim 10; Page 173-174; 183pp; Japanese.
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
SQ   Sequence 119 AA;

Query Match   100.0%; Score 624; DB 4; Length 119;
Best Local Similarity   100.0%;
Matches 119; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
```

RESULT 2

```
ID   ABU11012 standard; protein; 119 AA.
XX
AC   ABU11012;
XX
DT   04-FEB-2003  (first entry)
XX
DE   Modified ganglioside GD3 antibody associated protein #5.
XX
KW   Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS   Mus musculus.
XX
PN   WO20027839-A1.
XX
PD   10-OCT-2002.
XX
PF   29-MAR-2002; 2002WO-JP003170.
XX
PR   29-MAR-2001; 2001JP-0009783.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Niwa R, Kanazawa J, Asada M;
XX
DR   WPI; 2003-067410/06.
XX
PT   Drugs containing genetically-modified antibody against ganglioside GD3,
PT   its fragment, immunocompetent cell activators or/and antitumor agents in
PT   combination, applicable in treating malignant tumor like melanoma.
XX
PS   Claim 7; Page 112-113; 121pp; Japanese.
XX
CC   The invention describes drugs contain a genetically-modified antibody
CC   against ganglioside GD3 or its fragment and at least 1 of a substance
CC   capable of activating immunocompetent cells and a substance having an
CC   antitumor activity in combination. The drugs can be used to treat tumour
CC   like melanoma and can provide a treatment with enhanced therapeutic
CC   effect and little side-reactions, particularly to relieve problems of
CC   side-effects during the conventional single administration. This sequence
CC   represents a protein associated with the anti-ganglioside GD3 antibody
XX
SQ   Sequence 119 AA;
XX
XX
```

```
Query Match             100.0%;  Score 624; DB 6; Length 119;
Best Local Similarity   100.0%;  Pred. No. 7.4e-51;
Matches 119;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
```

RESULT 3

```
ID   AAR33256 standard; protein; 130 AA.
XX
AC   AAR33256;
XX
DT   25-MAR-2003  (revised)
DT   12-JUL-1993  (first entry)
XX
DE   Rat immunoglobulin H chain variable region of pKM641HA3.
XX
KW   promoter; variable; region; rat; immunoglobulin; heavy; H; chain;
KW   humanised; chimeric; antibody; expression vector.
XX
OS   Rattus rattus.
XX
FH   Key             Location/Qualifiers
FH
FT   Peptide         1..10
FT                   /note= "Signal peptide"
FT   Protein         11..130
FT                   /note= "Mature protein"
XX
PN   EP533199-A2.
XX
PD   24-MAR-1993.
XX
PF   18-SEP-1992; 92EP-00116026.
XX
PR   18-SEP-1991; 91JP-00238375.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO CO LTD.
XX
PI   Shitara K, Hanai N, Hasegawa M, Miyaji H, Kuwana Y;
XX
DR   WPI; 1993-095510/12.
DR   N-PSDB; AAQ33257.
XX
CC   The sequences given in AAR33256-57 represent rat heavy and light chain
CC   variable regions respectively. The DNA sequences encoding these proteins
CC   were used in the construction of humanised chimeric antibody expression
CC   vectors. In these humanised chimeric antibodies none of the amino acids of the non
CC   -human animal Ab variable region have been changed. (Updated on 25-MAR-
CC   2003 to correct PN field.)
XX
PT   Humanised chimeric antibody prodn. against ganglioside GD3 - for treating
PT   cancers, such as melanoma, neuroblastoma, etc.
XX
PS   Claim 6; Page 29-30; 63pp; English.
XX
SQ   Sequence 130 AA;
XX
XX
```

```
Query Match             100.0%;  Score 624; DB 2; Length 130;
Best Local Similarity   100.0%;  Pred. No. 8.2e-51;
Matches 119;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 70

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129
```

RESULT 4

```
ID   AAR53341 standard; protein; 130 AA.
XX
AC   AAR53341;
XX
DT   18-NOV-1994  (first entry)
XX
DE   KM641 L chain variable region.
XX
KW   Monoclonal antibody; Ab; ganglioside GM2; chimera; chimeric antibody;
KW   expression vector; heavy; light; chain; hypervariable region; CDR;
KW   constant region; hybridoma; Ig; immunoglobulin; promoter; enhancer.
XX
```

OS   Mus musculus.
XX
FH   Key   Location/Qualifiers
FT   Peptide   1. .10
FT   /label= sig_peptide
XX
PN   AU9346181-A.
XX
DR   17-MAR-1994.
XX
PF   07-SEP-1993;   93AU-00046181.
XX
PR   07-SEP-1992;   92JP-00238452.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Nakamura K, Koike M, Shitara K, Hanai N, Kuwana Y, Hasegawa M;
XX
DR   WPI; 1994-126857/16.
DR   N-PSDB; AAQ45439.
XX
PT   Humanised antibody specific for ganglioside GM2 - used for producing a
PT   cytocidal effect on cancers such as melanoma, neuroblastoma and glioma.
XX
PS   Example 2; Page 116-117; 191pp; English.
XX
CC   Example 2 describes the construction of the vector pChi641HA1 for
CC   chimeric human antibody H chain expression. mRNA from mouse anti-GD3
CC   monoclonal Ab KM641-producing cells was isolated and KM641 H and L chain
CC   cDNAs isolated. The base sequences of the Ig variable regions in KM641 H
CC   chain cDNA (pKM641HA3) and KM641 L chain cDNA (pKM641LA2) are given in
CC   AAQ45438-39. A KM641-derived chimeric human Ab H chain expression vector
CC   was constructed by joining the H chain variable region gene from
CC   pKM641HA3 to a vector for chimeric human Ab H chain expression using the
CC   synthetic DNAs given in AAQ63439 and AAQ63440
XX
SQ   Sequence 130 AA;

Query Match   100.0%; Score 624; DB 2; Length 130;
Best Local Similarity   100.0%; Pred. No. 8.2e-51;
Matches 119; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1   EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 70

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 5
ID   AAY28369 standard; protein; 130 AA.
XX
AC   AAY28369;
XX
DT   04-NOV-1999 (first entry)
XX
DE   pKM641 HA3 immunoglobulin heavy chain.
XX
KW   antibody; nucleotide; genomic; hypervariable region; chimeric;
KW   light chain; amino acid.
XX
OS   Mus sp.
XX
PN   US5939532-A.
XX
PD   17-AUG-1999.
XX
PF   07-JUN-1995;   95US-00483528.
XX
PR   07-SEP-1993;   93US-00116778.

XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Nakamura K, Hanai N, Kuwana Y, Hasegawa M, Koike M, Shitara K;
XX
DR   WPI; 1999-468416/39.
DR   N-PSDB; AAX99482.
XX
PT   Chimeric human antibody expression vectors.
XX
PS   Example 1; Col 99-101; 188pp; English.
XX
CC   This immunoglobulin region was isolated from pKM641HA3. This sequence has
CC   no methionine initiation codon and the leader sequence was partly
CC   lacking. The chimeric human antibodies are useful in the treatment of
CC   cancer, especially that which is of neural ectodermal origin. In contrast
CC   to prior art constructs based on mouse monoclonal antibodies, the
CC   chimeric human antibodies do not cause anti-mouse immunoglobulin
CC   production. The chimeric human antibodies have a prolonged half-life and
CC   a reduced frequency of adverse effects when compared to mouse monoclonal
CC   antibodies
XX
SQ   Sequence 130 AA;

Query Match   100.0%; Score 624; DB 2; Length 130;
Best Local Similarity   100.0%; Pred. No. 8.2e-51;
Matches 119; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1   EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 70

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 6
ID   AAB01627 standard; protein; 130 AA.
XX
AC   AAB01627;
XX
DT   07-DEC-2000 (first entry)
XX
DE   Murine immunoglobulin heavy chain variable region.
XX
KW   Mouse; immunoglobulin; H chain; heavy chain; variable region; cancer;
KW   humanised antibody.
XX
OS   Mus sp.
XX
FH   Key   Location/Qualifiers
FT   Peptide   1. .10
FT   /label= signal peptide
FT   Protein   11. .130
FT   /label= mature_immunoglobulin_heavy_chain_variable region
XX
PN   EP1013761-A2.
XX
PD   28-JUN-2000.
XX
PF   18-SEP-1992;   99EP-00124345.
XX
PR   18-SEP-1991;   91JP-00238375.
PR   18-SEP-1992;   92EP-00116026.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Hanai N, Hasegawa M, Miyaji H, Kuwana Y;
XX
DR   WPI; 2000-402204/35.
DR   N-PSDB; AAA51003.

Column 1

PT New humanized chimera antibody KM-871 useful for treating cancer, comprises variable region of mouse monoclonal antibody, reactive with ganglioside and human antibody constant region.

XX

PS Claim 14; Page 27-28; 65pp; English.

XX

CC The present sequence is a murine immunoglobulin heavy chain variable
CC region from plasmid KM-641. The coding sequence was used in the creation
CC of an expression vector, along with the sequence for a human antibody, to
CC produce humanised chimaeric antibodies, which can be used to treat
CC cancer. Humanised chimeric antibodies are more effective than mouse
CC antibodies as they do not provoke a reaction in the human and side
CC effects, such as the formation of anti-mouse immunoglobulin antibody and
CC the rapid half-life of the immunoglobulins, do not occur

XX

SQ Sequence 130 AA;

Query Match 100.0%; Score 624; DB 3; Length 130;
Best Local Similarity 100.0%;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 70

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 7

ID AAB81977 standard; protein; 138 AA.

XX

AC AAB81977;

XX

DT 03-JUL-2001 (first entry)

XX

DE Ganglioside GD3 specific antibody related protein SEQ ID NO: 1.

XX

KW Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW cancer.

XX

OS Mus musculus.

XX

PN WO20012343432-A1.

XX

PD 05-APR-2001.

XX

PF 29-SEP-2000; 2000WO-JP006774.

XX

PR 30-SEP-1999; 99JP-00278291.
PR 06-APR-2000; 2000JP-00105088.

XX

PA (KYOW) KYOWA HAKKO KOGYO KK.

XX

PI Hanai N, Shitara K, Nakamura K, Niwa R;

XX

DR WPI; 2001-266143/27.

XX

PT New human type complementation-determining region-transplanted antibody
PT and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT of e.g. tumors, with low antigenicity, little side effects but potent
PT activity in cancer.

XX

PS Example 1; Page 138-139; 183pp; Japanese.

XX

CC The present invention describes a monoclonal antibody which can react
CC specifically with ganglioside GD3. The antibody and its derivatives are
CC useful in the diagnosis and therapy of tumours, particularly cancer
CC diagnosis. The present sequence is a protein used in the exemplification
CC of the invention

Column 2

XX

SQ Sequence 138 AA;

RESULT 8

ID ABU11002 standard; protein; 138 AA.

XX

AC ABU11002;

XX

DT 04-FEB-2003 (first entry)

XX

DE Modified ganglioside GD3 antibody associated protein #1.

XX

KW Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.

XX

OS Mus musculus.

XX

PN WO200278739-A1.

XX

PD 10-OCT-2002.

XX

PF 29-MAR-2002; 2002WO-JP003170.

XX

PR 29-MAR-2001; 2001JP-0009748.

XX

PA (KYOW) KYOWA HAKKO KOGYO KK.

XX

PI Shitara K, Niwa R, Kanazawa J, Asada M;

XX

DR WPI; 2003-067410/06.

XX

PT Drugs containing genetically-modified antibody against ganglioside GD3,
PT its fragment, immunocompetent cell activators or/and antitumor agents in
PT combination, applicable in treating malignant tumor like melanoma.

XX

PS Example 3; Page 97; 121pp; Japanese.

XX

CC The invention describes drugs contain a genetically-modified antibody
CC against ganglioside GD3 or its fragment and at least 1 of a substance
CC capable of activating immunocompetent cells and a substance having an
CC antitumor activity in combination. The drugs can be used to treat tumour
CC like melanoma and can provide a treatment with enhanced therapeutic
CC effect and little side-reactions, particularly to relieve problems of
CC side-effects during the conventional single administration. This sequence
CC represents a protein associated with the anti- ganglioside GD3 antibody

XX

SQ Sequence 138 AA;

Query Match 100.0%; Score 624; DB 4; Length 138;
Best Local Similarity 100.0%;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   20 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   80 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 138

Query Match 100.0%; Score 624; DB 6; Length 138;
Best Local Similarity 100.0%;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   20 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   80 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 138

RESULT 9
AAB81991
ID   AAB81991 standard; protein; 582 AA.
XX
AC   AAB81991;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 57.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.
XX
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 39; Page 175-179; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 582 AA;

Query Match   100.0%; Score 624; DB 4; Length 582;
Best Local Similarity   100.0%; Pred. No. 4.2e-50;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119

RESULT 10
AAB81985
ID   AAB81985 standard; protein; 119 AA.
XX
AC   AAB81985;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 9.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Synthetic.

XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 20; Page 142-143; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 119 AA;

Query Match   92.8%; Score 579; DB 4; Length 119;
Best Local Similarity   91.6%; Pred. No. 1.2e-46;
Matches 109; Conservative 5; Mismatches 5; Indels 0; Gaps 0;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        |||||||||||:|||||:.|||||||||||||||||||:||.|||||||||||||||||||
Db   1 EVQLVESGGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        ||||||||||||||:||||||||||||:|||.|||||||||||||||||||||||||||
Db 61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTTLTVSS 119

RESULT 11
ABU11010
ID   ABU11010 standard; protein; 119 AA.
XX
AC   ABU11010;
XX
DT   04-FEB-2003 (first entry)
XX
DE   Modified ganglioside GD3 antibody associated protein #3.
XX
KW   Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS   Synthetic.
XX
XX
PN   WO20027S739-A1.
XX
PD   10-OCT-2002.
XX
PF   29-MAR-2002; 2002WO-JP003170.
XX
PR   29-MAR-2001; 2001JP-0009?483.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Niwa R, Kanazawa J, Asada M;
XX
DR   WPI; 2003-067410/06.
XX
PT   Drugs containing genetically-modified antibody against ganglioside GD3,

PT   its fragment, immunocompetent cell activators or/and antitumor agents in
PT   combination, applicable in treating malignant tumor like melanoma.
XX
PS   Claim 8; Page 99; 121pp; Japanese.
XX
CC   The invention describes drugs contain a genetically-modified antibody
CC   against ganglioside GD3 or its fragment and at least 1 of a substance
CC   capable of activating immunocompetent cells and a substance having an
CC   antitumor activity in combination. The drugs can be used to treat tumour
CC   like melanoma and can provide a treatment with enhanced therapeutic
CC   effect and little side-reactions, particularly to relieve problems of
CC   side-effects during the conventional single administration. This sequence
CC   represents a protein associated with the anti- ganglioside GD3 antibody
XX
SQ   Sequence 119 AA;

Qy   Query Match   92.8%; Score 579; DB 6; Length 119;
     Best Local Similarity   91.6%; Pred. No. 1.2e-46;
     Matches 109; Conservative   5; Mismatches   5; Indels   0; Gaps   0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              ||||||||||| |||||||| ||||||||||||||||||| | ||||||||||||||||
Db   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
              ||||||||||||||:|||||||||||||||:||||||:|||||||||||||||||:|||||
Db   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS 119

RESULT 12
ID   AAB81987 standard; protein; 582 AA.
XX
AC   AAB81987;
XX
DT   03-JUL-2001 (first entry)
XX
DB   Ganglioside GD3 specific antibody related protein SEQ ID NO: 53.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
OS   Synthetic.
XX
PN   WO20012432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-0010508.
XX
DR   WPI; 2001-266143/27.
XX
PA   Hanai N, Shitara K, Nakamura K, Niwa R;
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   New human type complementation-determining region-transplanted antibody
PI   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PI   of e.g. tumors, with low antigenicity, little side effects but potent
PI   activity in cancer.
XX
PS   Claim 41; Page 168-172; 18pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention.
XX
SQ   Sequence 582 AA;

Qy   Query Match   92.8%; Score 579; DB 4; Length 582;
     Best Local Similarity   91.6%; Pred. No. 7e-46;
     Matches 109; Conservative   5; Mismatches   5; Indels   0; Gaps   0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              ||||||||||| |||||||| ||||||||||||||||||| | ||||||||||||||||
Db   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
              ||||||||||||||:|||||||||||||||:||||||:|||||||||||||||||:|||||
Db   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS 119

RESULT 13
ID   AAW29994 standard; protein; 119 AA.
XX
AC   AAW29994;
XX
DT   25-MAR-2003 (revised)
DT   12-MAR-1998 (first entry)
XX
DE   Heavy chain variable region of MAb 1or t1A.
XX
KW   Heavy chain; variable region; monoclonal antibody; human; CD6; murine;
KW   leukocyte differentiation antigen; hybridoma; humanisation; mutagenesis;
KW   PCR; Primer; amplification; inflammatory infiltration; skin; psoriasis;
KW   diagnosis.
OS   Mus sp.
XX
PN   WO9719111-A2.
XX
PD   29-MAY-1997.
XX
PF   18-NOV-1996; 96WO-CU000004.
XX
PR   17-NOV-1995; 95CU-00000120.
XX
PA   (IMMU-) CENT IMMUNOLOGIA MOLECULAR.
XX
PI   Montero Casimiro JE, Lombardero Valladares J, Perez Rodriguez R;
PI   Sierra Blazquez P, Tormo Bravo BR;
XX
DR   WPI; 1997-298060/27.
XX
PT   Monoclonal antibody against human CD6 antigen - useful for diagnosis and
PT   treatment of psoriasis.
XX
PS   Claim 3; Page 27; 38pp; Spanish.
XX
CC   This is the amino acid sequence of the heavy chain variable region of the
CC   monoclonal antibody (MAb) 1or t1A which recognises the human leukocyte
CC   differentiation antigen CD6. The MAb is a murine IgG2-type Ab produced by
CC   the usual hybridoma techniques. The coding sequence for the variable
CC   region can be used to generate humanised variants, especially by
CC   mutagenic PCR. CD6 has been shown to be expressed in T lymphocytes
CC   involved in the inflammatory infiltration of the skin in psoriasis. The
CC   anti-CD6 MAb can therefore be used to diagnose and treat psoriasis. The
CC   (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ   Sequence 119 AA;

Qy   Query Match   92.8%; Score 579; DB 2; Length 119;
     Best Local Similarity   91.6%; Pred. No. 7e-46;
     Matches 109; Conservative   5; Mismatches   5; Indels   0; Gaps   0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              ||||||||||| |||||||| ||||||||||||||||||| | ||||||||||||||||
Db   1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
              ||||||||||||||:|||||||||||||||:||||||:|||||||||||||||||:|||||
Db   61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTYYFDSWGQGTLLTVSS 119

Qy   Query Match   79.0%; Score 493; DB 2; Length 119;
     Best Local Similarity   81.5%; Pred. No. 1.5e-38;
     Matches   97; Conservative   3; Mismatches   19; Indels   0; Gaps   0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              ||||||||| |||||||| ||||||| || |||||||||| |||||||| ||||||| ||
Db   1 EVQLVESGGGLVKPGGSLKLSCAASGFKFSRYAMSWVRQTPEKRLEWVAITSSGGSYIYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119

```
Db
        |||||||||||   ||||||| |||  |::|:| |  :|       |||||:||||||| ||||||||||
    61  PDSVKGRFTISRDNVKNTLYLQMSSLRSEDTAMYYCARRDVDLDYFDSWGQGTTLTVSS 119

Qy   1  EVTLVESGGDPVKPGGSLKVCCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
        |||||||||| ||:|||||  ||||| ||||||  |||:||||| ||::||||:||||:|
Db   1  EVQLVESGGDLVKPGGSLKLSCAASGFTFSRYGMSWVRQTPDKRLEWVATISSGGSYTYY  60

Qy  61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY--YFDSWGQGTLTVS  118
        |||||||||||||: ||||||||| |||||::||||:||:| |:  |||  ||| |:|||
Db  61  PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCARLDGYNYRWYFDVWGTGTTVVS  120

Qy 119  S 119
           |
Db 121  S 121
```

```
ID   ABP60555 standard; protein; 134 AA.
XX
AC   ABP60555;
XX
DT   21-MAR-2003  (first entry)
XX
DE   Murine antibody 14F3 heavy chain variable region.
XX
OS   Mus musculus.
XX
KW   Mouse; monoclonal antibody; 14F3; osteopathic; antirheumatic;
KW   antiarthritic; antiinflammatory; cytostatic; antipsoriatic; antidiabetic;
KW   neuroprotective; gene therapy; rheumatoid arthritis; osteoporosis;
KW   bone cancer; osteolysis; osteoarthritis; immune disease; psoriasis;
KW   insulin-dependent diabetes; inflammatory bowel disease;
KW   multiple sclerosis; heavy chain variable region;
KW   complementary determining region; CDR.
XX
FH   Key             Location/Qualifiers
FH
FT   Region          31..35
FT                   /label= CDR1
FT   Region          50..66
FT                   /label= CDR2
FT   Region          99..110
FT                   /label= CDR3
XX
PN   WO2002095012-A1.
XX
PD   28-NOV-2002;
XX
PF   03-MAY-2002; 2002WO-US014246.
PR   18-MAY-2001; 2001US-0292031P.
XX
PA   (SMIK ) SMITHKLINE BEECHAM CORP.
PA   (SMIK ) SMITHKLINE BEECHAM PLC.
XX
PI   Sweet RW, Tornetta MA, Wattam TA;
XX
DR   WPI; 2003-156758/15.
DR   N-PSDB; ABV99887.
XX
PT   New monoclonal antibody having the characteristics of a monoclonal
PT   antibody 14F3, useful for treating or preventing osteopathic diseases,
PT   e.g. rheumatoid arthritis, or osteoporosis, and immune diseases e.g.
PT   psoriasis, or diabetes.
XX
PS   Disclosure; Page 8; 5lpp; English.
XX
CC   The invention relates to a novel monoclonal antibody having the
CC   identifying characteristics of, or that is a monoclonal antibody 14F3. An
CC   antibody of the invention has osteopathic, antirheumatic, antiarthritic,
CC   antiinflammatory, cytostatic, antipsoriatic, antidiabetic, and
CC   neuroprotective activity. The polynucleotides encoding the antibodies of
CC   the invention may have a use in gene therapy. The antibodies and
CC   polypeptides are useful for treating or preventing osteopathic diseases,
CC   such as rheumatoid arthritis, osteoporosis, metastatic and primary bone
CC   cancer, wear debris induced osteolysis or osteoarthritis, and immune
CC   diseases such as psoriasis, insulin-dependent diabetes, inflammatory
CC   bowel disease or multiple sclerosis. The present sequence represents the
CC   heavy chain variable region of the murine monoclonal antibody 14F3 of the
CC   invention. The sequence contains three complementary determining regions
CC   (CDR'S)
XX
SQ   Sequence 134 AA;
```

```
Db
        |||||||||||   ||||||| |||  |::|:| |  :|       |||||:||||||| ||||||||||
    61  PDSVKGRFTISRDNVKNTLYLQMSSLRSEDTAMYYCARRDVDLDYFDSWGQGTTLTVSS 119
```

```
Best Local Similarity   79.3%;  Pred. No. 6e-38;
Matches  96;  Conservative    6;  Mismatches   17;  Indels   2;  Gaps   1;
```

```
ID   AAB20442 standard; protein; 294 AA.
XX
AC   AAB20442;
XX
DT   21-JUN-2001  (first entry)
XX
DE   Anti-FIX/FIXa antibody 198/B1-myc-tag fusion.
XX
KW   Factor IX; FIX; Factor IXa; FIXa; scFv; antibody; procoagulant;
KW   Factor VIII cofactor; blood coagulation disorder; haemophilia A;
KW   haemorrhagic diathesis; haemostatic; amidolytic; therapy; mouse; myc-tag.
XX
OS   Mus musculus.
OS   Synthetic.
OS   Escherichia coli.
OS   Chimeric.
XX
FH   Key             Location/Qualifiers
FH
FT   Peptide         1..22
FT                   /label= Signal_peptide
FT   Protein         23..294
FT                   /label= Mature_protein
FT   Protein         23..271
FT                   /label= scFv
FT   Region          23..144
FT                   /label= VH
FT   Misc-difference 76
FT                   /note= "encoded by GGN"
FT   Peptide         145..159
FT                   /label= Linker
FT   Region          160..271
FT                   /label= VL
FT   Peptide         272..274
FT                   /label= Spacer
FT   Protein         275..286
FT                   /label= Myc_tag
FT   Peptide         287..288
FT                   /label= Spacer
FT   Peptide         289..294
FT                   /label= His_tag
XX
PN   WO2001119992-A2.
XX
PD   22-MAR-2001.
XX
PF   13-SEP-2000; 2000WO-EP008936.
XX
PR   14-SEP-1999; 99AT-00001576.
XX
PA   (BAXT ) BAXTER AG.
XX
PI   Scheiflinger F, Kerschbaumer R, Falkner F, Dorner F;
XX
DR   WPI; 2001-290358/30.
DR   N-PSDB; AAF30732.
```

```
XX
PT   New factor IX/factor IXa antibodies and their derivatives useful for
PT   increasing amidolytic activity of factor IXa, and for treating blood
PT   coagulation disorders such as hemophilia A and hemorrhagic diathesis.
XX
PS
XX
     Example 18; Fig 34; 138pp; English.
XX
CC   The present sequence is that of a fusion protein comprising: a PelB
CC   leader; a single chain Fv (scFv) derivative of antibody 198/B1 comprising
CC   the heavy (VH) and light (VL) chain variable regions of 198/B1 joined by
CC   an artificial, flexible linker peptide; a spacer; a Myc-tag peptide; a
CC   spacer; and a C-terminal 6His affinity tail. 198/B1 is an example of anti
CC   -human Factor IX (FIX)/activated Factor IX (FIXa) antibodies of the
CC   invention. Anti-FIX/FIXa antibodies and their derivatives, including scFv
CC   fragments, have FVIIIa cofactor activity or FIXa activating activity.
CC   Administration leads to an increase in the procoagulant activity of FIXa,
CC   even in the presence of FVIIIa inhibitors. This allows for rapid blood
CC   coagulation even in the absence of FVIII or FVIIIa, and in the case of
CC   FVIII inhibitor patients. The antibodies and derivatives are used in a
CC   claimed pharmaceutical composition for treating patients with blood
CC   coagulation disorders, especially haemophilia A and haemorrhagic
CC   diathesis. The scFv-myc-tag fusion was expressed in E. coli. It exhibited
CC   FVIII-like activity
XX
SQ   Sequence 294 AA;

Query Match            78.0%;   Score 486.5;   DB 4;   Length 294;
Best Local Similarity  78.7%;   Pred. No. 1.6e-37;
Matches  96;  Conservative  6;  Mismatches  17;  Indels  3;  Gaps  1;

Qy     1  EVTLVESGGDFVKPGGSLKVSCAASGFAPSHYAMSWVRQTPAKRLEWVAYISGGSGSGTYY  60
          || ||||||| ||||||||:|||||||||:| || ||||||||| |||||||| ||||| ||
Db    23  EVKLVESGGGLVKPGGSLKLSCAASGFTFSSYTMSWVRQTPEKRLEWVATISSGGSSTYY  82

Qy    61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLG---TYYFDSWGQGTTLTV  117
          |||||||||||||||||||||||| |||||||:|| |||||     ||| |||||||||| |
Db    83  PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCTREGGGFTVNWYFDVWGAGTSVTV  142

Qy   118  SS  119
          ||
Db   143  SS  144
```

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 18:46:39 ; Search time 7.85924 seconds
(without alignments)
1004.148 Million cell updates/sec

Title: US-10-089-500-55
Perfect Score: 624
Sequence: 1 EVTLVESGGGDFVKPGGSLKV..........KLGTYYFDSWGQGTTLTVSS 119
Scoring table: BLOSUM62
Scoring: Gapop 10.0 , Gapext 0.5

Searched: 478139 seqs, 66318000 residues

Total number of hits satisfying chosen parameters: 478139

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	624	100.0	130	4	US-09-225-322B-18	Sequence 18, Appl
2	624	100.0	130	4	US-09-764-304-18	Sequence 18, Appl
3	614	98.4	130	4	US-09-225-322B-8	Sequence 8, Appl
4	614	98.4	130	4	US-09-764-304-8	Sequence 8, Appli
5	493	79.0	119	4	US-08-875-674A-1	Sequence 1, Appli
6	486	77.9	247	5	PCT-US94-07659-2	Sequence 2, Appli
7	480	76.9	119	4	US-08-875-674A-3	Sequence 3, Appl
8	472	75.6	239	2	US-08-553-497A-18	Sequence 18, Appl
9	469.5	75.2	135	3	US-08-579-378A-16	Sequence 16, Appli
10	466.5	74.8	118	2	US-08-326-362-2	Sequence 2, Appli
11	466	74.4	119	3	US-09-406-535-2	Sequence 2, Appli
12	460.5	73.8	124	4	US-09-518-737-2	Sequence 2, Appli
13	457.5	73.3	456	5	US-09-495-880A-11	Sequence 11, Appli
14	457	73.2	217	5	PCT-US94-14106-59	Sequence 59, Appli
15	453	72.6	119	4	US-09-648-067A-15	Sequence 15, Appl
16	452	72.4	119	4	US-09-497-312-20	Sequence 20, Appl
17	450.5	72.2	120	2	US-07-934-373C-4	Sequence 4, Appli
18	450.5	72.2	120	3	US-08-437-642B-4	Sequence 4, Appli
19	450.5	72.2	120	4	US-08-146-206C-4	Sequence 4, Appli
20	450.5	72.2	120	4	US-09-705-686-4	Sequence 4, Appli
21	450.5	72.2	120	4	US-09-705-392A-4	Sequence 4, Appli
22	450	72.1	119	2	US-09-705-000-16	Sequence 16, Appl
23	450	72.1	119	2	US-08-483-199-16	Sequence 16, Appl
24	450	72.1	119	4	US-08-475-000-16	Sequence 16, Appl
25	449.5	72.0	123	1	US-08-484-508-16	Sequence 16, Appl
26	449	72.0	121	1	US-08-356-272-3	Sequence 3, Appli
27	448.5	71.9	135	3	US-08-579-378A-20	Sequence 20, Appli
28	448.5	71.9	130	4	PCT-US96-13152-4	Sequence 4, Appli
29	448	71.6	119	5	US-08-331-398A-46	Sequence 46, Appl
30	447	71.6	119	2	US-08-331-397B-46	Sequence 46, Appl
31	447	71.6	119	2	US-08-759-804A-46	Sequence 46, Appl
32	447	71.6	119	2	US-09-227-693-46	Sequence 46, Appl
33	447	71.6	123	3	US-09-344-587-13	Sequence 13, Appl
34	445.5	71.4	167	4	US-09-118-786-31	Sequence 31, Appl
35	445	71.3	117	3	US-08-752-699A-3	Sequence 3, Appl
36	445	71.3	136	3	US-08-976-183A-31	Sequence 31, Appl
37	445	71.3	136	3	US-08-976-183A-32	Sequence 32, Appl
38	445	71.3	136	3	US-08-976-183A-33	Sequence 33, Appl
39	445	71.3	136	3	US-08-976-183A-34	Sequence 34, Appl
40	445	71.3	245	3	US-09-069-821-5	Sequence 5, Appli
41	445	71.3	245	4	US-09-956-086-5	Sequence 5, Appli
42	445	71.3	245	4	US-09-956-087-5	Sequence 5, Appli
43	445	71.3	447	6	US-5455030-1	Patent No. 5455030
44	444.5	71.2	247	6	US-5455030-9	Patent No. 5455030
45	444	71.2	125	2	US-08-428-197-1	Sequence 1, Appl

ALIGNMENTS

RESULT 1
US-09-225-322B-18
; Sequence 18, Application US/09225322B
; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 18
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:cDNA KM-641
US-09-225-322B-18

Query Match   100.0%; Score 624; DB 4; Length 130;
Best Local Similarity 100.0%; Pred. No. 8.8e-60;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTY 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   11 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTY 70

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 2
US-09-764-304-18
; Sequence 18, Application US/09764304

; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
US-09-764-304-18
;
; SEQ ID NO 18
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641

Query Match   100.0%;   Score 624; DB 4; Length 130;
Best Local Similarity   100.0%;   Pred. No. 8.8e-60;
Matches 119;   Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 70

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 3
US-09-225-322B-8
; Sequence 8, Application US/09225322B
; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 8

; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-09-225-322B-8

Query Match   98.4%;   Score 614; DB 4; Length 130;
Best Local Similarity   99.2%;   Pred. No. 1.1e-58;
Matches 118;   Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAGISSGGSGTYY 70

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 4
US-09-764-304-8
; Sequence 8, Application US/09764304
; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
;
; SEQ ID NO 8
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641
US-09-764-304-8

Query Match   98.4%;   Score 614; DB 4; Length 130;
Best Local Similarity   99.2%;   Pred. No. 1.1e-58;
Matches 118;   Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAGISSGGSGTYY 70

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129

RESULT 5
US-08-875-674A-1
; Sequence 1, Application US/08875674A
; Patent No. 6572857

GENERAL INFORMATION:
; APPLICANT: MONTERO CASIMIRO, J. E.
; APPLICANT: LOMBARDERO VALLADARES, J.
; APPLICANT: P REZ RODR GUEZ, R.
; APPLICANT: SIERRA BL ZQUEZ, P.
; APPLICANT: TORMO BRAVO, B. R.
; TITLE OF INVENTION: Anti-CD6 monoclonal antibodies and their uses
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Lackenbach Siegel Marzullo Aronson & Greenspan, P.C.
; STREET: One Chase Road
; CITY: Scarsdale
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 10583
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk 3.5'' (1.4 MB).
; COMPUTER: Compatible PC IBM (80486, 8 M Ram).
; OPERATING SYSTEM: Windows 95.
; SOFTWARE: Word Perfect 5.0 for Windows 95.
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/875,674A
; FILING DATE: 17-July-1997
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/CU96/00004
; FILING DATE: 18-NOV-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: HENRY A. MARZULLO, JR.
; REGISTRATION NUMBER: 20,910
; REFERENCE/DOCKET NUMBER: P-12
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (914) 723-4300
; TELEFAX: (914) 723-4301
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 Amino acid residues.
; TYPE: Amino acid.
; STRANDEDNESS: Unknown.
; TOPOLOGY: Unknown.
; MOLECULE TYPE: Protein
; HYPOTHETICAL: No
; ANTI-SENSE: No
; FRAGMENT TYPE: -N Terminal fragment.
; ORIGINAL SOURCE:
; ORGANISM: Mice Balb/C
; INDIVIDUAL ISOLATE: 1or t1A
; TISSUE TYPE: Murine hibridoma
; IMMEDIATE SOURCE:
; CLONE: Sub-clone 1or t1A
; FEATURE:
; IDENTIFICATION METHOD: Experimental.
; OTHER INFORMATION: Sequence corresponding to the variable region
Patent No. 6572857
; OTHER INFORMATION: of the heavy chain of the monoclonal antibody recognizing hum
US-08-875-674A-1

RESULT 6
PCT-US94-07659-2

Query Match   79.0%; Score 493; DB 4; Length 119;
Best Local Similarity 81.5%; Pred. No. 1e-45;
Matches 97; Conservative 3; Mismatches 19; Indels 0; Gaps 0;

```
Qy  1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
      |||||||||| |||||||||:||||||| || ::|||||||||:|||||||:|||||| :||
Db  1 EVQLVESGGGLVKPGGSLKLSCAASGFKFSRYAMSWVRQTPEKRLEWVATISSGGSYIYY 60

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
      .||||||||||||||.|||||||| ||||||:|||:|||       ||||||||||||||
Db 61 PDSVKGRFTISRDNVKNTLYLQMSSLRSEDTAMYYCARRDYDLDYFDSWGQGTTLTVSS 119
```

; Sequence 2, Application PC/TUS9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurle, Mark
; APPLICANT: Jackson, Jeffrey R.
; TITLE OF INVENTION: Recombinant and Humanized Il-1 beta
; TITLE OF INVENTION: Antibodies for Treatment of Il-1 Mediated Inflammatory
; TITLE OF INVENTION: Disorders in Man
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; ADDRESSEE: Intellectual Property
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-2799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07659
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/090,534
; FILING DATE: 09-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Sutton, Jeffrey A.
; REGISTRATION NUMBER: 34,028
; REFERENCE/DOCKET NUMBER: P50171-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (610) 270-5024
; TELEFAX: (610) 270-5090
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 247 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US94-07659-2

Query Match   77.9%; Score 486; DB 5; Length 247;
Best Local Similarity 79.0%; Pred. No. 1.4e-44;
Matches 94; Conservative 7; Mismatches 18; Indels 0; Gaps 0;

```
Qy  1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
      |||||||| ||||||||||:||||||||||| :.:||||||||:|||:|||:||||||||
Db 20 EVHLVESGGGLVKPGGSLKLSCAASGFAFSSYDMSWVRQTPEKRLDWVATISSGGSGTY 79

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
      .|:|||||||||||.||||||||| |:|||:|||:|||      | ||:|| |||:|||
Db 80 PDTVKGRFTISRDNVKNTLYLQMSSLKSEDTAMYHCARGGVRRGYFDVWGAGTTVTVSS 138
```

RESULT 7
US-08-875-674A-3
; Sequence 3, Application US/0887756574A
Patent No. 6572857
; GENERAL INFORMATION:
; APPLICANT: MONTERO CASIMIRO, J. E.
; APPLICANT: LOMBARDERO VALLADARES, J.
; APPLICANT: P REZ RODR GUEZ, R.
; APPLICANT: SIERRA BL ZQUEZ, P.
; APPLICANT: TORMO BRAVO, B. R.
; TITLE OF INVENTION: Anti-CD6 monoclonal antibodies and their uses
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Lackenbach Siegel Marzullo Aronson & Greenspan, P.C.
; STREET: One Chase Road
; CITY: Scarsdale
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 10583
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk 3.5'' (1.4 MB).
; COMPUTER: Compatible PC IBM (80486, 8 M Ram).
; OPERATING SYSTEM: Windows 95.
; SOFTWARE: Word Perfect 5.0 for Windows 95.
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/875,674A
; FILING DATE: 17-July-1997
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/CU96/00004
; FILING DATE: 18-NOV-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: HENRY A. MARZULLO, JR.
; REGISTRATION NUMBER: 20,910
; REFERENCE/DOCKET NUMBER: P-12
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (914) 723-4300
; TELEFAX: (914)-723-4301
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 Amino acid residues.
; TYPE: Amino acid.
; STRANDEDNESS: Unknown.
; TOPOLOGY: Unknown.
; MOLECULE TYPE: Protein
; HYPOTHETICAL: No
; ANTI-SENSE: No
; FRAGMENT TYPE: -N Terminal fragment.
; ORIGINAL SOURCE:
; TISSUE TYPE: Animal cells.
; CELL LINE: NS0 " SP 2/0 " CHO
; IMMEDIATE SOURCE:
; CLONE: Sub-clone ior t1A
; FEATURE:
; IDENTIFICATION METHOD: By similarity with known sequence.
; OTHER INFORMATION: Sequence corresponding to the humanized
; Patent No. 6572857
; OTHER INFORMATION: variant of sub-clone ior t1A recognizing human CD6, particula
; US-08-875-674A-3   to the variable region of its heavy chain.

Query Match   76.9%;   Score 480;   DB 4;   Length 119;
Best Local Similarity   79.0%;   Pred. No. 2.6e-44;
Matches   94;   Conservative   4;   Mismatches   21;   Indels   0;   Gaps   0;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTIY 60
        |||||||||||||||||||||||||||||||||||::|||||||||||:||||:|||||
Db    1 EVOLVESGGGLVKPGGSLKLSCAASGFKFSRYAMSWVRQAPGKRLEWVATISSGGSYIYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        |||||||||||||||||||||||||:|||||||:|:|  ::|||||||||||||||||
Db   61 PDSVKGRFTISRDNVKNTLYLQMSSLRSEDTAMYYCARRDYDLDYFDSWGQGTLVTVSS 119
```

; APPLICANT: BLASCO, FRANCESC
; APPLICANT:; PIULATS, JAUME
; TITLE OF INVENTION: ANTI-EGFR SINGLE-CHAIN FVS AND ANTI-EGFR
; TITLE OF INVENTION: ANTIBODIES
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C.
; STREET: 2200 CLARENDON BLVD. SUITE 1400
; CITY: ARLINGTON
; STATE: VA
; COUNTRY: US
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/553,497A
; FILING DATE: 17-NOV-1995
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO PCT/EP95/00978
; FILING DATE: 16-MAR-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 94104160.0
; FILING DATE: 17-MAR-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 94118970.6
; FILING DATE: 02-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: HAMLET-KING, DIANA
; REGISTRATION NUMBER: 33,302
; REFERENCE/DOCKET NUMBER: MERCK 1726
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 239 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-553-497A-18

Query Match   75.6%;   Score 472;   DB 2;   Length 239;
Best Local Similarity   77.3%;   Pred. No. 4.4e-43;
Matches   92;   Conservative   8;   Mismatches   19;   Indels   0;   Gaps   0;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTIY 60
        |||||||||||||||||||||||||||||::|||||||||||:|||||:||||:||||
Db    1 EVKLQESGGDLVKPGGSLKLSCAASGFTFSSYGMSWVRQTPDKRLESVATISSGGSGAYIY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        ||||||||||||||:||||||||:|||||:|||||:|:|  :||||||||||||||||
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARLETGDYALDYWGQGTLVTVSS 119
```

RESULT 8
US-08-553-497A-18
; Sequence 18, Application US/08553497A
; Patent No. 584093
; GENERAL INFORMATION:
; APPLICANT: KETTLEBOROUGH, C. A.
; APPLICANT: BENDIG, MARY M.
; APPLICANT: ANSELL, KEITH H.
; APPLICANT: GUSSOW, DETLEF
; APPLICANT: ADAN, JAUME
; APPLICANT: MITJANS, FRANSESC
; APPLICANT: ROSELL, ELISABET

RESULT 9
US-08-579-378A-16
; Sequence 16, Application US/08579378A
; Patent No. 6210671
; GENERAL INFORMATION:
; APPLICANT: Co, Man Sung
; TITLE OF INVENTION: Humanized Antibodies Reactive with
; TITLE OF INVENTION: L-Selectin
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: One MarketPlaza, Steuart Tower, Suite 2000
; CITY: San Francisco
; STATE: California
; COUNTRY: USA

```
     ZIP: 94105
COMPUTER READABLE FORM:
  MEDIUM TYPE: Floppy disk
  COMPUTER: IBM PC compatible
  OPERATING SYSTEM: PC-DOS/MS-DOS
  SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/579,378A
  FILING DATE: 27-DEC-1995
  CLASSIFICATION: 424
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: US 08/160,074
  FILING DATE: 30-NOV-1993
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: US 07/983,946
  FILING DATE: 01-DEC-1992
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: EP 95112895.8
  FILING DATE: 17-AUG-1995
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: EP 95114696.8
  FILING DATE: 19-SEP-1995
ATTORNEY/AGENT INFORMATION:
  NAME: Liebescheutz, Joe O.
  REGISTRATION NUMBER: 37,505
  REFERENCE/DOCKET NUMBER: 11823-002220
TELECOMMUNICATION INFORMATION:
  TELEPHONE: 415-326-2400
  TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 16:
  SEQUENCE CHARACTERISTICS:
    LENGTH: 135 amino acids
    TYPE: amino acid
    TOPOLOGY: linear
    MOLECULE TYPE: protein
US-08-579-378A-16

Query Match             Best Local Similarity   75.2%;   Score 469.5;  DB 3;  Length 135;
Matches  95;  Conservative   79.8%;   Pred. No. 4.1e-43;
              6;  Mismatches  15;  Indels  3;  Gaps  2;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY   60
         |||||||| ||||||||||||||||||:||||||||||||||||||||  |||:|||||
Db   20  EVKLVESGGGLVKPGGSLKLSCAASGFTFSTYAMSWVRQTPEKRLEWVASISTGGS-TYY  78

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         |||||||||||||||||||||||||| ||||||||||| ||||||||||||||||||
Db   79  PDSVKGRFTISRDNARNILVLQMSSLRSEDTAMYYCARDYDG--YFDYWGQGTTLTVSS  135
```

RESULT 10
US-08-326-362-2
Sequence 2, Application US/08326362
Patent No. 5730981
GENERAL INFORMATION:
  APPLICANT: Bossler, Klaus
  APPLICANT: Seeman, Gerhard
  APPLICANT: Dippold, Wolfgang
  TITLE OF INVENTION: Monoclonal Anti-Ganglioside Antibody,
  TITLE OF INVENTION: Its Preparation and Use as a Tumortherapeutic Agent
  NUMBER OF SEQUENCES: 4
  CORRESPONDENCE ADDRESS:
    ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
    ADDRESSEE: Dunner
    STREET: 1300 I Street, N.W., Suite 700
    CITY: Washington
    STATE: D.C.
    COUNTRY: USA
    ZIP: 20005-3315
  COMPUTER READABLE FORM:
    MEDIUM TYPE: Floppy disk
    COMPUTER: IBM PC compatible
    OPERATING SYSTEM: PC-DOS/MS-DOS

```
  SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/326,362
  FILING DATE:
  CLASSIFICATION: 435
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: US 08/032,863
  FILING DATE: 17-MAR-1993
  APPLICATION NUMBER: DE P 42 08 795.3
  FILING DATE: 19-MAR-1992
ATTORNEY/AGENT INFORMATION:
  NAME: Einaudi, Carol P.
  REGISTRATION NUMBER: 32,220
  REFERENCE/DOCKET NUMBER: 02481-1276-00000
TELECOMMUNICATION INFORMATION:
  TELEPHONE: 202-408-4000
  TELEFAX: 202-408-4400
INFORMATION FOR SEQ ID NO: 2:
  SEQUENCE CHARACTERISTICS:
    LENGTH: 118 amino acids
    TYPE: amino acid
    TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-326-362-2

Query Match             Best Local Similarity   74.8%;   Score 466.5;  DB 1;  Length 118;
Matches  92;  Conservative   77.3%;   Pred. No. 7.3e-43;
              7;  Mismatches  19;  Indels  1;  Gaps  1;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY   60
         :|||||||| |:||||||||:|||||||||||||||||||||||||||||||||  ||
Db    1  QVQLQQSGGGLVKPGGSLTLSCAASRFTFSTYAMSWVRQTPAKRLEWVAISSGGASTYY   60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db   61  RDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARGG-SRYAMDYWGQGTTVTVSS  118
```

RESULT 11
US-09-406-535-2
Sequence 2, Application US/09406535
Patent No. 6376653
GENERAL INFORMATION:
  APPLICANT: Connie L. Erickson-Miller
  APPLICANT: Stephen D. Holmes
  APPLICANT: James D. Winkler
  TITLE OF INVENTION: Tie2 Antagonist Antibodies
  FILE REFERENCE: P50844
  CURRENT APPLICATION NUMBER: US/09/406,535
  CURRENT FILING DATE: 1999-09-27
  EARLIER APPLICATION NUMBER: 60/102,100
  EARLIER FILING DATE: 1998-09-28
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 3.0
  SEQ ID NO 2
    LENGTH: 119
    TYPE: PRT
    ORGANISM: Mus musculus
US-09-406-535-2

```
Query Match             Best Local Similarity   74.4%;   Score 464;  DB 3;  Length 119;
Matches  89;  Conservative   74.8%;   Pred. No. 1.4e-42;
              8;  Mismatches  22;  Indels  0;  Gaps  0;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY   60
         |||||||| ||||||||||||||||||||||||||||||||||||||:|||||  ||
Db    1  EVQLVESGGGLVKPGGSLKLSCAASGFTFSDYGMHWVRQAPEKGLEWVAYINSGGSTIY   60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         :|:||||||||||||||||||||||||||||||:||||:||||||||||||||||||||
Db   61  ADTVKGRFTISRDNAKNTLFLQMTSLRSEDTAIYYCARGYVGPYYFDYWGQGTALTVSS  119
```

RESULT 12
US-09-518-737-2
; Sequence 2, Application US/09518737
; Patent No. 6709833
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHISA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; TITLE OF INVENTION: PHOSPHATIDYLINOSITOL-3,4-DIPHOSPHATE
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; CURRENT FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; PRIOR FILING DATE: 1999-09-03
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: Patentin Ver. 2.1
;
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

  Query Match   73.8%;   Score 460.5; DB 4; Length 124;
  Best Local Similarity   74.8%;
  Matches 92; Conservative   7; Mismatches 17; Indels   7; Gaps   2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
            ||||||||||| ||||||||||||||||||:||||||||||||||||||:||| ||| ||
Db   1 EVQLVESGGDLVKPGGSVKLSCAASGFTFSSYGMSWARQTPDKRLEWVASISSGGSYTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR----VKLGTYYFDSWGQGTTLT 116
            ||||||||||||||||||||||:|||||||||||| | |||||||||||:|||
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCARQRGYYNFGIAY---WGQGTLVT 117

RESULT 13
US-09-495-880A-11
; Sequence 11, Application US/09495880A
; Patent No. 6667150
; GENERAL INFORMATION:
; APPLICANT: RUDERT, FRITZ
; APPLICANT: GE, LIMING
; APPLICANT: ILAG, VIC
; FILE REFERENCE: MORPHO/9
; TITLE OF INVENTION: NOVEL METHOD AND PHAGE FOR THE IDENTIFICATION OF
; TITLE OF INVENTION: NUCLEIC ACID SEQUENCES ENCODING MEMBERS OF A MULTIMERIC
; TITLE OF INVENTION: (POLY)PEPTIDE COMPLEX
; CURRENT APPLICATION NUMBER: US/09/495,880A
; CURRENT FILING DATE: 2000-02-01
; PRIOR APPLICATION NUMBER: PCT/EP98/04836
; PRIOR FILING DATE: 1998-08-03
; PRIOR APPLICATION NUMBER: EP 97 11 3319.4
; PRIOR FILING DATE: 1997-08-01
; NUMBER OF SEQ ID NOS: 50
; SOFTWARE: Patentin Ver. 2.1
;
; SEQ ID NO 11
; LENGTH: 456
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: ompA-FLAG-scFv (anti-
; OTHER INFORMATION: HAG)-gene IIIss encoded by phage vector fhag1A (circular)
US-09-495-880A-11

  Query Match   73.3%;   Score 457.5; DB 4; Length 456;
  Best Local Similarity   75.8%;
  Matches 91; Conservative   8; Mismatches 20; Indels   1; Gaps   1;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
            ||||||||||| ||||||||||||||||||:||||||||||||||||||:||| ||||:||
Db   1 EVQLVESGGDLVKPGGSVKLSCAASGFTFSSYGMSWARQTPDKRLEWVASISSGGSYTYY 60

Qy   117 VSS 119
            ||:
Db   118 VSA 120

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR----VKLGTYYFDSWGQGTTLT 116
            ||||||||||||||||||||||:|||||||||||| | |||||||||||:|||
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCARQRGYYNFGIAY---WGQGTLVT 117

RESULT 14
PCT-US94-14106-59
; Sequence 59, Application PCT/US9414106
; Patent No. 6667150
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: Process for Generating Specific Antibodies
; NUMBER OF SEQUENCES: 61
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: ASCII (text)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/14106
; FILING DATE:
; CLASSIFICATION:
; INFORMATION FOR SEQ ID NO: 59:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 217 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US94-14106-59

  Query Match   73.2%;   Score 457; DB 5; Length 217;
  Best Local Similarity   75.6%;
  Matches 90; Conservative   8; Mismatches 17; Indels   4; Gaps   1;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
            ||||||||||| |||||||||||||||||||:||||||||||||||||||:||| |||:||
Db   170 EVQLVESGGDLVKPGGSLKLSCAASGFSFSSYGMSWVRQTPDKRLEWVATISNGGGYTYY 229

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR----RVKLGTYYFDSWGQGTTLT 119
            ||||||||||||||||||||||:|||||||||| | ||||||||||||:|||
Db   230 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDSAMYYCARRERYDENGFAYWGQGTLVTVSA 289

RESULT 15
US-09-648-067A-15
; Sequence 15, Application US/09648067A
; Patent No. 6627196
; GENERAL INFORMATION:
; APPLICANT: Baughman, Sharon A.
; APPLICANT: Shak Steven
; TITLE OF INVENTION: Dosages for Treatment with Anti-ErbB2 Antibodies
; FILE REFERENCE: P1775R1
; CURRENT APPLICATION NUMBER: US/09/648,067A
; CURRENT FILING DATE: 2000-08-25
; PRIOR APPLICATION NUMBER: US 60/151,018
; PRIOR FILING DATE: 1999-08-27
; PRIOR APPLICATION NUMBER: US 60/213,822
; PRIOR FILING DATE: 2000-06-23
; NUMBER OF SEQ ID NOS: 15
;
; SEQ ID NO 15
; LENGTH: 119
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: VH consensus sequence
US-09-648-067A-15

  Query Match   72.6%;   Score 453; DB 4; Length 119;
  Best Local Similarity   71.4%;
  Matches 91; Conservative   8; Mismatches 17; Indels   4; Gaps   1;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
            ||||||||||| ||||||||||||||||||:||||||||||||||||||:||| ||||:||
Db   1 EVKLMESGGDLVKPGGSLKLSCAASGFTFSDYYMYWVRQTPEKRLEWVATISDDGTYTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
            |:|||||||||||||||||||||:|||||||||| | :|||||||||||||
Db   61 ADSVKGRFTISRDNAKNTLYLQMNSLKSEDTAMYYCARDPL----YGSWGQGTLVTVSS 115

Matches 85; Conservative 13; Mismatches 21; Indels 0; Gaps 0;

```
Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGPAFSHYAMSWVRQTPAKRLEWVAYISSGSSGTYY  60
        ||||||||||  :||||||||::|||||| | |||||||||||  | |||||  ||
Db   1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYAMSWVRQAPGKGLEWVAVISGDGGSTYY   60

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
        :||||||||||||| |||||||: |:|||  |: |:|||||  |  :|:||||||||||||
Db  61 ADSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCARGRVGYSLYDYWGQGTLVTVSS  119
```

Search completed: December 23, 2004, 19:08:01
Job time : 8.85924 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.
GenCore version 5.1.6

Run on:　December 23, 2004, 19:04:51 ; Search time 27.0707 Seconds
　　　　　(without alignments)
　　　　　1578.640 Million cell updates/sec

Title:　　　US-10-089-500-55
Perfect score:　624
Sequence:　1 EVTLVESGGDFVKPGGSLKV..........KLGTYYFDSWGQGTTLTVSS 119

Scoring table:　BLOSUM62
　　　　　　　　Gapop 10.0 , Gapext 0.5
Searched:　　 1595201 seqs, 359116952 residues

Total number of hits satisfying chosen parameters:　1595201

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
　　　　　　　　　Maximum Match 100%
　　　　　　　　　Listing first 45 summaries

Database :
　Published Applications AA:*
　1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
　2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
　3: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
　4: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
　5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
　6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
　7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
　8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
　9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
　10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
　11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
　12: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
　13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
　14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
　15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
　16: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep:*
　17: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:*
　18: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:*
　19: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
　20: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB ID	Description
1	624	100.0	130	9	US-09-764-304-18	Sequence 18, Appl
2	624	100.0	130	14	US-10-265-713-18	Sequence 18, Appl
3	624	100.0	130	14	US-10-166-626-18	Sequence 18, Appl
4	614	98.4	130	9	US-09-764-304-8	Sequence 8, Appl
5	614	98.4	130	14	US-10-265-713-8	Sequence 8, Appli
6	614	98.4	130	14	US-10-166-626-8	Sequence 8, Appli
7	487	78.0	134	17	US-10-477-377-3	Sequence 3, Appli
8	486	77.9	140	13	US-10-006-773-4	Sequence 3, Appli
9	481	77.1	121	14	US-10-276-939-3	Sequence 3, Appli
10	475	77.1	119	14	US-10-281-479A-61	Sequence 61, Appl
11	475	76.1	119	14	US-10-275-180A-61	Sequence 61, Appl
12	475	76.1	119	14	US-10-286-132A-61	Sequence 61, Appl
13	475	76.1	462	14	US-10-281-479A-23	Sequence 23, Appl
14	475	76.1	14	462	US-10-286-132A-23	Sequence 23, Appl
15	475	76.1	14	464	US-10-275-180A-23	Sequence 23, Appl
16	473.5	75.9	15	120	US-10-412-406-2	Sequence 2, Appli
17	473.5	75.9	15	4852	US-10-412-406-33	Sequence 33, Appl
18	473	75.8	9	123	US-09-144-886-61	Sequence 61, Appl
19	473	75.8	16	123	US-10-632-706-58	Sequence 58, Appl
20	471	75.5	14	119	US-10-270-071-5	Sequence 5, Appli
21	471	75.5	14	119	US-10-270-071-6	Sequence 6, Appli
22	471	75.5	14	262	US-10-270-071-20	Sequence 20, Appl
23	471	75.5	14	262	US-10-270-071-24	Sequence 24, Appl
24	471	75.5	14	262	US-10-270-071-28	Sequence 28, Appl
25	471	75.5	14	268	US-10-270-071-10	Sequence 10, Appl
26	471	75.5	14	268	US-10-270-071-12	Sequence 12, Appl
27	471	75.5	14	268	US-10-270-071-14	Sequence 14, Appl
28	471	75.5	14	268	US-10-270-071-16	Sequence 16, Appl
29	471	75.5	14	415	US-10-328-190-12	Sequence 12, Appl
30	469	75.2	14	262	US-10-270-071-34	Sequence 34, Appl
31	469	75.2	14	268	US-10-270-071-32	Sequence 32, Appl
32	469	75.2	14	268	US-10-328-190-32	Sequence 32, Appl
33	469	75.2	14	268	US-10-328-190-2	Sequence 2, Appli
34	468.5	75.2	9	268	US-10-328-190-4	Sequence 4, Appli
35	468.5	75.1	14	118	US-09-423-800-46	Sequence 46, Appl
36	468.5	75.1	14	118	US-10-182-018-46	Sequence 46, Appl
37	468.5	75.1	14	118	US-10-169-003-46	Sequence 46, Appl
38	468.5	75.1	15	118	US-10-337-981-46	Sequence 46, Appl
39	468.5	75.1	14	137	US-10-344-733-46	Sequence 46, Appl
40	468.5	75.1	16	137	US-09-423-800-76	Sequence 76, Appl
41	468	75.0	14	118	US-10-337-981-76	Sequence 76, Appl
42	468	75.0	11	125	US-09-910-358D-4	Sequence 4, Appli
43	468	75.0	11	125	US-09-881-823-12	Sequence 12, Appl
44	468	75.0	9	144	US-09-286-240-4	Sequence 4, Appli
45	468	75.0	14	155	US-10-077-624-7	Sequence 7, Appli

ALIGNMENTS

RESULT 1
US-09-764-304-18
; Sequence 18, Application US/09764304
; Patent No. US2002026035A1
; GENERAL INFORMATION:
APPLICANT: SHITARA, KENYA
APPLICANT: HANAI, NOBUO
APPLICANT: HASEGAWA, MAMORU
APPLICANT: MIYAJI, HIROMASA
APPLICANT: KUWANA, YOSHIHISA
TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
FILE REFERENCE: 249-101
CURRENT APPLICATION NUMBER: US/09/764,304
CURRENT FILING DATE: 2001-01-19
EARLIER APPLICATION NUMBER: 09/225,322
EARLIER FILING DATE: 1994-08-17
EARLIER APPLICATION NUMBER: US07/947,674
EARLIER FILING DATE: 1992-09-17
EARLIER APPLICATION NUMBER: 09/225,322
EARLIER FILING DATE: 1999-01-05
EARLIER APPLICATION NUMBER: JP 3-238375
EARLIER FILING DATE: 1991-09-18
EARLIER APPLICATION NUMBER: US 08/454,680
EARLIER FILING DATE: 1995-05-31
EARLIER APPLICATION NUMBER: US 08/408,133
EARLIER FILING DATE: 1995-03-21
EARLIER APPLICATION NUMBER: US 08/292,178
NUMBER OF SEQ ID NOS: 19
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 18
LENGTH: 130
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: cDNA KM-641
US-09-764-304-18

Query Match 100.0%; Score 624; DB 9; Length 130;
Best Local Similarity 100.0%; Pred. No. 2.6e-50;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  70

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129
```

RESULT 2
US-10-265-713-18
Sequence 18, Application US/10265713
Publication No. US20030095964A1
GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/265,713
; CURRENT FILING DATE: 2002-10-08
; PRIOR APPLICATION NUMBER: US/09/225,322
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 18
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:cDNA KM-641
US-10-265-713-18

RESULT 3
US-10-166-626-18
Sequence 18, Application US/10166626
Publication No. US20030168876A1
GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY

Query Match 100.0%; Score 624; DB 14; Length 130;
Best Local Similarity 100.0%; Pred. No. 2.6e-50;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  70

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129
```

; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/166,626
; CURRENT FILING DATE: 2002-06-12
; PRIOR APPLICATION NUMBER: US/09/225,322B
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 18
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:cDNA KM-641
US-10-166-626-18

Query Match 100.0%; Score 624; DB 14; Length 130;
Best Local Similarity 100.0%; Pred. No. 2.6e-50;
Matches 119; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  11 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  70

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  71 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 129
```

RESULT 4
US-09-764-304-8
Sequence 8, Application US/09764304
Patent No. US20020026036A1
GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 8
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641
US-09-764-304-8

```
Qy   Query Match         98.4%;   Score 614;  DB 9;   Length 130;
     Best Local Similarity  99.2%;   Pred. No. 2.2e-49;
Matches 118;   Conservative   0;   Mismatches  1;   Indels   0;   Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
         ||||||||||||||||||||||||||||||||||||||||||||| |||||||||||||||
Db   11  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAGISSGGSGSTYY  70

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  129
```

RESULT 5
US-10-265-713-8
Sequence 8, Application US/10265713
Publication No. US20030095964A1
GENERAL INFORMATION:
;   APPLICANT: SHITARA, KENYA
;   APPLICANT: HANAI, NOBUO
;   APPLICANT: HASEGAWA, MAMORU
;   APPLICANT: MIYAJI, HIROMASA
;   APPLICANT: KUWANA, YOSHIHISA
;   TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
;   FILE REFERENCE: 249-101
;   CURRENT APPLICATION NUMBER: US/10/265,713
;   CURRENT FILING DATE: 2002-10-08
;   PRIOR APPLICATION NUMBER: US/09/225,322
;   PRIOR FILING DATE: 1999-01-05
;   PRIOR APPLICATION NUMBER: US 08/454,680
;   PRIOR FILING DATE: 1995-05-31
;   PRIOR APPLICATION NUMBER: US 08/408,133
;   PRIOR FILING DATE: 1995-03-21
;   PRIOR APPLICATION NUMBER: US 08/292,178
;   PRIOR FILING DATE: 1994-08-17
;   PRIOR APPLICATION NUMBER: US07/947,674
;   PRIOR FILING DATE: 1992-09-17
;   PRIOR APPLICATION NUMBER: JP 3-238375
;   PRIOR FILING DATE: 1991-09-18
;   NUMBER OF SEQ ID NOS: 19
;   SOFTWARE: PatentIn Ver. 2.0

;   SEQ ID NO 8
;   LENGTH: 130
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-10-265-713-8

```
Qy   Query Match         98.4%;   Score 614;  DB 14;  Length 130;
     Best Local Similarity  99.2%;   Pred. No. 2.2e-49;
Matches 118;   Conservative   0;   Mismatches  1;   Indels   1;   Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
         |||||||| |||||||||||||||||||||||||||||||||||| |||||||||||||||
Db   11  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAGISSGGSGSTYY  70

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  129
```

RESULT 6
US-10-166-626-8
Sequence 8, Application US/10166626
Publication No. US20030166876A1
GENERAL INFORMATION:
;   APPLICANT: SHITARA, KENYA
;   APPLICANT: HANAI, NOBUO
;   APPLICANT: HASEGAWA, MAMORU
;   APPLICANT: MIYAJI, HIROMASA
;   APPLICANT: KUWANA, YOSHIHISA

;   TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
;   FILE REFERENCE: 249-101
;   CURRENT APPLICATION NUMBER: US/10/166,626
;   CURRENT FILING DATE: 2002-06-12
;   PRIOR APPLICATION NUMBER: US/09/225,322B
;   PRIOR FILING DATE: 1999-01-05
;   PRIOR APPLICATION NUMBER: US 08/454,680
;   PRIOR FILING DATE: 1995-05-31
;   PRIOR APPLICATION NUMBER: US 08/408,133
;   PRIOR FILING DATE: 1995-03-21
;   PRIOR APPLICATION NUMBER: US 08/292,178
;   PRIOR FILING DATE: 1994-08-17
;   PRIOR APPLICATION NUMBER: US07/947,674
;   PRIOR FILING DATE: 1992-09-17
;   PRIOR APPLICATION NUMBER: JP 3-238375
;   PRIOR FILING DATE: 1991-09-18
;   NUMBER OF SEQ ID NOS: 19
;   SOFTWARE: PatentIn Ver. 2.0

;   SEQ ID NO 8
;   LENGTH: 130
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-10-166-626-8

```
Qy   Query Match         98.4%;   Score 614;  DB 14;  Length 130;
     Best Local Similarity  99.2%;   Pred. No. 2.2e-49;
Matches 118;   Conservative   0;   Mismatches  1;   Indels   0;   Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
         |||||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db   11  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAGISSGGSGSTYY  70

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  119
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   71  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS  129
```

RESULT 7
US-10-477-377-3
Sequence 3, Application US/10477377
Publication No. US20040213788A1
GENERAL INFORMATION:
;   APPLICANT: Sweet, Raymond
;   APPLICANT: Tornetta, Mark
;   APPLICANT: Wattam, Trevor
;   TITLE OF INVENTION: Anti-RANK Ligand Monoclonal Antibodies
;   Useful in Treatment of RANK Ligand Mediated Disorders
;   FILE REFERENCE: GP50050
;   CURRENT APPLICATION NUMBER: US/10/477,377
;   CURRENT FILING DATE: 2003-11-12
;   PRIOR APPLICATION NUMBER: PCT/US02/14246
;   PRIOR FILING DATE: 2002-05-03
;   PRIOR APPLICATION NUMBER: 60/292,031
;   PRIOR FILING DATE: 2001-05-18
;   NUMBER OF SEQ ID NOS: 18
;   SOFTWARE: FastSEQ for Windows Version 3.0

;   SEQ ID NO 3
;   LENGTH: 134
;   TYPE: PRT
;   ORGANISM: Mus musculus
US-10-477-377-3

```
Qy   Query Match         78.0%;   Score 487;  DB 17;  Length 134;
     Best Local Similarity  79.3%;   Pred. No. 1.4e-37;
Matches 96;   Conservative   6;   Mismatches  17;   Indels   2;   Gaps   1;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
         ||||||||| ||||||||:|||||||||||||||||||| |||||||||||   |||
Db    1  EVQLVESGGGLVKPGGSLKLSCAASGFTFSRYGMSWVRQTPDKRLEWVAGISSGGSGSTYY  60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY--YFDSWGQGTTLTVS  118
```

```
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCARLDGYNYRWYFDVWGTGTTVTVS 120
        |||||||||||||||||||||| |||||||| ||||   ||| || | ||| ||||||| :|||
Qy  119 S 119
Db  121 S 121

Qy  119 S 119
Db  121 S 121
```

RESULT 8
US-10-006-773-4

; Sequence 4, Application US/10006773
; Publication No. US20020132983A1
; GENERAL INFORMATION:
; APPLICANT: Junghans, Richard P.
; TITLE OF INVENTION: Antibodies as Chimeric Effector Cell Receptors Against Tumor Anti
; FILE REFERENCE: 003
; CURRENT APPLICATION NUMBER: US/10/006,773
; CURRENT FILING DATE: 2001-12-10
; PRIOR APPLICATION NUMBER: 60/250,089
; PRIOR FILING DATE: 2000-11-30
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
; LENGTH: 140
; TYPE: PRT
; ORGANISM: Mus sp.
US-10-006-773-4

  Query Match   77.9%; Score 486; DB 13; Length 140;
  Best Local Similarity   77.7%; Pred. No.1.9e-37;
  Matches   94; Conservative   9; Mismatches 16; Indels   2; Gaps   1;

```
Qy    1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
        | :|||||||| ||||||||| |||| ||| ||| || ||||||||||||||| :|| || :
Db   20 EVVVVESGGGFVKPGGSLKLSCAAAGFTFSRYAMSWVRQTPEKRLEWVATISSGSHYY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR--VKLGTYYFDSWGQGTTLTVS 118
        :||||||||||||||||||||||: ::|||::| | |||  :|||| ||| |||||||:|||
Db   80 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAIYYCARPGYDRGAWFFDVWGAGTTVTVS 139

Qy  119 S 119
Db  140 S 140
```

RESULT 9
US-10-276-939-3

; Sequence 3, Application US/10276939
; Publication No. US20030215450A1
; GENERAL INFORMATION:
; APPLICANT: BLAKE, SIMON M.
; APPLICANT: SWEET, RAYMOND W.
; APPLICANT: TAYLOR, ALEXANDER H.
; APPLICANT: WATTAM, TREVOR A.
; TITLE OF INVENTION: Anti-RANK Ligand Monoclonal Antibodies
; TITLE OF INVENTION: Useful in Treatment of RANK Ligand Mediated Disorders
; FILE REFERENCE: GP50024
; CURRENT APPLICATION NUMBER: US/10/276,939
; CURRENT FILING DATE: 2002-11-21
; PRIOR APPLICATION NUMBER: PCT/US01/16865
; PRIOR FILING DATE: 2001-05-24
; PRIOR APPLICATION NUMBER: 60/207,628
; PRIOR FILING DATE: 2000-05-26
; NUMBER OF SEQ ID NOS: 18
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 3
; LENGTH: 121
; TYPE: PRT
; ORGANISM: Murine
US-10-276-939-3

  Query Match   77.1%; Score 481; DB 14; Length 121;
  Best Local Similarity   78.5%; Pred. No. 4.7e-37;
  Matches   95; Conservative   6; Mismatches 18; Indels   2; Gaps   1;

```
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY--YFDSWGQGTTLTVS 118
        :||||||||||||||||||||||: :|:|||: | | ||| : |  |||:|||:|||||:|||
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCARLDGYNYRWYFDVWGTGTTVTVS 120

Qy  119 S 119
Db  121 S 121
```

RESULT 10
US-10-281-479A-61

; Sequence 61, Application US/10281479A
; Publication No. US20030133932A1
; GENERAL INFORMATION:
; APPLICANT: The UAB Research Foundation
; APPLICANT: Zhou, Tong
; APPLICANT: Ichikawa, Kimihisa
; APPLICANT: Kimberly, Robert P.
; APPLICANT: Koopman, William J.
; APPLICANT: Oshumi, Jun
; APPLICANT: LoBuglio, Albert S.
; APPLICANT: Buchsbaum, Donald J.
; TITLE OF INVENTION: COMBINATIONS OF ANTIBODIES SELECTIVE FOR A TUMOR NECROSIS
; TITLE OF INVENTION: FACTOR-RELATED APOPTOSIS-INDUCING LIGAND RECEPTOR AND OTHER THER
; TITLE OF INVENTION: AGENTS
; FILE REFERENCE: 21085.0029U6
; CURRENT APPLICATION NUMBER: US/10/281,479A
; CURRENT FILING DATE: 2003-01-28
; PRIOR APPLICATION NUMBER: 60/391,478
; PRIOR FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: 60/346,402
; PRIOR FILING DATE: 2001-11-01
; PRIOR APPLICATION NUMBER: PCT/US01/14151
; PRIOR FILING DATE: 2001-05-02
; PRIOR APPLICATION NUMBER: 60/201,344
; PRIOR FILING DATE: 2000-05-02
; NUMBER OF SEQ ID NOS: 102
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 61
; LENGTH: 119
; TYPE: PRT
; ORGANISM: artificial sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:/No. US20030133932A1e = Synthe
US-10-281-479A-61

  Query Match   76.1%; Score 475; DB 14; Length 119;
  Best Local Similarity   79.8%; Pred. No.1.7e-36;
  Matches   95; Conservative   3; Mismatches 21; Indels   0; Gaps   0;

```
Qy    1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
        || :|||||| |||||||||| ||||| ||| |:| ||||||||||||||||| ||| || |
Db    1 EVMLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
        :||||||||||||||||||||||: :|:||:|| | |||  :||:|||:|||:|||||||
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARGDSMITDYWGQGTTLTVSS 119
```

RESULT 11
US-10-275-180A-61

; Sequence 61, Application US/10275180A
; Publication No. US20030190687A1
; GENERAL INFORMATION:
; APPLICANT: The UAB Research Foundation
; APPLICANT: Zhou, Tong
; APPLICANT: Ichikawa, Kimihisa

```
;  APPLICANT: Kimberly, Robert P.
;  APPLICANT: Koopman, William J.
;  TITLE OF INVENTION: AN ANTIBODY SELECTIVE FOR A TUMOR NECROSIS FACTOR-RELATED APOPTOS
;  TITLE OF INVENTION: INDUCING LIGAND RECEPTOR AND USES THEREOF
;  FILE REFERENCE: 21085.002905
;  CURRENT APPLICATION NUMBER: US/10/275,180A
;  CURRENT FILING DATE: 2002-10-31
;  NUMBER OF SEQ ID NOS: 102
;  SOFTWARE: Patentin version 3.0
;
;  SEQ ID NO 61
;  LENGTH: 119
;  TYPE: PRT
;  ORGANISM: Artificial Sequence
;  FEATURE:
;  OTHER INFORMATION: Description of Artificial Sequence:/No. US20030190687A1e =
;  OTHER INFORMATION: Synthetic Construct
US-10-275-180A-61

Query Match     76.1%;     Score 475; DB 14;     Length 119;
Best Local Similarity   79.8%;    Pred. No. 1.7e-36;
Matches    95;  Conservative   3;  Mismatches  21;  Indels   0;  Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
            ||||||:|||||||||||||||||||||| |:|||: :|||||||||||| |:|||| |||
Db    1  EVMLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTYY 60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLGTYYFPDSWGQGTTLTVSS 119
            |||||||||||||||||||||:|||:||:|||||:||||||||| ||||||||||||||
Db   61  PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARRGDSMITTDYWGQGTTLTVSS 119

RESULT 12
US-10-286-132A-61
; Sequence 61, Application US/10286132A
; Publication No. US20030198637A1
; GENERAL INFORMATION:
;  APPLICANT: Zhou, Tong
;  APPLICANT: Kimberly, Robert P.
;  APPLICANT: Koopman, William J.
;  APPLICANT: LoBuglio, Albert S.
;  APPLICANT: Buchsbaum, Donald J.
;  TITLE OF INVENTION: AN ANTIBODY SELECTIVE FOR A TUMOR NECROSIS FACTOR-RELATED
;  TITLE OF INVENTION: APOPTOSIS-INDUCING LIGAND RECEPTOR AND USES THEREOF
;  FILE REFERENCE: 21085.002907
;  CURRENT APPLICATION NUMBER: US/10/286,132A
;  CURRENT FILING DATE: 2003-01-22
;  PRIOR APPLICATION NUMBER: US 60/346,402
;  PRIOR FILING DATE: 2001-11-01
;  PRIOR APPLICATION NUMBER: PCT/US01/14151
;  PRIOR FILING DATE: 2001-05-02
;  PRIOR APPLICATION NUMBER: US 60/201,344
;  PRIOR FILING DATE: 2000-05-02
;  NUMBER OF SEQ ID NOS: 102
;  SOFTWARE: Patentin version 3.0
;
;  SEQ ID NO 61
;  LENGTH: 119
;  TYPE: PRT
;  ORGANISM: artificial sequence
;  FEATURE:
;  OTHER INFORMATION: Description of Artificial Sequence:/No. US20030198637A1e = Synthe

Query Match     76.1%;     Score 475; DB 14;     Length 119;
Best Local Similarity   79.8%;    Pred. No. 1.7e-36;
Matches    95;  Conservative   3;  Mismatches  21;  Indels   0;  Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
            ||||||:|||||||||||||||||||||| |:|||: :|||||||||||| |:|||| |||
Db    1  EVMLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTYY 60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLGTYYFPDSWGQGTTLTVSS 119
            |||||||||||||||||||||:|||:||:|||||:||||||||| ||||||||||||||
Db   61  PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARRGDSMITTDYWGQGTTLTVSS 119
```

```
RESULT 13
US-10-281-479A-23
; Sequence 23, Application US/10281479A
; Publication No. US20030133932A1
; GENERAL INFORMATION:
;  APPLICANT: The UAB Research Foundation
;  APPLICANT: Zhou, Tong
;  APPLICANT: Ichikawa, Kimihisa
;  APPLICANT: Kimberly, Robert P.
;  APPLICANT: Koopman, William J.
;  APPLICANT: Oshumi, Jun
;  APPLICANT: LoBuglio, Albert S.
;  APPLICANT: Buchsbaum, Donald J.
;  TITLE OF INVENTION: COMBINATIONS OF ANTIBODIES SELECTIVE FOR A TUMOR NECROSIS
;  TITLE OF INVENTION: FACTOR-RELATED APOPTOSIS-INDUCING LIGAND RECEPTOR AND OTHER THE
;  TITLE OF INVENTION: AGENTS
;  FILE REFERENCE: 21085.002906
;  CURRENT APPLICATION NUMBER: US/10/281,479A
;  CURRENT FILING DATE: 2003-01-28
;  PRIOR APPLICATION NUMBER: 60/391,478
;  PRIOR FILING DATE: 2002-06-24
;  PRIOR APPLICATION NUMBER: US 60/346,402
;  PRIOR FILING DATE: 2001-11-01
;  PRIOR APPLICATION NUMBER: PCT/US01/14151
;  PRIOR FILING DATE: 2001-05-02
;  PRIOR APPLICATION NUMBER: 60/201,344
;  PRIOR FILING DATE: 2000-05-02
;  NUMBER OF SEQ ID NOS: 102
;  SOFTWARE: Patentin version 3.0
;
;  SEQ ID NO 23
;  LENGTH: 462
;  TYPE: PRT
;  ORGANISM: artificial sequence
;  FEATURE:
;  OTHER INFORMATION: Description of Artificial Sequence:/No. US20030133932A1e = Synth
US-10-281-479A-23

Query Match     76.1%;     Score 475; DB 14;     Length 462;
Best Local Similarity   79.8%;    Pred. No. 6.8e-36;
Matches    95;  Conservative   3;  Mismatches  21;  Indels   0;  Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
            ||||||:|||||||||||||||||||||| |:|||: :|||||||||||| |:|||| |||
Db   20  EVMLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTYY 79

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLGTYYFPDSWGQGTTLTVSS 119
            |||||||||||||||||||||:|||:||:|||||:||||||||| ||||||||||||||
Db   80  PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARRGDSMITTDYWGQGTTLTVSS 138

RESULT 14
US-10-286-132A-23
; Sequence 23, Application US/10286132A
; Publication No. US20030198637A1
; GENERAL INFORMATION:
;  APPLICANT: Zhou, Tong
;  APPLICANT: Kimberly, Robert P.
;  APPLICANT: Koopman, William J.
;  APPLICANT: LoBuglio, Albert S.
;  APPLICANT: Buchsbaum, Donald J.
;  TITLE OF INVENTION: AN ANTIBODY SELECTIVE FOR A TUMOR NECROSIS FACTOR-RELATED
;  TITLE OF INVENTION: APOPTOSIS-INDUCING LIGAND RECEPTOR AND USES THEREOF
;  FILE REFERENCE: 21085.002907
;  CURRENT APPLICATION NUMBER: US/10/286,132A
;  CURRENT FILING DATE: 2003-01-22
;  PRIOR APPLICATION NUMBER: US 60/346,402
;  PRIOR FILING DATE: 2001-11-01
;  PRIOR APPLICATION NUMBER: PCT/US01/14151
;  PRIOR FILING DATE: 2001-05-02
;  PRIOR APPLICATION NUMBER: US 60/201,344
;  PRIOR FILING DATE: 2000-05-02
```

```
;   NUMBER OF SEQ ID NOS: 102
;   SOFTWARE: Patentin version 3.0
;
;   SEQ ID NO 23
;     LENGTH: 462
;     TYPE: PRT
;     ORGANISM: artificial sequence
;     FEATURE:
;     OTHER INFORMATION: Description of Artificial Sequence:/No. US20030198637A1e = Synthe
US-10-286-132A-23

Query Match             76.1%;  Score 475;  DB 14;  Length 462;
Best Local Similarity   79.8%;
Matches    95;  Conservative    3;  Mismatches   21;  Indels    0;  Gaps    0;

Qy         1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
             ||||||| ||| ||||||||||||||||| | |||||||||||||| | |||||||| |||
Db        20 EVWLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTYY 79

Qy        61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
             ||||||||||||||||||||||||||||||||||| ||  :| | ||||||||||||||
Db        80 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARRGDSMITTDYWGQGTTLTVSS 138
```

```
RESULT 15
US-10-275-180A-23
Sequence 23, Application US/10275180A
;   Publication No. US20030190687A1
GENERAL INFORMATION:
;   APPLICANT: The UAB Research Foundation
;   APPLICANT: Zhou, Tong
;   APPLICANT: Ichikawa, Kimihisa
;   APPLICANT: Kimberly, Robert P.
;   APPLICANT: Koopman, William J.
;   TITLE OF INVENTION: AN ANTIBODY SELECTIVE FOR A TUMOR NECROSIS FACTOR-RELATED APOPTOS
;   TITLE OF INVENTION: INDUCING LIGAND RECEPTOR AND USES THEREOF
;   FILE REFERENCE: 21085.0029US
;   CURRENT APPLICATION NUMBER: US/10/275,180A
;   CURRENT FILING DATE: 2002-10-31
;   NUMBER OF SEQ ID NOS: 102
;   SOFTWARE: Patentin version 3.0
;
;   SEQ ID NO 23
;     LENGTH: 464
;     TYPE: PRT
;     ORGANISM: Artificial Sequence
;     FEATURE:
;     OTHER INFORMATION: Description of Artificial Sequence:/No. US20030190687A1e =
;     OTHER INFORMATION: Synthetic Construct
US-10-275-180A-23

Query Match             76.1%;  Score 475;  DB 14;  Length 464;
Best Local Similarity   79.8%;  Pred. No. 6.8e-36;
Matches    95;  Conservative    3;  Mismatches   21;  Indels    0;  Gaps    0;

Qy         1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
             ||||||| ||| ||||||||||||||||| | |||||||||||||| | |||||||| |||
Db        20 EVWLVESGGGLVKPGGSLKLSCAASGFTFSSYVMSWVRQTPEKRLEWVATISSGGSYTYY 79

Qy        61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
             ||||||||||||||||||||||||||||||||||| ||  :| | ||||||||||||||
Db        80 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARRGDSMITTDYWGQGTTLTVSS 138
```

Search completed: December 23, 2004, 19:35:48
Job time : 28.0707 secs

```
OM protein - protein search, using sw model

                    GenCore version 5.1.6
                    Copyright (c) 1993 - 2004 Compugen Ltd.

Run on:        December 23, 2004, 18:46:03 ; Search time 6.43029 Seconds
                                             (without alignments)
                                             1780.604 Million cell updates/sec

Title:         US-10-089-500-55
Perfect score: 624
Sequence:      1 EVTLVESGGGDFVKPGGSLKV.........KLGTYYFDSWGQGTTLTVSS 119
Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched:      283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters:        283416

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :     PIR.79:*
               1: Pir1:*
               2: Pir2:*
               3: pir3:*
               4: pir4:*

               Pred. No. is the number of results predicted by chance to have a
               score greater than or equal to the score of the result being printed,
               and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	479	76.8	119	2	B34353	Ig anti-peptide Fab'
2	471	75.5	120	2	S55536	Ig heavy chain V r
3	470.5	75.4	121	2	I27887	Ig heavy chain V r
4	469	75.2	120	2	S55537	Ig heavy chain V r
5	469	75.2	122	2	E27888	Ig heavy chain V r
6	467	74.8	111	2	PH1007	Ig heavy chain V r
7	466.5	74.8	119	2	F27888	Ig heavy chain V r
8	464	74.4	138	2	S09258	Ig heavy chain V r
9	463	74.2	119	2	S55539	Ig heavy chain V r
10	462.5	74.1	118	2	PH0097	Ig heavy chain V r
11	462	74.0	118	2	S20641	Ig heavy chain V r
12	461	73.9	117	2	PL0249	Ig heavy chain V r
13	460	73.7	120	2	S55538	Ig heavy chain V r
14	457.5	73.3	254	2	B31790	Ig heavy chain V r
15	456.5	73.2	119	2	PH0096	Ig heavy chain V r
16	456	73.1	119	2	S31107	Ig heavy chain - h
17	456	73.1	124	2	C27888	Ig heavy chain V r
18	456	73.1	138	2	S31666	Ig heavy chain V r
19	455	73.0	112	2	S26327	Ig heavy chain V r
20	454	72.8	117	2	PL0252	Ig heavy chain V r
21	452.5	72.5	121	2	A27888	Ig heavy chain V r
22	452.5	72.5	121	2	S55540	Ig heavy chain V r
23	451.5	72.4	121	2	D27888	Ig heavy chain V r
24	451.5	72.4	121	2	B27888	Ig heavy chain V r
25	450.5	72.2	119	2	D27889	Ig heavy chain V r
26	449.5	72.0	113	2	S26468	Ig heavy chain V r
27	449.5	72.0	119	2	H27887	Ig heavy chain V r
28	448.5	71.9	139	2	S38808	Ig heavy chain - m
29	447.5	71.7	548	2	S38864	Ig epsilon chain C
30	447	71.6	152	2	B26471	Ig heavy chain pre
31	446.5	71.6	128	2	S26790	Ig heavy chain V r
32	444.5	71.2	119	2	B27889	Ig heavy chain V r
33	443.5	71.1	121	2	H27888	Ig heavy chain V r
34	443	71.0	119	2	PH0098	Ig heavy chain V r
35	442	70.8	124	2	I27888	Ig heavy chain V r
36	441.5	70.8	108	2	PH1010	Ig heavy chain V r
37	441.5	70.8	118	2	S31105	Ig heavy chain (au
38	441	70.7	119	2	D36005	Ig heavy chain V r
39	440	70.5	125	2	S30531	Ig heavy chain, V
40	439.5	70.4	120	2	S12953	Ig heavy chain V r
41	439.5	70.4	123	2	S63597	Ig heavy chain V r
42	439	70.4	119	2	C27888	Ig heavy chain - h
43	438.5	70.3	123	2	G27888	Ig heavy chain V r
44	438	70.2	140	2	S31686	Ig heavy chain V r
45	437.5	70.1	140	2	S70442	Ig heavy chain pre

ALIGNMENTS

RESULT 1
B34353
anti-peptide Fab' B13I2 heavy chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 22-Jun-1990 #sequence_revision 22-Jun-1990 #text_change 23-Jul-1999
C;Accession: B34353
R;Stura, E. A.; Stanfield, R. L.; Fieser, T. M.; Balderas, R. S.; Smith, L. R.; Lerner, R. A.
J. Biol. Chem. 264, 15721-15725, 1989
A;Title: Preliminary crystallographic data and primary sequence for anti-peptide Fab' B
A;Reference number: A34353; MUID:89359424; PMID:2504725
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-119 <STU>
A;Cross-references: GB;M29252; NID:g195657; PIDN:AAA38388.1; PID:g195658
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match   76.8%; Score 479; DB 2; Length 119;
Best Local Similarity   78.2%; Pred. No. 1.3e-37;
Matches 93; Conservative 8; Mismatches 18; Indels 0; Gaps 0;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
          ||||||||||| ||||||||||||||||| ||||||||||||||||||||||||||||| |
Db   1 EVQLVESGGGDLVKPGGSLKLSCAASGFTFSRCAMSWVRQTPEKRLEWVAGISSGGSYTFY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          |||||||||||||||||| |:|||:||||||||||:||||||||||||||||||||||
Db   61 PDTVKGRFIISRDNARNTLSLQMSSLRSEDTAIYYCTRYSSDPFYFDYWGQGTTLTVSS 119

RESULT 2
S55536
Ig heavy chain V region pe20 - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 23-Jul-1999
C;Accession: S55536
R;Boettger, V.; Boettger, A.; Lane, E.B.; Spruce, B.A.
J. Mol. Biol. 247, 932-946, 1995
A;Title: Comprehensive epitope analysis of monoclonal anti-proenkephalin antibodies usi
utations in the variable region genes.
A;Reference number: S55528; MUID:95239763; PMID:7536850
A;Accession: S55536
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-120 <BOE>
A;Cross-references: EMBL;X82589; NID:g854304; PIDN:CAA57925.1; PID:g854305
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;14-97/Domain: immunoglobulin homology <IMM>

Query Match   75.5%; Score 471; DB 2; Length 120;
```

Best Local Similarity   78.3%;   Pred. No. 7.1e-37;
Matches   94;   Conservative   5;   Mismatches   19;   Indels   2;   Gaps   1;

```
Qy       2 VTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYYS 61
           |||||  |||| ||||||||||||||||||||||||||||||||||||||||||| |||||
Db       1 VQLQESGGGLVKPGGSLKLSCAASRFTFSSYAMSWVRQTPEKRLEWVATISSGGSGSTYYP 60

Qy      62 DSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRV--KLGTYYFDSWGQGTTLTVSS 119
           |||||||||||||||||||||||:|||||||||||||  :||||||||||||||||:|||
Db      61 DSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARLYDYDPYVMDYWGQGTTVTVSS 120
```

RESULT 3
I27887

Ig heavy chain V region (H37-45) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
R;Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
EMBO J. 5, 1577-1587, 1986
A;Title: Structural and functional implications of a restricted antibody response to a d
A;Reference number: A91043; MUID:86300658; PMID:2427335
A;Accession: I27887
A;Molecule type: DNA
A;Residues: 1-121 <CAT>
A;Experimental source: strain Balb/c
A;Note: this sequence was determined from the germline gene
C;Comment: This chain was isolated from a hybridoma protein that binds influenza virus h
C;Superfamily: immunoglobulin V region; immunoglobulin
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match   75.4%;   Score 470.5;   DB 2;   Length 121;
Best Local Similarity   76.9%;   Pred. No. 8e-37;
Matches   93;   Conservative   8;   Mismatches   17;   Indels   3;   Gaps   1;

```
Qy       1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
           |||||||  |||| ||||||||||||||||||||||||||||||||||||| ||||||
Db       1 EVKLVESGGGLVKPGGSLKLSCAASGFTFSIYAMSWVRQTPEKRLEWVATISSGGSGTYTY 60

Qy      61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR----VKLGTYYFDSWGQGTTLTV 117
           :||||||||||||||||||||||:|||||||||||||    :|||||||||||||||||
Db      61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCAREEGLRLEDYAMDYWGQGTSVTV 120
```

RESULT 4
S55537

Ig heavy chain V region pe21 - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 23-Jul-1999
R;Boettger, V.; Boettger, A.; Lane, E.B.; Spruce, B.A.
J. Mol. Biol. 247, 932-946, 1995
A;Title: Comprehensive epitope analysis of monoclonal anti-proenkephalin antibodies usin
utations in the variable region genes.
A;Reference number: S55528; MUID:95239763; PMID:7536850
A;Accession: S55537
A;Molecule type: mRNA
A;Status: preliminary
A;Residues: 1-120 <BOE>
A;Cross-references: EMBL:X82590; NID:g854306; PIDN:CAA57926.1; PID:g854307
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;14-97/Domain: immunoglobulin homology

Query Match   75.2%;   Score 469;   DB 2;   Length 120;
Best Local Similarity   78.3%;   Pred. No. 1.1e-36;
Matches   94;   Conservative   5;   Mismatches   19;   Indels   2;   Gaps   1;

```
Qy       2 VTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYYS 61
           |||||  |||| ||||||||||||||||||||||||||||||||||||||||||| |||||
Db       1 VQLQESGGGLVKPGGSLKLSCAASRFTFSSYAMSWVRQTPEKRLEWVATISSGGSGSTYYP 60

Qy      62 DSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRV--KLGTYYFDSWGQGTTLTVSS 119
           |||||||||||||||||||||||:|||||||||||||  :||||||||||||||||:|||
Db      61 DSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCARLYDYDPYVMDYWGQGTTVTVSS 120
```

RESULT 5
E27888

Ig heavy chain V region (H35-C6) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
R;Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
EMBO J. 5, 1577-1587, 1986
A;Title: Structural and functional implications of a restricted antibody response to a d
A;Reference number: A91043; MUID:86300658; PMID:2427335
A;Accession: E27888
A;Molecule type: DNA
A;Residues: 1-122 <CAT>
A;Experimental source: strain Balb/c
A;Note: this sequence was determined from the germline gene
C;Comment: This chain was isolated from a hybridoma protein that binds influenza virus h
C;Superfamily: immunoglobulin V region; immunoglobulin
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match   75.2%;   Score 469;   DB 2;   Length 122;
Best Local Similarity   75.4%;   Pred. No. 1.1e-36;
Matches   92;   Conservative   8;   Mismatches   18;   Indels   4;   Gaps   1;

```
Qy       1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
           :|||||||  |||| ||||||||||||||||||||||||||||||||||||| ||||||
Db       1 DVKLVESGGGLVKPGGSLKLSCAASGFTFSSYAMSWVRQTPEKRLEWVATISSGGSGTYTY 60

Qy      61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR----VKLGTYYFDSWGQGTTLT 116
           :||||||||||||||||||||||:|||||||||||||    :|||||||||||||||:|
Db      61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCTRQSEGYRYDDYAMDYWGQGTSVT 120

Qy     117 VS 118
           ||
Db     121 VS 122
```

RESULT 6
PH1007

Ig heavy chain V region (clone 163-c1) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
C;Accession: PH1007
R;Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A;Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective B c
A;Reference number: PH0971; MUID:92381444; PMID:1512540
A;Accession: PH1007
A;Status: nucleic acid sequence not shown
A;Experimental source: B cell, strain [NZB x NZW]F1
A;Molecule type: mRNA
A;Residues: 1-111 <TIL>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match   74.8%;   Score 467;   DB 2;   Length 111;
Best Local Similarity   82.0%;   Pred. No. 1.5e-36;
Matches   91;   Conservative   3;   Mismatches   15;   Indels   2;   Gaps   1;

```
Qy       1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
           :|||||||  |||| |||||||||||||||||||||||||||||||||||| ||||||| |
Db       1 EVKLVESGGGLVKPGGSLKLSCAASGFTFSSYAMSWVRQTPEKRLEWVATISSGGSGSTYY 60
```

```
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLG--TYYFDSW 109
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYYCASHYGSRTYYFDYW 111
```

RESULT 7
F27888
Ig heavy chain V region (H158-89H4) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
R;Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
C;Accession: F27888
A;Reference number: A91043; MUID:86300658; PMID:2427335
A;Title: Structural and functional implications of a restricted antibody response to a d
EMBO J. 5, 1577-1587, 1986
A;Reference number: F27888
A;Molecule type: DNA
A;Residues: 1-119 <CAT>
A;Experimental source: strain Balb/c
A;Note: this sequence was determined from the germline gene
C;Comment: This chain was isolated from a hybridoma protein that binds influenza virus h
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

```
Query Match    74.8%;  Score 466.5;  DB 2;  Length 119;
Best Local Similarity    76.9%;
Matches  93;  Conservative  8;  Mismatches  15;  Indels  5;  Gaps  2;

Qy    1 EVTLVESGGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
Db    1 DVKLVESGGGLVKPGGSLKLSCAASGFTFSSYTMSWVRQTPEKRLEWVATISSGGSYTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLG---TYYFDSW 117
Db   61 PDSVKGRFTMSRDNAKNTLYLQMSSLRSEDTAMYYCPRGE--TYYDYAMDYWGQGTSVTV 118

Qy  118 S 118
Db  119 S 119
```

RESULT 8
S09258
Ig heavy chain V region precursor - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 29-Jan-1993 #sequence_revision 29-Jan-1993 #text_change 23-Jul-1999
C;Accession: S09258
R;Hamada, H.; Maezawa, K.; Tsuruo, T.
A;Title: Nucleotide sequences of the variable regions of a mouse monoclonal antibody MRK
Nucleic Acids Res. 18, 1900, 1990
A;Accession: S09258
A;Molecule type: DNA
A;Reference number: S09258; MUID:90245594; PMID:2110659
A;Molecule type: DNA
A;Residues: 1-138 <HAM>
A;Cross-references: EMBL:X51719; NID:g53207; PIDN:CAA36012.1; PID:g297545
C;Genetics:
A;Introns: 16/1
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

```
Query Match    74.4%;  Score 464;  DB 2;  Length 138;
Best Local Similarity    75.6%;
Matches  90;  Conservative  7;  Mismatches  22;  Indels  0;  Gaps  0;

Qy    1 EVTLVESGGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
Db   20 EVILVESGGGLVKPGGSLKLSCAASGFTFSSYTMSWVRQTPEKRLEWVATISSGGGNTY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLLGTYYFDSWGQGTTLTVSS 119
Db   80 PDSVKGRFTISRDNAKNNLYLQMSSLRSEDTALYYCARYRYEAWFASWQGGTLVTVSA 138
```

RESULT 9
S55539
Ig heavy chain V region pe24 - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 23-Jul-1999
C;Accession: S55539
R;Boettger, V.; Boettger, A.; Lane, E.B.; Spruce, B.A.
J. Mol. Biol. 247, 932-946, 1995
A;Title: Comprehensive epitope analysis of monoclonal anti-proenkephalin antibodies usi
utations in the variable region genes.
A;Reference number: S55539; MUID:95239763; PMID:7536850
A;Accession: S55528; MUID:95239763; PMID:7536850
A;Accession: S55539
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-120 <BOB>
A;Cross-references: EMBL:X82593; NID:g854312; PIDN:CAA57929.1; PID:g854313
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;14-97/Domain: immunoglobulin homology <IMM>

```
Query Match    74.2%;  Score 463;  DB 2;  Length 120;
Best Local Similarity    76.7%;
Matches  92;  Conservative  6;  Mismatches  20;  Indels  2;  Gaps  2;

Qy    2 VTLVESGGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 61
Db    1 VQLQEBGGGLVKPGGGSLKLSCAASGFTFSSYTMSWVRQTPEKRLEWVATISSGGSYTYYP 60

Qy   62 DSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRV--KLGTYYFDSWGQGTTLTVSS 119
Db   61 DSVKGRFTMSRDNAKNTLYLQMSSLRSEDTAMYYCVRLYYDPYVMDYWGQGTTLTVSS 120
```

RESULT 10
PH0097
Ig heavy chain V region (anti-cyclosporin B) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 15-Jan-1993 #sequence_revision 15-Jan-1993 #text_change 16-Aug-1996
C;Accession: PH0097
R;Schmitter, D.; Poch, O.; Zeder, G.; Heinrich, G.F.; Kocher, H.P.; Quesniaux, V.F.J.;
Mol. Immunol. 27, 1029-1038, 1990
A;Title: Analysis of the structural diversity of monoclonal antibodies to cyclosporine.
A;Reference number: PH0097; MUID:91042649; PMID:2122240
A;Accession: PH0097
A;Molecule type: mRNA
A;Residues: 1-118 <SCH>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;50-66/Region: complementarity-determining 2
F;99-105/Region: complementarity-determining 3

```
Query Match    74.1%;  Score 462.5;  DB 2;  Length 118;
Best Local Similarity    79.0%;
Matches  94;  Conservative  4;  Mismatches  18;  Indels  3;  Gaps  1;

Qy    1 EVTLVESGGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
Db    1 DVKLVESGGGLVKPGGSLKLSCAASGFTFSSYIMSWVRQTPEKRLEWVATISSGGRYTY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
Db   61 PDSVKGRFTISRDNAKNTLYLQMSSLRSEDTAMYST--ASGDSFDYWGQGTLLTVSS 116
```

RESULT 11
S20641
Ig heavy chain V region - mouse
C;Species: Mus musculus (house mouse)
C;Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999

C;Accession: S20641
R;Losman, M.; Fasy, T.M.; Novick, K.E.; Monestier, M.
submitted to the EMBL Data Library, February 1992
A;Reference number:
A;Description: Relationships among antinuclear antibodies from autoimmune MRL mice react
A;Accession: S20639
A;Molecule type: DNA
A;Accession: S20641
A;Status: Preliminary
A;Residues: 1-118 <LOS>
A;Cross-references: EMBL:X65003; NID:g52602; PIDN:CAA46136.1; PID:g52603
A;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
Db 1 EVKLVESGGGLVKPGGSLKLSCAASGFTFSSNYIMFWVRQTPAKRLEWVANISSGGNTY 60

Qy 61 SDSVKGRFIISRDNVMNILYLYLQMRSLRSEDSAMYFCTRVKLGTYYFPDSWGQGTTLTVS 118
Db 61 PDSVKGRFIISRDNVMNILYLQMSSLRSEDTAMYCARRAYSNYALDFWGQGTSVTVS 118

RESULT 12
Ig heavy chain V region (anti-DNA, 3E12VH) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
C;Accession: PL0249
R;Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A
J. Exp. Med. 171, 265-297, 1990
A;Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
A;Reference number: PL0231; MUID:90111618; PMID:2104919
A;Accession: PL0249
A;Molecule type: mRNA
A;Residues: 1-117 <SHI>
A;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-30/Region: framework 1
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;36-49/Region: framework 2
F;50-66/Region: complementarity-determining 2
F;67-98/Region: framework 3
F;99-108/Region: complementarity-determining 3
F;109-117/Region: framework 4

Query Match 73.9%; Score 461; DB 2; Length 117;
Best Local Similarity 75.2%;
Matches 88; Conservative 8; Mismatches 21; Indels 0; Gaps 0;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
Db 1 EVKLVESGGGLVKPGGSLKLSCAASGFTFSSYTMSWVRQTPAKRLEWVANISRGGSTYY 60

Qy 61 SDSVKGRFIISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFPDSWGQGTTLTV 117
Db 61 PDSVKGRFIISRDNARNTLYLQMSSLRSEDTAVYYCARRDYSHWFFDVWGAGTTVTV 117

RESULT 13
S55538
Ig heavy chain V region pe22 - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 23-Jul-1999
C;Accession: S55538
R;Boettger, V.; Boettger, A.; Lane, E.B.; Spruce, B.A.
J. Mol. Biol. 247, 932-946, 1995
A;Title: Comprehensive epitope analysis of monoclonal anti-proenkephalin antibodies usin

utations in the variable region genes.
A;Reference number: S55528; MUID:95239763; PMID:75366850
A;Accession: S55538
A;Status: Preliminary
A;Molecule type: mRNA
A;Residues: 1-120 <BOE>
A;Cross-references: EMBL:X82591; NID:g854308; PIDN:CAA57927.1; PID:g854309
A;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;14-97/Domain: immunoglobulin homology <IMM>

Qy 2 VTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYYS 61
Db 1 VKLQESGGGLVKPGGSLKLSCAASGFTFSSYAMSWVRQTPEKRLEWVAISSSGGSTYYP 60

Qy 62 DSVKGRFIISRDNAKNTLYLQMRSLRSEDSAMYFCTRV--KLGTYYFPDSWGQGTTLTVS 119
Db 61 DSVKGRFTMSRDNAKNTLYLQMSSLRSEDTAMYCVRLYYDYDPYVMDFWGQGTVTVSS 120

RESULT 14
B31790
Ig heavy chain V region (17/9) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 31-Mar-1990 #sequence_revision 31-Mar-1990 #text_change 23-May-1997
C;Accession: B31790
R;Schulze-Gahmen, U.; Rini, J.M.; Arevalo, J.; Stura, E.A.; Kenten, J.H.; Wilson, I.A.
J. Biol. Chem. 263, 17100-17105, 1988
A;Title: Preliminary crystallographic data, primary sequence, and binding data for an an
A;Reference number: A92686; MUID:89034213; PMID:3182835
A;Accession: B31790
A;Molecule type: mRNA
A;Residues: 1-254 <SCH>
A;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match 73.7%; Score 460; DB 2; Length 254;
Best Local Similarity 75.8%;
Matches 91; Conservative 7; Mismatches 20; Indels 2; Gaps 1;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
Db 1 EVQLVESGGGLVKPGGSLKLSCAASGFSFSSYGMSWVRQTPDKRLEWVATISNGGGYTYY 60

Qy 61 SDSVKGRFIISRDNAKNTLYLQMRSLRSEDSAMYFCT-RVKLGTYYFPDSWGQGTTLTVSS 119
Db 61 PDSVKGRFIISRDNAKNTLYLQMSSLKSEDTAMYYCARRERYDENGFAVWGQGTLVTVSA 120

RESULT 15
PH0096
Ig heavy chain V region (anti-cyclosporin A) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 15-Jan-1993 #sequence_revision 15-Jan-1993 #text_change 16-Aug-1996
C;Accession: PH0096
R;Schmitter, D.; Poch, O.; Zeder, G.; Heinrich, G.F.; Kocher, H.P.; Quesniaux, V.F.J.; v
Mol Immunol. 27, 1029-1038, 1990
A;Title: Analysis of the structural diversity of monoclonal antibodies to cyclosporine.
A;Reference number: PH0087; MUID:91042649; PMID:2122240
A;Accession: PH0096
A;Molecule type: mRNA
A;Residues: 1-118 <SCH>
A;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;50-66/Region: complementarity-determining 2
F;99-105/Region: complementarity-determining 3

Query Match 73.3%; Score 457.5; DB 2; Length 120;
Best Local Similarity 75.8%;
Matches 91; Conservative 8; Mismatches 20; Indels 1; Gaps 1;

```
Query Match          73.2%;   Score 456.5;  DB 2;   Length 118;
Best Local Similarity 76.5%;   Pred. No. 1.5e-35;
Matches    91;  Conservative 10;  Mismatches  15;   Indels   3;   Gaps   2;

Qy      1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          : |||||||     |||||||:|||||||  | |:|||||||||||| ||||||||| |||
Db      1 DVKLVESGGGLVKPGGSLKLSCAASRFTFSSYSMSWVRQTPEKRLEWVATISSGGSYTYY 60

Qy     61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          |::|||||||||||||||||||||:|:|||:|||||||| ||||||||||::||||||
Db     61 PDNMKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCT-VSTGT--MDYWGQGTSVTVSS 116
```

This Page Blank (uspto)

GenCore version 5.1.6

Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 23, 2004, 18:31:20 ; Search time 33.1041 Seconds
(without alignments)
2068.313 Million cell updates/sec

Title: US-10-089-500-55
Perfect score: 624
Sequence: 1 EVTLVESGGDFVKPGGSLKV.........KLGTYYPDSWGQGTTLTVSS 119

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1825181 seqs, 575374646 residues

Total number of hits satisfying chosen parameters: 1825181

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_02:*
1: uniprot_sprot.*
2: uniprot_trembl.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match Length	DB	ID	Description
1	469	255	2	Q6KB05	Q6kb05 mus musculu
2	469	255	2	CAG34081	Cag34081 mus muscu
3	468.5	255	2	Q99KA4	Q99ka4 mus musculu
4	463	487	2	Q920E7	Q920e7 mus musculu
5	455	486	2	Q91Z07	Q91z07 mus musculu
6	450	479	2	Q91WP5	Q91wp5 mus musculu
7	439.5	473	2	Q91Z05	Q91z05 mus musculu
8	438	128	2	BAD00406	Bad00406 camelus d
9	435	124	2	BAD00534	Bad00534 camelus d
10	433.5	125	2	BAD00491	Bad00491 camelus d
11	433	117	2	AAL35877	Aal35877 lama glam
12	431.5	606	2	Q6GMY2	Q6gmy2 homo sapien
13	431	117	1	HV55_MOUSE	HV55 mus musculu
14	430	121	2	Q9UL71	Q9ul71 homo sapien
15	429	480	2	Q91XE1	Q91xe1 mus musculu
16	428.5	471	2	AAH24289	Aah24289 homo sapi
17	427	119	2	AAL35865	Aal35865 lama glam
18	426	478	2	Q6PI81	Q6pi81 homo sapien
19	426	478	2	AAH41037	Aah41037 homo sapi
20	425	464	2	Q6MZU6	Q6mzu6 homo sapien
21	425	464	2	CAE45931	Cae45931 homo sapi
22	424.5	126	2	BAD00225	Bad00225 camelus d
23	424	126	2	BAD00420	Bad00420 camelus d
24	424	128	2	BAD00444	Bad00444 camelus d
25	424	485	2	Q6PDB8	Q6pdb8 mus muscu
26	424	485	2	AAH58814	Aah58814 mus muscu
27	423.5	124	2	BAD00233	Bad00233 camelus d
28	423.5	136	1	HV16_MOUSE	HV16 mus musculu
29	422.5	127	2	P01783	P01783 mus musculu
30	422	126	2	BAD00475	Bad00475 camelus d
31	421.5	129	2	BAD00424	Bad00424 camelus d
32	421	122	2	BAD00446	Bad00446 camelus d
33	421	126	2	BAD00510	Bad00510 camelus d
34	419.5	465	2	Q6P6C4	Q6p6c4 homo sapien
35	419.5	465	2	AAH62335	Aah62335 homo sapi
36	418.5	121	2	BAD00459	Bad00459 camelus d
37	418	123	2	BAD00234	Bad00234 camelus d
38	417.5	118	2	AAL35882	Aal35882 lama glam
39	417.5	121	2	BAD00525	Bad00525 camelus d
40	417	117	1	HV54_MOUSE	HV54 mus musculu
41	417	121	2	Q6PJA4	Q6pja4 homo sapien
42	417	470	2	P18525	P18525 mus musculu
43	416	117	2	AAH18747	Aah18747 homo sapi
44	415.5	125	2	AAL35875	Aal35875 lama glam
45	415.5	125	2	BAD00509	Bad00509 camelus d

ALIGNMENTS

RESULT 1
ID Q6KB05
AC Q6KB05;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE ScFv B8E5 protein (Fragment).
GN Name=scFv B8E5;
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Balb/c;
RA Peter J.C., Wallukat G., Tugler J., Maurice D., Roegel J.C.,
RA Briand J.P., Hoebeke J.;
RL Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AJ746180; CAG34081.1; -.
DR InterPro; IPR003599; Ig.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003596; Ig_v.
DR Pfam; PF00047; ig; 2.
DR SMART; SM00409; IGv; 2.
DR SMART; SM00406; IGv; 2.
DR PROSITE; PS50835; IG_LIKE; 2.
FT NON_TER 1 1
SQ SEQUENCE 255 AA; 27445 MW; B68BD38395DF713B CRC64;

Query Match 75.2%; Score 469; DB 2; Length 255;
Best Local Similarity 77.0%; Pred. No. 4.3e-41;
Matches 94; Conservative 7; Mismatches 17; Indels 4; Gaps 2;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
|:|:||||||:||||||:||||||||||||:|||||||||||||||:|:||||:||||||:| |||
Db 1 QVQLQQSGGDLVKPGGSLKVSCAASGFTFSSYGMSWVRQTPDKRLEWVATTSGGSYTYY 60

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTV 117
:|||||||||||||||:||||:||:|:||||:||:|||||:| |||:|||||||||||||
Db 61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCAR-HINYRYDGAFDVWGQGTTLTV 119

RESULT 2
ID CAG34081
AC CAG34081;
DT 01-JUN-2004 (TrEMBLrel. 27, Created)
DT 01-JUN-2004 (TrEMBLrel. 27, Last sequence update)
DT 01-JUN-2004 (TrEMBLrel. 27, Last annotation update)

DE   ScFv B8E5 protein (Fragment).
GN   ScFv B8E5.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   STRAIN=balb/c;
RC   Peter J.C., Wallukat G., Tugler J., Maurice D., Roegel J.C.,
RA   Briand J.P., Hoebeke J.;
RT   "Modulation of the M2 muscarinic receptor activity with monoclonal
RT   anti-M2 receptor antibody fragments.";
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AJ746180; CAG34081.1; -.
FT   NON_TER   1
SQ   SEQUENCE   255 AA;   27445 MW;   B68BD38395DF713B CRC64;

Query Match
Best Local Similarity 75.2%;   Score 469; DB 2; Length 255;
Matches 94; Conservative 7; Mismatches 17; Indels 4; Gaps 2;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFARSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
Db   1 QVQLQQSGGDLVKPGGSLKVSCAASGFTFSSYGMSWVRQTPDKRLEWVATITSGGSYTY 60

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTV 117
Db  61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCAR-HINYRYDGARFDYWGQGTTLTV 119

Qy 118 SS 119
Db 120 SS 121
```

RESULT 3

ID   Q99KA4
AC   Q99KA4;
DT   01-JUN-2001 (TrEMBLrel. 17, Created)
DT   01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   LOC380791 protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Czech II;
RC   TISSUE=Mammary tumor metastatized to lung. Tumor arose spontaneously;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]

PRELIMINARY; PRT; 487 AA.

Query Match
Best Local Similarity 77.0%;   Score 469; DB 2; Length 255;
Matches 94; Conservative 7; Mismatches 17; Indels 4; Gaps 2;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFARSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
Db   1 QVQLQQSGGDLVKPGGSLKVSCAASGFTFSSYGMSWVRQTPDKRLEWVATITSGGSYTY 60

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTV 117
Db  61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCAR-HINYRYDGARFDYWGQGTTLTV 119

Qy 118 SS 119
Db 120 SS 121
```

RESULT 4

ID   Q920E7
AC   Q920E7;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Pterin-mimicking anti-idiotope heavy chain variable region
DE   (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Atkin J.D., Tape A., Jennings I.G., Horaitis O., Cotton R.G.H.;
RL   Submitted (SEP-2000) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AF307937; AAL09421.1; -.
DR   HSSP; P01783; 1IGC.
DR   PIR; C25913; C25913.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig-v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   NON_TER   1
FT   NON_TER   119
SQ   SEQUENCE   119 AA;   13025 MW;   F6B9D4O443B1CA7C CRC64;

Query Match
Best Local Similarity 74.2%;   Score 463; DB 2; Length 119;
Matches 94; Conservative 6; Mismatches 17; Indels 4; Gaps 2;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFARSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
Db   1 EVQLVESGGDLVKPGGSLKLSCAASGFTFSSYGMSWVRQTPDKRLEWVAISDGGSYTY 60

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY--YFDSWGQGTTLTVS 118
Db  61 SDSVKGRFTISRDNAKNTLYLQMSSLRSEDSAMYFCTRVKLGTYY--YFDSWGQGTTLTVS 118
```

SEQUENCE FROM N.A.
RC   STRAIN=Czech II;
RC   TISSUE=Mammary tumor metastatized to lung. Tumor arose spontaneously;
RL   Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC004786; AAH04786.1; -.
DR   HSSP; P01810; 2FBJ.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN 2.
SQ   SEQUENCE   487 AA;   52554 MW;   7DC8E96DB333077B CRC64;

Query Match
Best Local Similarity 75.1%;   Score 468.5; DB 2; Length 487;
Matches 93; Conservative 7; Mismatches 19; Indels 5; Gaps 1;

```
Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFARSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
Db  20 EVQLVESGGGLVKPGGSLKLSCAASGFTFSSYAMSWVRQTPEKRLEWVAISDGGSYTY 79

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY----FDSWGQGTTL 115
Db  80 PDNVKGRFTISRDNAKNNLYLQMSHLKSEDTAMYYCARDMGGGSPYGGYSRFDYWGQGTTI 139

Qy 116 TVSS 119
Db 140 TVSS 143
```

```
Qy   61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCAR--HGDYDVGFAYWGQGTLVTVS 118
        |||||||||||||||||||:|||||||||||||:|||||||| :|||| : :|||
Db      61 PDSVKGRFTISRDNAKNTLYLQMSSLKSEDTAMYYCAR--HGDYDVGFAYWGQGTLVTVS 118
```

```
Qy  119 S 119
        :
Db  119 A 119
```

RESULT 5
ID   Q91Z07
AC   Q91Z07;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   LOC380791 protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Czech II;
RC   TISSUE=Mammary tumor metastatized to lung. MMTV-LTR/Wnt1 model.
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Czech II;
RC   TISSUE=Mammary tumor metastatized to lung. MMTV-LTR/Wnt1 model.
RA   Strausberg R.;
RL   Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC010324; AAH10324.1; -.
HSSP; P01789; 1MCP.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; C1-set; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
SQ   SEQUENCE 486 AA; 52681 MW; 4FEF83512SDA870B CRC64;

Query Match   72.9%; Score 455; DB 2; Length 486;
Best Local Similarity   71.0%; Pred. No. 2.7e-39;
Matches   88; Conservative   14; Mismatches   16; Indels   6; Gaps   2;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
          |||||| ||| |||||||||||||:|||||||  |||||:| ||:|||| |:||:||||
Db   20 EVHLVESGGGLVKPGGSLKVSCVVSGFPSFTSYDMSWVRQTPERRLEWVAAITSGGN-TYY 78
```

```
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY------YPDSWGQGTTL 115
        |:|||||||||||||||:|||| :|||||:|:|||| : ||:|||      ||||||||||:|||:
Db   61 PDNVKGRFTVSRDNAKYTLYLQMSSLKSEDTAMYYCVRPEIPIYYSGSYFPDSWGQGTTI 138
```

```
Qy  116 TVSS 119
        |||
Db  139 TVSS 142
```

RESULT 6
ID   Q91WP5
AC   Q91WP5;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Igh-V1558 protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (SEP-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC013656; AAH13656.1; -.
HSSP; P01789; 1MCP.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; Ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
SQ   SEQUENCE 479 AA; 51603 MW; ECB2D08777485B4F CRC64;

Query Match   72.1%; Score 450; DB 2; Length 479;
Best Local Similarity   73.9%; Pred. No. 8.9e-39;
Matches   88; Conservative   9; Mismatches   18; Indels   4; Gaps   1;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
          ||||||| ||| ||||||||||||||||||||  |||||:| ||:|||| |:||:||||
Db   20 EVQLVESGGGLVKPGGSLKVSCAASGFAFSNYAMSWVRQTPEKRLEWVAAINSNGGNTYY 79
```

```
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYPDSWGQGTTLTVSS 119
```

```
Db          80  SDTMKGRFTISRDNAKSTLYLQMSSLRSEDTAFYYCVR----GGYFDVWGAGTRAVTVSS  134
                    ||| ||||| :| ||||||||||||:|     | :||||| | :|| || | ||||
Qy          20  EVQLVESGGGLVKPGGSRKLSCAASGFTFSDYGMHWVRQAPEKGLEWVAYISSGSGTTIYY  79

RESULT 7
ID          Q91Z05;                     PRELIMINARY;    PRT;    473 AA.
AC          Q91Z05;
DT          01-DEC-2001 (TrEMBLrel. 19, Created)
DT          01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT          01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE          Expressed sequence AU044919.
GN          Name=AU044919;
OS          Mus musculus (Mouse).
OC          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC          Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX          NCBI_TaxID=10090;
RN          [1]
RP          SEQUENCE FROM N.A.
RC          STRAIN=CZECH II;
RC          TISSUE=Mammary tumor metastatized to lung. MMTV-LTR/Wnt1 model.
RX          MEDLINE=22382257; PubMed=12477932;
RA          Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA          Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA          Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA          Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA          Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA          Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA          Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA          Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA          Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA          Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA          Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA          Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA          Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA          Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA          Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA          Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA          Jones S.J., Marra M.A.;
RT          "Generation and initial analysis of more than 15,000 full-length human
RT          and mouse cDNA sequences.";
RL          Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN          [2]
RP          SEQUENCE FROM N.A.
RC          STRAIN=CZECH II;
RC          TISSUE=Mammary tumor metastatized to lung. MMTV-LTR/Wnt1 model.
RC          Expression driven by an MMTV-LTR enhancer.;
RA          Strausberg R.;
RL          Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
DR          EMBL; BC010327; AAH10327.1; -.
DR          PIR; S68213; S68213.
HSSP; P01783; 11GC.
DR          MGD; MGI:2144967; AU044919.
DR          InterPro; IPR000345; CytC_heme_BS.
DR          InterPro; IPR007110; Ig-like.
DR          InterPro; IPR003597; Ig_C1.
DR          InterPro; IPR003006; Ig_MHC.
DR          InterPro; IPR003596; Ig_v.
DR          Pfam; PF07654; C1-set; 3.
DR          Pfam; PF00047; ig; 1.
DR          SMART; SM00406; IGv; 1.
DR          PROSITE; PS00190; CYTOCHROME_C; UNKNOWN 1.
DR          PROSITE; PS00835; IG_LIKE; 4.
DR          PROSITE; PS50835; IG_LIKE; 4.
DR          PROSITE; PS00290; IG_MHC; UNKNOWN 1.
SQ          SEQUENCE   473 AA;   51946 MW;  CF625F008932AF12 CRC64;

Query Match             70.4%;  Score 439.5;  DB 2;  Length 473;
Best Local Similarity   72.3%;  Pred. No. 1.1e-37;
Matches    86;  Conservative  10;  Mismatches  22;  Indels   1;  Gaps   1;

Qy           1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
                || ||||| ||||||||||| |||||||||||||| || :|||: | | ::|||:|:|| ||
```

```
Db          80  ADTVKGRFTISRDNAKNTLFLQMTSLRSEDTAMYYCAR-ELWLRIDYWGQGTTLTVSS  137

RESULT 8
ID          BAD00406;                   PRELIMINARY;    PRT;    128 AA.
AC          BAD00406;
DT          02-MAR-2004 (TrEMBLrel. 27, Created)
DT          02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT          02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE          Immunoglobulin heavy chain VHDJ region (Fragment).
GN          IGVH.
OS          Camelus dromedarius (Arabian camel).
OC          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC          Mammalia; Eutheria; Cetartiodactyla; Tylopoda; Camelidae; Camelus.
OX          NCBI_TaxID=9838;
RN          [1]
RP          SEQUENCE FROM N.A.
RC          TISSUE=Spleen;
RA          Honda T., Akahori Y., Kurosawa Y.;
RT          "Libraries of heavy-chain antibodies reflecting camel gamma2 and
RT          gamma3 in vivo repertoires.";
RL          Submitted (SEP-2002) to the EMBL/GenBank/DDBJ databases.
DR          EMBL; AB092044; BAD00406.1; -.
FT          NON_TER     1      1
FT          NON_TER   128    128
SQ          SEQUENCE   128 AA;   13856 MW;  7C23CF09C28BBB9A CRC64;

Query Match             70.2%;  Score 438;  DB 2;  Length 128;
Best Local Similarity   65.6%;  Pred. No. 3.6e-38;
Matches    82;  Conservative  17;  Mismatches  20;  Indels   6;  Gaps   1;

Qy           1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
                || |||||| | ||||||| |||||||||||||| || :||| ||| ::|||:|:|| ||
Db           1  EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYAMNWVRQAPGKGLEWVSAINSGGSTYY  60

Qy          61  SDSVXGRFTISRDNAKNTLYLQMRSLRSEDSAMYYPCTRVKLI-----GTTYFDSWGQGTT  114
                ||||:|||||||||||||||||: :|||||:: :| ||:|| ||||||
Db          61  ADSVKGRFTISRDNAKNTLFLQMNSLKTEDTAMYYCAKDRYGGRWLSGDYSMDYWGKGTL  120
```

```
Qy         115  LTVSS  119
                :|:||
Db         121  VTISS  125

RESULT 9
ID          BAD00534;                   PRELIMINARY;    PRT;    124 AA.
AC          BAD00534;
DT          02-MAR-2004 (TrEMBLrel. 27, Created)
DT          02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT          02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE          Immunoglobulin heavy chain VHDJ region (Fragment).
GN          IGVH.
OS          Camelus dromedarius (Arabian camel).
OC          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC          Mammalia; Eutheria; Cetartiodactyla; Tylopoda; Camelidae; Camelus.
OX          NCBI_TaxID=9838;
RN          [1]
RP          SEQUENCE FROM N.A.
RC          TISSUE=Spleen;
RA          Honda T., Akahori Y., Kurosawa Y.;
RT          "Libraries of heavy-chain antibodies reflecting camel gamma2 and
RT          gamma3 in vivo repertoires.";
RL          Submitted (SEP-2002) to the EMBL/GenBank/DDBJ databases.
DR          EMBL; AB092172; BAD00534.1; -.
FT          NON_TER     1      1
FT          NON_TER   124    124
SQ          SEQUENCE   124 AA;   13421 MW;  B3196777375A27E CRC64;
```

```
Qy    EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY   60
      :|||||||||||:::||||||||||||:||||||||||||||||||||||||||
Db    QVQLVESGGGLVQPGGSLRLSCAASGFTFSSYAMNWVRQAPGKGLEWVSTIKSAGGSTYY   60

Qy    SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDS--WGQGTTLTVS   118
      :||||||||||||||||:||||||:||:||||||||||:||||:::     :||||||||
Db    ADSVKGRFTISRDNAKNTLYLQLNSLKTEDTAMYYCANLEFGSWYSPRGYWGQGTQVTVS   120

Qy                              119  S  119
                                     |
Db                              121  S  121

Query Match       69.7%;  Score 435;  DB 2;  Length 124;
Best Local Similarity   66.9%;  Pred. No. 7.3e-38;
Matches    81;  Conservative  17;  Mismatches  21;  Indels  2;  Gaps  1;

RESULT 10
BAD00491
ID   BAD00491;                     PRELIMINARY;         PRT;    125 AA.
AC   BAD00491;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Immunoglobulin heavy chain VHDJ region (fragment).
GN   IGVH.
OS   Camelus dromedarius (Dromedary) (Arabian camel).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Tylopoda; Camelidae; Camelus.
OX   NCBI_TaxID=9838;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RA   Honda T., Akahori Y., Kurosawa Y.;
RT   "Libraries of heavy-chain antibodies reflecting camel gamma2 and
RT   gamma3 in vivo repertoires.";
RL   Submitted (SEP-2002) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB092129; BAD00491.1; -.
FT   NON_TER    1      1
FT   NON_TER  125    125
SQ   SEQUENCE  125 AA;  13593 MW;  F163789282D288E48C CRC64;
```

```
Query Match       69.5%;  Score 433.5;  DB 2;  Length 125;
Best Local Similarity   67.2%;  Pred. No. 1.1e-37;
Matches    82;  Conservative  18;  Mismatches  19;  Indels  3;  Gaps  1;

Qy    EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY   60
      :|||||||||||:::|||:|||||||||:||||||||||:|||||||:::||||:||
Db    EVQLVESGGGLVQPGGSLRLSCAAGGFTFSNYSMSWVRQAPGKGLEWVAAINSGGTSTYY   60

Qy    SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTV   117
      :|||:||||||||||||||||||:||:||||||||||||:         |||:||||||||
Db    TESVKGRFTISRDNAKNTLVVQFNSLKTEDTAMYCAKGHYNSDYDRTFANWGQGTHVTV   120
```

```
RESULT 11
AAL35877
ID   AAL35877;                     PRELIMINARY;         PRT;    117 AA.
AC   AAL35877;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Immunoglobulin heavy chain variable domain (fragment).
OS   Lama glama (llama).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Tylopoda; Camelidae; Lama.
OX   NCBI_TaxID=9844;
RN   [1]
```

```
RP   SEQUENCE FROM N.A.
RX   MEDLINE=22007448; PubMed=12009207;
RA   Tanha J., Dubuc G., Hirama T., Narang S.A., MacKenzie C.R.;
RT   "Selection by phage display of llama conventional V(H) fragments with
RT   heavy chain antibody V(H)H properties.";
RL   J. Immunol. Methods 263:97-109(2002).
DR   EMBL; AF442946; AAL35877.1; -.
FT   NON_TER    1      1
FT   NON_TER  117    117
SQ   SEQUENCE  117 AA;  12459 MW;  08F5E4BA402F98D1 CRC64;

Qy    EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY   60
      :|||||||||||:::|||:||||||||||:||||||||||:||||||||||||::||||
Db    EVQLQASGGGLVQPGGSLRLSCAASGFTFSGYAMSWVRQAPGKGLEWVSSINSGGSTYY   60

Qy    SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDS--WGQGTTLTVSS   119
      :||||||||||||||||:||||||:||:||||||||||:||||:::     :|||||||||
Db    ADSVKGRFTISRDNAKNTLFLQMNSLKPEDTALYYCARTQTGSH--DYWGQGTQVTVSS   117

Query Match       69.4%;  Score 433;  DB 2;  Length 117;
Best Local Similarity   68.9%;  Pred. No. 1.1e-37;
Matches    82;  Conservative  15;  Mismatches  20;  Indels  2;  Gaps  1;

RESULT 12
Q6GMY2
ID   Q6GMY2;                       PRELIMINARY;         PRT;    606 AA.
AC   Q6GMY2;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RA   Strausberg R.;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC073758; AAH73758.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF07654; C1-set; 4.
DR   Pfam; PF00047; Ig; 4.
```

DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 4.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 5.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_3.
KW   Hypothetical protein.
SQ   SEQUENCE   606 AA;   66184 MW;   B6B38B51114E4C55 CRC64;

Qy   Query Match   69.2%; Score 431.5; DB 2; Length 606;
     Best Local Similarity 64.2%; Pred. No. 1e-36;
     Matches   86; Conservative   13; Mismatches   20; Indels   15; Gaps   2;

Qy   1 EVTLVESGGDFVKRPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGGSGTYY 60
          ||||||||||| ||| ||||||||||||||:||:||||:||||||:||||||||||||||
Db   20 QVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMSWIRQAPGKGLEWVSYISSSSSYINY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR---------------VKLGTYYF--- 106
          :|||||||||||:||||||||||||||:||||||||| |:|:||||
Db   80 ADSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARGGNGIAAAGRVVYAEDYYYYYG 139

Qy   107 -DSWGQGTTLTVSS 119
           :|||||||||||
Db   140 MDVWGQGTTVTVSS 153

RESULT 13
ID   HV55_MOUSE   STANDARD;   PRT;   117 AA.
AC   P18526;
DT   01-NOV-1990 (Rel. 16, Created)
DT   01-NOV-1990 (Rel. 16, Last sequence update)
DT   15-JUL-1999 (Rel. 38, Last annotation update)
DE   Ig heavy chain V region 345 precursor.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BALB/cJ;
RX   MEDLINE=89279149; PubMed=2499654;
RA   Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT   "Early onset of somatic mutation in immunoglobulin VH genes during the
RT   primary immune response.";
RL   J. Exp. Med. 169:2007-2019(1989).
CC   -!- MISCELLANEOUS: This sequence belongs to the VH7183 subfamily.
DR   PIR; JT0502; HVMS34.
DR   HSSP; P01783; 1IGC.
DR   InterPro; IPR007110; Ig-like.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin V region; Signal.
FT   SIGNAL   1   19
FT   CHAIN   20   117   Ig heavy chain V region 345.
FT   DOMAIN   20   49   Framework-1.
FT   DOMAIN   50   54   Complementarity-determining-1.
FT   DOMAIN   55   68   Framework-2.
FT   DOMAIN   69   85   Complementarity-determining-2.
FT   DOMAIN   86   117   Framework-3.
FT   DISULFID   41   115   By similarity.
FT   NON_TER   117   117
SQ   SEQUENCE   117 AA;   12902 MW;   49380E4627ACA99A CRC64;

Qy   Query Match   69.1%; Score 431; DB 1; Length 117;
     Best Local Similarity 83.7%; Pred. No. 1.8e-37;
     Matches   82; Conservative   5; Mismatches   11; Indels   0; Gaps   0;

Qy   1 EVTLVESGGDFVKRPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGGSGTYY 60
          |||||||| ||||||||||||||||||||||:|||||||||||||||||||||||||||
Db   20 EVQLVESGGGLVKPGGSLKLSCAASGFAFSSYDMSWVRQTPEKRLEWVAYISSGGGSTY 79

RESULT 14
ID   Q9UL71   PRELIMINARY;   PRT;   121 AA.
AC   Q9UL71;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Myosin-reactive immunoglobulin heavy chain variable region
DE   (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=98277139; PubMed=9614934;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
DR   EMBL; AF035043; AAD56279.1; -.
DR   HSSP; P01852; 1NFD.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   NON_TER   1   1
FT   NON_TER   121   121
SQ   SEQUENCE   121 AA;   13154 MW;   2F045CCFA5D50736 CRC64;

Qy   Query Match   68.9%; Score 430; DB 2; Length 121;
     Best Local Similarity 67.8%; Pred. No. 2.4e-37;
     Matches   82; Conservative   14; Mismatches   23; Indels   2; Gaps   1;

Qy   1 EVTLVESGGDFVKRPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGGSGTYY 60
          |||||||| ||| ||||||||||||||:||||||||||||:||||||||||||||||||
Db   1 EVQLVESGGGVQPGGSLRLFCAASGFTFPDGYAMHWVRQAPGKGLEWVSLISGGDGSTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTVS 118
          :||||||||||||||||||||||||:|||:||||||||:|:|:|| |:|||||||||||
Db   61 ADSVKGRFTISRDNSKNSLYLQMNSLRAEDTALYYCAKGKVTTIYDRFDIWGQGTMVTVS 120

Qy   119 S 119
          |
Db   121 S 121

RESULT 15
ID   Q91XE1   PRELIMINARY;   PRT;   480 AA.
AC   Q91XE1;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Igh-VJ558 protein (Fragment).
GN   Name=Igh-VJ558;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,

```
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
HSSP; P01789; 1MCP.
EMBL; BC010798; AAH10798.1; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
Pfam; PF07654; C1-set; 2.
Pfam; PF00047; ig; 1.
SMART; SM00406; IGv; 1.
PROSITE; PS50835; IG_LIKE; 4.
PROSITE; PS00290; IG_MHC; UNKNOWN_2.
NON_TER       1
SO   SEQUENCE   480 AA;  51936 MW;  20B9234EEF2B41ED CRC64;
```

```
Query Match             68.8%;   Score 429;  DB 2;   Length 480;
Best Local Similarity   70.8%;   Pred. No. 1.5e-36;
Matches   85;  Conservative  13;  Mismatches  18;  Indels  4;  Gaps  2;

Qy          1 EVTLVESGGDFVKPGGSLKVSCAASGPAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY  60
              :||| |||||||  ||||  :|||||||:|| |||||||||||| |||||||||    |:|
Db         19 DVKLVESGGGLVKPGGSLRLSCAASGFIFSNSYMSWVRQTPEKRLEWVATISNSGVATHY  78

Qy         61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY-YFDSWGCGTTLTVSS 119
              |||| ||||||||| |:| |||:||||||||| ||||:|  |||  ||||||||||||||
Db         79 PDSMKGRFTISRDNAQNTVLLQMTSLNSEDTAVYYCTR---GDYWFDVWGAGTTVTVSS  135
```

```
Search completed: December 23, 2004, 19:04:39
Job time : 34.1041 secs
```

This Page Blank (uspto)

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 18:30:04 ; Search time 28.8913 Seconds
(without alignments)
1340.986 Million cell updates/sec

Title: US-10-089-500-56
Perfect score: 572
Sequence: 1 DIQMTQASSLPASLGDRVT.........HQYSKLPWTFGGGTKLEIKR 108

Scoring table: BLOSUM62
Gap op 10.0 , Gap ext 0.5
Searched: 2002273 seqs, 358729299 residues

Total number of hits satisfying chosen parameters: 2002273

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :   A_Geneseq_23Sep04:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB ID	Description
1	572	100.0	108	4	AAB81990	Gangliosi
2	572	100.0	108	4	AAB81013	Modified
3	572	100.0	128	3	ABU11013	Modified
4	572	100.0	128	4	AAB01628	Murine im
5	572	100.0	128	4	AAB81978	Gangliosi
6	564	98.6	128	2	ABU11003	Modified
7	562	98.5	128	2	AAY28368	pXM641 LA
8	557	97.4	128	2	AAR33257	Rat immun
9	521	91.1	108	2	AAR53340	KM641 H c
10	520	90.9	127	2	AAW00834	Variable
11	516	90.2	127	2	AAR12359	Light (ka
12	516	90.2	108	2	AAW04177	Variant v
13	516	90.2	108	2	AAW16620	Anti-huma
14	516	90.2	128	4	AAB81998	Gangliosi
15	516	90.2	650	6	ABR62591	Anti-CD7
16	515	90.0	651	6	ABR62590	Anti-CD7
17	514	89.9	126	2	AAR12237	Mouse MAb
18	514	89.9	128	4	AAB81988	Gangliosi
19	511	89.3	128	4	AAB81999	Gangliosi
20	511	89.3	128	4	AAB81992	Gangliosi
21	510	89.2	108	4	AAW70620	Anti-VEGF
22	510	89.2	108	5	ABP61189	Murine an
23	508	88.8	108	6	ABU11011	Modified
24	507	88.6	128	4	AAB81994	Gangliosi
25	507	88.6	214	8	ADN41870	Amino aci
26	506	88.5	128	4	AAB81995	Gangliosi
27	502	87.8	131	2	AAR84553	MAb SCH94
28	501	87.6	128	2	AAB81997	Gangliosi
29	500	87.4	131	2	ADI26634	Human ant
30	499	87.2	128	4	AAB81996	Gangliosi
31	498	87.1	112	2	AAE00697	Human imm
32	497	86.9	109	4	AAB62050	Mouse mon
33	497	86.9	109	4	ABP72768	Anti-full
34	497	86.9	128	2	AAB81993	Gangliosi
35	495	86.5	119	8	ADM78045	Human SKB
36	494	86.4	108	4	AAB81986	Gangliosi
37	491	85.8	107	6	ABJ18571	Gangliosi
38	491	85.7	107	2	AAW66098	Murine an
39	491	85.7	107	2	ABJ18574	Gangliosi
40	490	85.7	107	7	AAO27199	Murine an
41	490	85.7	109	8	ADC84579	CDR3 heav
42	490	85.7	107	8	ADH50840	Mouse ant
43	490	85.7	109	2	ADG25821	Anti-CD30
44	488	85.3	107	6	AAW49812	Amino aci
45	488	85.3	107	6	ABR55867	Anti-glyc
	488	85.3	107	8	ADN49724	Variable

ALIGNMENTS

RESULT 1
AAB81990

ID   AAB81990 standard; protein; 108 AA.
XX
AC   AAB81990;
XX
DT   03-JUL-2001 (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 56.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
XX
OS   Mus musculus.
XX
XX
XX
PN   WO200123432-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000; 2000WO-JP006774.
XX
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR   WPI; 2001-266143/27.
XX
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Claim 11; Page 174-175; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
XX
SQ   Sequence 108 AA;

Query Match   100.0%;   Score 572;   DB 4;   Length 108;
Best Local Similarity   100.0%;
Matches   108;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;
    Pred. No. 3.3e-39;

```
Qy      1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60

Qy     61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
```

RESULT 2

```
ID   ABU11013 standard; protein; 108 AA.
XX
AC   ABU11013;
XX
DT   04-FEB-2003  (first entry)
XX
DE   Modified ganglioside GD3 antibody associated protein #6.
XX
KW   Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS   Mus musculus.
XX
PN   WO200278739-A1.
XX
PD   10-OCT-2002.
XX
PF   29-MAR-2002; 2002WO-JP003170.
XX
PR   29-MAR-2001; 2001JP-0097483.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Niwa R, Kanazawa J, Asada M;
XX
DR   WPI; 2003-067410/06.
XX
PT   Drugs containing genetically-modified antibody against ganglioside GD3,
PT   its fragment, immunocompetent cell activators or/and antitumor agents in
PT   combination, applicable in treating malignant tumor like melanoma.
XX
PS   Claim 7; Page 113; 121pp; Japanese.
XX
CC   The invention describes drugs contain a genetically-modified antibody
CC   against ganglioside GD3 or its fragment and at least 1 of a substance
CC   capable of activating immunocompetent cells and a substance having an
CC   antitumor activity in combination. The drugs can be used to treat tumour
CC   like melanoma and can provide a treatment with enhanced therapeutic
CC   effect and little side-reactions, particularly to relieve problems of
CC   side-effects during the conventional single administration. This sequence
CC   represents a protein associated with the anti-ganglioside GD3 antibody
XX
SQ   Sequence 108 AA;
```

```
Query Match           100.0%;  Score 572; DB 6;  Length 108;
Best Local Similarity 100.0%;
Matches  108;  Conservative   0;  Mismatches   0;  Indels    0;  Gaps    0;

Qy      1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60

Qy     61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
```

RESULT 3

```
ID   AAB01628 standard; protein; 128 AA.
XX
AC   AAB01628;
XX
DT   07-DEC-2000  (first entry)
XX
DE   Murine immunoglobulin light chain variable region.
XX
KW   Mouse; immunoglobulin; L chain; light chain; variable region; cancer;
KW   humanised antibody.
XX
OS   Mus sp.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1..20
FT                   /label= signal_peptide
FT   Protein         21..128
FT                   /label= mature_immunoglobulin_light_chain_V_region
XX
PN   EP1013761-A2.
XX
PD   28-JUN-2000.
XX
PF   18-SEP-1992;  99EP-00124345.
XX
PR   18-SEP-1991;  91JP-00238375.
PR   18-SEP-1992;  92EP-00116026.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Shitara K, Hanai N, Hasegawa M, Miyaji H, Kuwana Y;
XX
DR   WPI; 2000-402204/35.
DR   N-PSDB; AAA51004.
XX
PT   New humanized chimera antibody KM-871 useful for treating cancer,
PT   comprises variable region of mouse monoclonal antibody, reactive with
PT   ganglioside and human antibody constant region.
XX
PS   Claim 14; Page 28-29; 65pp; English.
XX
CC   The present sequence is a murine immunoglobulin light chain variable
CC   region from plasmid KM-641. The coding sequence was used in the creation
CC   of an expression vector, along with the sequence for a human antibody, to
CC   produce humanised chimeric antibodies, which can be used to treat
CC   cancer. Humanised chimeric antibodies are more effective than mouse
CC   antibodies as they do not provoke a reaction in the human and side
CC   effects, such as the formation of anti-mouse immunoglobulin antibody and
CC   the rapid half-life of the immunoglobulins, do not occur
XX
SQ   Sequence 128 AA;
```

```
Query Match           100.0%;  Score 572; DB 3;  Length 128;
Best Local Similarity 100.0%;
Matches  108;  Conservative   0;  Mismatches   0;  Indels    0;  Gaps    0;

Qy      1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  80

Qy     61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
           ||||||||||||||||||||||||||||||||||||||||||||||||
Db     81  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  128
```

RESULT 4

```
ID   AAB81978 standard; protein; 128 AA.
XX
AC   AAB81978;
XX
DT   03-JUL-2001  (first entry)
XX
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 2.
XX
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
```

KW cancer.
XX
OS Mus musculus.
XX
PD
XX
PN WO20012432-A1.
XX
PD 05-APR-2001.
XX
PS
XX
PF 29-SEP-2000; 2000WO-JP006774.
XX
PR 30-SEP-1999; 99JP-00278291.
PR 06-APR-2000; 2000JP-0010508.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR WPI; 2001-266143/27.
XX
SQ Sequence 128 AA;

PT New human type complementation-determining region-transplanted antibody
PT and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT of e.g. tumors, with low antigenicity, little side effects but potent
PT activity in cancer.
XX
PS Example 1; Page 140; 183pp; Japanese.
XX
CC The present invention describes a monoclonal antibody which can react
CC specifically with ganglioside GD3. The antibody and its derivatives are
CC useful in the diagnosis and therapy of tumours, particularly cancer
CC diagnosis. The present sequence is a protein used in the exemplification
CC of the invention
XX

Qy   Query Match   100.0%; Score 572; DB 4; Length 128;
Best Local Similarity 100.0%; Pred. No. 3.9e-39;
Matches 108; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128

RESULT 5
ID ABU11003 standard; protein; 128 AA.
XX
AC ABU11003;
XX
DT 04-FEB-2003 (first entry)
XX
DE Modified ganglioside GD3 antibody associated protein #2.
XX
KW Ganglioside GD3; anti-ganglioside GD3 antibody; tumour; melanoma.
XX
OS Mus musculus.
XX
PN WO20027879-A1.
XX
PD 10-OCT-2002.
XX
PF 29-MAR-2002; 2002WO-JP003170.
PR 29-MAR-2001; 2001JP-0097483.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Shitara K, Niwa R, Kanazawa J, Asada M;
XX

DR WPI; 2003-067410/06.
XX
PT Drugs containing genetically-modified antibody against ganglioside GD3,
PT its fragment, immunocompetent cell activators or/and antitumor agents in
PT combination, applicable in treating malignant tumor like melanoma.
XX
PS Example 3; Page 98; 121pp; Japanese.
XX
CC The invention describes drugs contain a genetically-modified antibody
CC against ganglioside GD3 or its fragment and at least 1 of a substance
CC capable of activating immunocompetent cells having an
CC antitumor activity in combination. The drugs can be used to treat tumour
CC like melanoma and can provide a treatment with enhanced therapeutic
CC effect and little side-reactions, particularly cancer
CC side-effect during the conventional single administration. This sequence
CC represents a protein associated with the anti- ganglioside GD3 antibody
XX
SQ Sequence 128 AA;

Qy   Query Match   100.0%; Score 572; DB 6; Length 128;
Best Local Similarity 100.0%; Pred. No. 3.9e-39;
Matches 108; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128

RESULT 6
ID AAY28368 standard; protein; 128 AA.
XX
AC AAY28368;
XX
DT 04-NOV-1999 (first entry)
XX
DE pKM641 LA2 immunoglobulin light chain.
XX
KW antibody; nucleotide; genomic; hypervariable region; chimeric;
KW light chain; amino acid.
XX
OS Mus sp.
XX
PN US5939532-A.
XX
PD 17-AUG-1999.
XX
PF 07-JUN-1995; 95US-00483528.
PR 07-SEP-1993; 93US-00116778.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Nakamura K, Hanai N, Kuwana Y, Hasegawa M, Koike M, Shitara K;
XX
DR WPI; 1999-468416/39.
DR N-PSDB; AAX99481.
XX
PT Chimeric human antibody expression vectors.
XX
PS Example 1; Col 99; 188pp; English.
XX
CC This immunoglobulin region was isolated from pKM641LA2.A methionine
CC codon, presumably the initiation codon ATG, was found in the vicinity of
CC the 5' terminus and the sequence has a full length leader sequence. The
CC chimeric human antibodies are useful in the treatment of cancer,
CC especially that which is of neural ectodermal origin. In contrast to
CC prior art constructs based on mouse monoclonal antibodies, the chimeric
CC human antibodies do not cause anti-mouse immunoglobulin production. The

CC chimeric human antibodies have a prolonged half-life and a reduced
CC frequency of adverse effects when compared to mouse monoclonal antibodies
XX
SQ Sequence 128 AA;

Query Match   98.6%; Score 564; DB 2; Length 128;
Best Local Similarity 99.1%; Pred. No. 1.7e-38;
Matches 107; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```
Qy  1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
       ||||||||||||||||||||||||||||||||||||||||||||||||
Db 81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTSGGGTKLEIKR 128
```

RESULT 7
AAR33257
ID AAR33257 standard; protein; 128 AA.
XX
AC AAR33257;
XX
DT 25-MAR-2003 (revised)
DT 12-JUL-1993 (first entry)
XX
DE Rat immunoglobulin L chain variable region of pKM641LA2.
XX
KW Promoter; variable; region; rat; immunoglobulin; heavy; H; chain;
KW humanised; chimeric; antibody; expression vector.
XX
OS Rattus rattus.
XX
FH Key   Location/Qualifiers
FH
FT Peptide   1..20
FT   /note= "signal peptide"
FT Protein   21..128
FT   /note= "Mature protein"
XX
PN EP533199-A2.
XX
PD 24-MAR-1993.
XX
PF 18-SEP-1992; 92EP-00116026.
PR 18-SEP-1991; 91JP-00238375.
XX
PA (KYOW) KYOWA HAKKO KOGYO CO LTD.
XX
PI Shitara K, Hanai N, Hasegawa M, Miyaji H, Kuwana Y;
XX
DR WPI; 1993-095510/12.
DR N-PSDB; AAQ33258.
XX
PT Humanised chimeric antibody prodn. against ganglioside GD3 - for treating
PT cancers, such as melanoma, neuroblastoma, etc.
XX
PS Claim 6; Page 30-31; 63pp; English.
XX
CC The sequences given in AAR33256-57 represent rat heavy and light chain
CC variable regions respectively. The DNA sequences encoding these proteins
CC were used in the construction of humanised chimeric antibody expression
CC vectors. In these humanised antibodies none of the amino acids of the non
CC -human animal Ab variable region have been changed. (Updated on 25-MAR-
CC 2003 to correct PN field.)
XX
SQ Sequence 128 AA;

Query Match   98.3%; Score 562; DB 2; Length 128;
Best Local Similarity 99.1%; Pred. No. 2.5e-38;
Matches 107; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```
Qy  1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 DIQMTQTASSLLASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
       ||||||||||||||||||||||||||||||||||||||||||||||||
Db 81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTSGGGTKLEIKR 128
```

RESULT 8
AAR53340
ID AAR53340 standard; protein; 128 AA.
XX
AC AAR53340;
XX
DT 18-NOV-1994 (first entry)
XX
DE KM641 H chain variable region.
XX
KW Monoclonal antibody; Ab; ganglioside GM2; chimera; chimeric antibody;
KW expression vector; heavy; light; chain; hypervariable region; CDR;
KW constant region; hybridoma; Ig; immunoglobulin; promoter; enhancer.
XX
OS Mus musculus.
XX
FH Key   Location/Qualifiers
FH
FT Peptide   1..20
FT   /label= sig_peptide
XX
PN AU9346181-A.
XX
PD 17-MAR-1994.
XX
PF 07-SEP-1993; 93AU-00046181.
PR 07-SEP-1992; 92JP-00238452.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Nakamura K, Koike M, Shitara K, Hanai N, Kuwana Y, Hasegawa M;
XX
DR WPI; 1994-126857/16.
DR N-PSDB; AAQ45438.
XX
PT Humanised antibody specific for ganglioside GM2 - used for producing a
PT cytocidal effect on cancers such as melanoma, neuroblastoma and glioma.
XX
PS Example 2; Page 115-116; 191pp; English.
XX
CC Example 2 describes the construction of the vector pChi641HA1 for
CC chimeric human antibody H chain expression. mRNA from mouse anti-GD3
CC monoclonal Ab KM641-producing cells was isolated and KM641 H and L chain
CC cDNAs isolated. The base sequences of the Ig variable regions in KM641 H
CC chain cDNA (pKM641HA3) and KM641 L chain cDNA (pKM641LA2) are given in
CC AAQ45438-39. A KM641-derived chimeric human Ab H chain expression vector
CC was constructed by joining the H chain variable region gene from
CC pKM641HA3 to a vector for chimeric human Ab H chain expression using the
CC synthetic DNAs given in AAQ63439 and AAQ63440
XX
SQ Sequence 128 AA;

Query Match   97.4%; Score 557; DB 2; Length 128;
Best Local Similarity 98.1%; Pred. No. 6.5e-38;
Matches 106; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

```
Qy  1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
       ||||||||||||||||||||||||||||||||||||||||||||||||
Db 81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTSGGGTKLEIKR 128
```

RESULT 9
ID   AAW00834 standard; protein; 108 AA.
XX
AC   AAW00834;
XX
DT   20-MAY-1997 (first entry)
XX
DE   Variable light chain of anti-human Fas ligand antibody NOK-1.
XX
KW   Variable region; light chain; human; Fas ligand; monoclonal; antibody;
KW   NOK-1; hybridoma; inhibition; apoptosis; assay; diagnosis; disease;
KW   hepatitis; infectious mononucleosis; systemic lupus erythematosus.
XX
OS   Mus musculus.
XX
PN   WO9629350-A1.
XX
PD   26-SEP-1996.
XX
PF   21-MAR-1996;   96WO-JP000734.
XX
PR   20-MAR-1995;   95JP-00087420.
PR   27-OCT-1995;   95JP-00303492.
XX
PA   (SUME) SUMITOMO ELECTRIC IND CO.
XX
PI   Kayagaki N, Yagita H, Okumura K, Nakata M;
XX
DR   WPI; 1996-443140/44.
DR   N-PSDB; AAT39560.
XX
PT   Monoclonal antibody specifically recognising the Fas ligand - useful for
PT   the detection of Fas ligands either on cell surface or in solution.
XX
PS   Claim 41; Page 93-94; 133pp; Japanese.
XX
CC   The present sequence is the light chain variable region of the anti-human
CC   Fas ligand monoclonal antibody (MAb) NOK-1. NOK-1 is produced by the
CC   hybridoma NOK-1 (FERM BP-5044, which was prepared by immunising mice
CC   with transformed human Fas ligand expressing COS cells, and fusing spleen
CC   cells isolated from the mice with myeloma P3x63Ag8.653 (ATCC CRL-1580)
CC   cells. The MAb recognises the human Fas ligand on the cell surface or in
CC   solution, and can be used to inhibit the apoptosis inducing cell surface
CC   Fas ligand/Fas reaction. The MAb can also be used for a Fas ligand assay
CC   in biological samples (e.g. human blood), especially for disease
CC   diagnosis, e.g. hepatitis, infectious mononucleosis and systemic lupus
CC   erythematosus
XX
SQ   Sequence 108 AA;

Query Match   91.1%; Score 521; DB 2; Length 108;
Best Local Similarity   90.7%; Pred. No. 4.7e-35;
Matches 98; Conservative   3; Mismatches   7; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||| ||||||||||||||||||||||||| ||||||||||||||||
Db   61 RFSGSGSGTDYSLTISNLEPEDIATYFCQQYSEFPWTFGGGTKLEIKR 108

RESULT 10
ID   AAR12359 standard; protein; 127 AA.
XX
AC   AAR12359;
XX
DT   25-MAR-2003 (revised)
DT   15-AUG-1991 (first entry)
XX
DE   Light (kappa) chain variable region of murine 1C11 immunoglobulin.
XX
KW   Chimeric antibodies; immunoconjugates; HIV; AIDS.
XX
OS   Mus musculus.
XX
PN   WO9107493-A.
XX
PD   30-MAY-1991.
XX
PF   13-NOV-1989;   89US-00433730.
XX
PR   13-NOV-1989;   89US-00433730.
XX
PA   (XOMA) XOMA CORP.
PA   (GREC) GREEN CROSS CORP.
XX
PI   Better MD, Horwitz AH, Ghoshdasti P, Robinson R;
XX
DR   WPI; 1991-178105/24.
DR   N-PSDB; AAQ12061.
XX
PT   New chimeric mouse-human antibodies - used to detect, kill and remove HIV
PT   -1 antigen from sample.
XX
PS   Disclosure; Fig 13; 107pp; English.
XX
CC   This is the light (kappa) - chain variable (V) region of a mouse
CC   monoclonal antibody (MAb), 1C11, and is specific for an HIV-1 viral
CC   antigen. It is used in the construction of a chimeric MAb comprising
CC   heavy and light chains having murine V regions and human C regions. The
CC   chimeric MAbs are more effective than murine MAb 1C11 since they have an
CC   increased compatibility in humans. The heavy and light chain V-regions
CC   are joined by manipulating their respective joining (J) regions, to
CC   generate restriction enzyme recognition sites. The chimeric MAbs can be
CC   used as immunoconjugates, in association with e.g. toxins for HIV
CC   treatment. They can also be used in diagnosis of HIV. See also AAQ12056-
CC   60 and AAQ12062-63. (Updated on 25-MAR-2003 to correct PA field.)
CC   (Updated on 25-MAR-2003 to correct PI field.) (Updated on 25-MAR-2003 to
CC   correct DR field.)
XX
SQ   Sequence 127 AA;

Query Match   90.9%; Score 520; DB 2; Length 127;
Best Local Similarity   91.6%; Pred. No. 6.6e-35;
Matches 98; Conservative   4; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 107
              |||| ||||||||||||||||||||||||| ||||||||||||||||
Db   81 RFSGSGSGTDYSLTISNLEPEDIATYFCQQYSEFPWTFGGGTKLEIKR 127

RESULT 11
ID   AAW04177 standard; protein; 108 AA.
XX
AC   AAW04177;
XX
DT   19-MAY-1997 (first entry)
XX
DE   Variant variable light chain of Fas ligand antibody NOK-1.
XX
KW   Variable region; light chain; human; Fas ligand; monoclonal; antibody;
KW   NOK-1; hybridoma; inhibition; apoptosis; assay; diagnosis; disease;
KW   hepatitis; infectious mononucleosis; systemic lupus erythematosus;
KW   variant.
XX
OS   Mus musculus.

XX
PN WO9629350-A1.
XX
PD 26-SEP-1996.
XX
PF 21-MAR-1996.
XX
PR 20-MAR-1995; 95JP-00087420.
PR 27-OCT-1995; 95JP-00303492.
XX
PA (SUME) SUMITOMO ELECTRIC IND CO.
XX
PI Kayagaki N, Yagita H, Okumura K, Nakata M;
XX
DR WPI; 1996-443140/44.
DR N-PSDB; AAT39550.
XX
PT Monoclonal antibody specifically recognising the Fas ligand - useful for
PT the detection of Fas ligands either on cell surface or in solution.
XX
PS Claim 20; Page 80-81; 133pp; Japanese.
XX
CC The present sequence is a variant light chain variable region of the anti
CC -human Fas ligand monoclonal antibody (MAb) NOK-1. NOK-1 is produced by
CC the hybridoma NOK-1 (FERM BP-5044), which was prepared by immunising mice
CC with transformed human Fas ligand expressing COS cells, and fusing spleen
CC cells isolated from the mice with myeloma P3x63Ag8.653 (ATCC CRL-1580)
CC cells. The MAb recognises the human Fas ligand on the cell surface or in
CC solution, and can be used to inhibit the apoptosis inducing cell surface
CC Fas ligand/Fas reaction. The MAb can also be used for a Fas ligand assay
CC in biological samples (e.g. human blood), especially for disease
CC diagnosis, e.g. hepatitis, infectious mononucleosis and systemic lupus
CC erythematosus
XX
SQ Sequence 108 AA;

Query Match   90.2%; Score 516; DB 2; Length 108;
Best Local Similarity 89.8%; Pred. No. 1.2e-34;
Matches 97; Conservative 4; Mismatches 7; Indels 0; Gaps 0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       |||||:| |||||:||||||||||||||||||||||||||||||:|:||||||||||||
Db   1 DIQMTQSPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
       ||||||||||||||||||||||||||||||||:|||||||||||||||
Db 61 RFSGSGSGTDYSLTISNLEPEDIATYFCQQYSEFPWTFGGGTKLEIKR 108

XX
PA (SUME) SUMITOMO ELECTRIC IND CO.
XX
PI Seino K, Kayagaki N, Yagita H, Okumura K, Nakata M;
XX
DR WPI; 1997-258767/23.
DR N-PSDB; AAT66710.
XX
PT Anti-human Fas ligand antibody to treat hepatitis - controls apoptosis in
PT liver cells and improves liver function.
XX
PS Claim 6; Page 30-31; 51pp; Japanese.
XX
CC The present sequence is the light chain variable region of the murine
CC anti-human Fas ligand (FasL) monoclonal antibody (MAb) NOK1, which is
CC expressed by the hybridoma NOK1 (FERM BP-5044). The MAb can be used in
CC the preparation of a composition for the effective oral or parenteral
CC treatment of hepatitis, including hepatitis caused by hepatitis B or C
CC virus. The composition controls apoptosis in liver cells caused by the
CC binding of FasL to Fas expressing liver cells, and improves liver
CC function by improving blood glutamate oxaloacetate and pyruvate
CC transaminase levels. The composition is given in a dosage of 0.0001-1000,
CC preferably 0.01-600 mg/day. Spleen cells from mice immunised with FasL
CC expressing COS cells were fused with mouse myeloma cells to produce
CC hybridomas. The hybridomas were screened for anti-FasL activity, and the
CC active clones NOK1-5 isolated
XX
SQ Sequence 108 AA;

Query Match   90.2%; Score 516; DB 2; Length 108;
Best Local Similarity 89.8%; Pred. No. 1.2e-34;
Matches 97; Conservative 4; Mismatches 7; Indels 0; Gaps 0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       |||||:| |||||:||||||||||||||||||||||||||||||:|:||||||||||||
Db   1 DIQMTQSPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
       ||||||||||||||||||||||||||||||||:|||||||||||||||
Db 61 RFSGSGSGTDYSLTISNLEPEDIATYFCQQYSEFPWTFGGGTKLEIKR 108

RESULT 12
AAW16620
ID AAW16620 standard; protein; 108 AA.
XX
AC AAW16620;
XX
DT 14-JAN-1998 (first entry)
XX
DE Anti-human FasL antibody (NOK1) light chain variable region.
XX
KW Light chain; variable region; mouse; murine; human; Fas ligand; FasL;
KW monoclonal antibody; MAb; hybridoma; treatment; hepatitis;
KW hepatitis B virus; HBV; hepatitis C virus; HCV; apoptosis; liver cell;
KW glutamate oxaloacetate; pyruvate transaminase.
XX
OS Mus sp.
XX
PN WO9715326-A1.
XX
PD 01-MAY-1997.
XX
PF 24-OCT-1996; 96WO-JP003089.
XX
PR 27-OCT-1995; 95JP-00303491.

RESULT 13
AAB81998
ID AAB81998 standard; protein; 128 AA.
XX
AC AAB81998;
XX
DT 03-JUL-2001 (first entry)
XX
DE Ganglioside GD3 specific antibody related protein #7.
XX
KW Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW cancer.
XX
OS Synthetic.
XX
PN WO20012343Z-A1.
XX
PD 05-APR-2001.
XX
PF 29-SEP-2000; 2000WO-JP006774.
XX
PR 30-SEP-1999; 99JP-00278291.
PR 06-APR-2000; 2000JP-00105088.
XX
PA (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI Hanai N, Shitara K, Nakamura K, Niwa R;
XX
DR WPI; 2001-266143/27.
DR N-PSDB; AAP86912.
XX

PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
XX
PS   Example 3; Page 164-165; 183pp; Japanese.
XX
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumours, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention.
XX
SQ   Sequence 128 AA;

Qy   Query Match   90.2%; Score 516; DB 4; Length 128;
     Best Local Similarity   88.9%;
Matches 96; Conservative   7; Mismatches 5; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              |||||| ||||||:|||||||||||||||||||||||||||||||:|||||||||||||||
Db   21 DIQMTQSASSLPASVGDRVTITCSASQDISNYLNWYQQKPGKAVKLLIFYSSNLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||:|||:||:|||| :|||||||||||||||||| ||||
Db   81 RFSGGGSGTDYTLTISSLQPEDFATYFCHQYSKLPWTFGGGTKVEIKR 128

RESULT 14
ABR62591
ID   ABR62591 standard; protein; 650 AA.
XX
AC   ABR62591;
XX
DT   06-NOV-2003 (first entry)
XX
DE   Anti-CD7 antibody TH-69 scFv-Pseudomonas exotoxin A fusion protein.
XX
KW   CD7; antibody; TH-69; scFv; exotoxin A; immunotoxin; cytostatic;
KW   immunosuppressive; vaccine.
XX
OS   Mus sp.
OS   Pseudomonas sp.
OS   Synthetic.
OS   Chimeric.
XX
FH   Key   Location/Qualifiers
FT   Region   7..265
FT   /label= scFv
FT   Region   125..285
FT   /label= Linker
FT   Region   286..646
FT   /label= ETA
XX
PN   WO2003051926-A2.
XX
PD   26-JUN-2003.
XX
PF   11-DEC-2002; 2002WO-EP014064.
XX
PR   14-DEC-2001; 2001US-0339422P.
XX
PA   (UYER-) UNIV ERLANGEN-NUERNBERG.
XX
PI   Fey GHM, Gramatzki M, Peipp M;
XX
DR   WPI; 2003-525519/49.
DR   N-PSDB; ACF05482.
XX
PT   New fusion protein comprising functionally linked components of an anti-
PT   CD7 antibody or its fragment and an immunotoxin, useful for treating CD7-
PT   positive acute T-cell and/or myeloid leukemias, or Graft-versus-host
PT   disease.

XX
PS   Claim 9; Page 8; 55pp; English.
XX
CC   The present sequence is that of a novel fusion protein comprising an scFv
CC   fragment of anti-CD7 monoclonal antibody TH-69 and domains II and III of
CC   Pseudomonas exotoxin A (ETA), joined via a peptide linker, and including
CC   an N-terminal 6xHis tag and C-terminal KDEL sequence. This novel fusion
CC   protein binds to CD7-positive T-lymphoid cells and kills them by the
CC   induction of apoptosis of the invention. It is an example of anti-CD7 scFv immunotoxin
CC   fusion proteins of the invention. An expression vector, host cells, a
CC   method for producing the fusion protein, and a vaccine comprising the
CC   fusion protein are claimed. The fusion protein is used in the treatment
CC   of disorders involved a hyperproliferation of CD7-positive cells,
CC   especially acute T-cell and/or myeloid leukaemia, and also in the
CC   treatment or prophylaxis of Graft-versus-host disease. A claimed method
CC   of conditioning an animal (e.g. a human) to be transplanted with donor
CC   cells, tissue or organ comprises: (a) depleting the CD7-bearing cell
CC   population in the animal; (b) providing a transplant comprising isolated
CC   bone marrow and/or stem cell-enriched peripheral blood cells of the
CC   donor, where the CD7-bearing cell population in (a) and/or the transplant
CC   in (b) are treated with a T-cell depleting effective amount of the fusion
CC   protein or therapeutic composition comprising the fusion protein; and (c)
CC   introducing the transplant into the animal
XX
SQ   Sequence 650 AA;
XX

Qy   Query Match   90.2%; Score 516; DB 6; Length 650;
     Best Local Similarity   90.7%;
Matches 98; Conservative   5; Mismatches 5; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||||:|||:|||||||||||||:||||||||||||||||||||||||:|||||||||
Db   17 DIQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIFYTSSLHSGVPS 76

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||||||||| :|:|||||||||| ||||||||
Db   77 RFSGGGSGTDYSLTISNLEPEDIATYYCCQYSKLPYTFGGGTKLEIKR 124

RESULT 15
ABR62590
ID   ABR62590 standard; protein; 651 AA.
XX
AC   ABR62590;
XX
DT   06-NOV-2003 (first entry)
XX
DE   Anti-CD7 antibody TH-69 scFv-Pseudomonas exotoxin A fusion protein.
XX
KW   CD7; antibody; TH-69; scFv; exotoxin A; immunotoxin; cytostatic;
KW   immunosuppressive; vaccine.
XX
OS   Mus sp.
OS   Pseudomonas sp.
OS   Synthetic.
OS   Chimeric.
XX
FH   Key   Location/Qualifiers
FT   Region   7..265
FT   /label= scFv
FT   Region   125..285
FT   /label= Linker
FT   Region   286..646
FT   /label= ETA
XX
PN   WO2003051926-A2.
XX
PD   26-JUN-2003.
XX
PF   11-DEC-2002; 2002WO-EP014064.
XX
PR   14-DEC-2001; 2001US-0339422P.

PA   (UYER-) UNIV ERLANGEN-NUERNBERG.
XX
PI   Fey GHM, Gramatzki M, Peipp M;
XX
DR   WPI; 2003-523519/49.
DR   N-PSDB; ACF05481.
XX
PT   New fusion protein comprising functionally linked components of an anti-
PT   CD7 antibody or its fragment and an immunotoxin, useful for treating CD7
PT   positive acute T-cell and/or myeloid leukemias, or Graft-versus-host
PT   disease.
XX
PS   Claim 9; Page 7; 55pp; English.
XX
CC   The present sequence is that of a novel fusion protein comprising an scFv
CC   fragment of anti-CD7 monoclonal antibody TH-69 and domains II and III of
CC   Pseudomonas exotoxin A (ETA), joined via a peptide linker, and including
CC   an N-terminal 6xHis tag and C-terminal REDLK sequence. This novel fusion
CC   protein binds to CD7-positive T-lymphoid cells and kills them by the
CC   induction of apoptosis. It is an example of anti-CD7 scFv immunotoxin
CC   fusion proteins of the invention. An expression vector, host cells, a
CC   fusion protein are claimed. The invention, and a vaccine comprising the
CC   method for producing the fusion protein, and a vaccine comprising the
CC   fusion protein are claimed. The fusion protein is used in the treatment
CC   of disorders involved a hyperproliferation of CD7-positive cells,
CC   especially acute T-cell and/or myeloid leukaemia, and also in the
CC   treatment or prophylaxis of Graft-versus-host disease. A claimed method
CC   of conditioning an animal (e.g. a human) to be transplanted with donor
CC   cells, tissue or organ comprises: (a) depleting the CD7-bearing cell
CC   population in the animal; (b) providing a transplant comprising isolated
CC   bone marrow and/or stem cell-enriched peripheral blood cells of the
CC   donor, where the CD7-bearing cell population in (a) and/or the transplant
CC   in (b) are treated with a T-cell depleting effective amount of the fusion
CC   protein or therapeutic composition comprising the fusion protein; and (c)
CC   introducing the transplant into the animal
XX
SQ   Sequence 651 AA;

Query Match   90.2%; Score 516; DB 6; Length 651;
Best Local Similarity   90.7%;
Matches   98; Conservative   5; Mismatches   5; Indels   0; Gaps   0;

Qy   1 DIQMTQIPASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
           |||||||||||||||||||||||||||||||||||:|:|||||||:|||:||||||||||
Db   17 DIQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYYTSSLHSGVPS 76

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
           |||| ||||||||||||||||||||||||:|| ||||||||||||||
Db   77 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSKLPYTFGGGTKLEIKR 124

XX
Search completed: December 23, 2004, 18:57:41
Job time : 30.8913 secs

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.
GenCore version 5.1.6

Run on: December 23, 2004, 18:46:39 ; Search time 7.13276 Seconds
(without alignments)
1004.148 Million cell updates/sec

Title: US-10-089-500-56
Perfect score: 572
Sequence: 1 DIQMTQTASSLPASLGDRVT..........HQYSKLPWTFGGGTKLEIKR 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 478139 seqs, 66318000 residues

Total number of hits satisfying chosen parameters: 478139

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :
Issued Patents AA:*
1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	572	100.0	128	4	US-09-225-322B-10	Sequence 10, Appl
2	572	100.0	128	4	US-09-225-322B-19	Sequence 19, Appl
3	572	100.0	128	4	US-09-764-304-10	Sequence 10, Appl
4	572	100.0	128	4	US-09-764-304-19	Sequence 19, Appl
5	516	90.2	108	3	US-09-065-059-3	Sequence 3, Appl
6	503	87.9	107	2	US-08-652-558-35	Sequence 35, Appl
7	502	87.8	131	5	US-08-236-520-2	Sequence 2, Appl
8	502	87.8	131	5	PCT-US95-05262-2	Sequence 2, Appl
9	498	87.1	112	3	US-08-487-761-13	Sequence 13, Appl
10	497	86.9	109	4	US-09-386-658A-4	Sequence 4, Appl
11	488	85.3	107	1	US-09-549-067A-18	Sequence 18, Appli
12	488	85.3	127	1	US-08-458-516-5	Sequence 5, Appli
13	488	85.3	127	1	US-08-458-516-9	Sequence 9, Appli
14	487	85.1	108	3	US-08-649-100-17	Sequence 17, Appli
15	487	85.1	274	4	US-09-199-149-7	Sequence 7, Appli
16	487	85.1	274	4	US-09-813-659-30	Sequence 30, Appli
17	487	85.1	302	1	US-09-549-067A-30	Sequence 30, Appl
18	487	85.1	302	1	US-08-121-054C-18	Sequence 18, Appl
19	487	85.1	302	1	US-08-121-054C-30	Sequence 30, Appl
20	487	85.1	302	3	US-08-539-436-18	Sequence 18, Appl
21	487	85.1	302	4	US-08-539-436-30	Sequence 30, Appl
22	487	85.1	302	4	US-09-813-659-18	Sequence 18, Appl
23	487	85.1	302	4	US-09-813-659-32	Sequence 32, Appl
24	487	85.1	302	4	US-09-549-067A-32	Sequence 32, Appl
25	484	84.6	109	4	US-07-942-245-10	Sequence 10, Appl
26	483	84.4	107	2	US-07-934-373C-16	Sequence 16, Appl
27	483	84.4	107	3	US-08-437-642B-16	Sequence 16, Appl
28	483	84.4	107	4	US-08-146-206C-16	Sequence 16, Appl
29	483	84.4	107	4	US-09-705-686-16	Sequence 16, Appl
30	483	84.4	107	4	US-09-705-392A-16	Sequence 16, Appl
31	483	84.4	107	5	PCT-US93-07832-16	Sequence 16, Appl
32	483	84.4	127	2	US-08-137-117D-37	Sequence 37, Appl
33	483	84.4	127	2	US-08-436-717-37	Sequence 37, Appl
34	474	82.9	127	1	US-08-137-117D-29	Sequence 29, Appl
35	469	82.0	127	1	US-08-436-717-29	Sequence 29, Appl
36	469	82.0	214	1	US-08-425-763-1	Sequence 1, Appl
37	469	82.0	214	2	US-07-934-373C-24	Sequence 24, Appl
38	469	82.0	214	3	US-08-811-757-1	Sequence 1, Appli
39	469	82.0	214	3	US-08-437-642B-24	Sequence 24, Appl
40	469	82.0	214	3	US-09-249-210-1	Sequence 1, Appl
41	469	82.0	214	4	US-08-146-206C-24	Sequence 24, Appl
42	469	82.0	214	4	US-09-705-686-24	Sequence 24, Appl
43	469	82.0	214	4	US-09-705-392A-24	Sequence 24, Appl
44	468	82.0	214	5	PCT-US93-07832-24	Sequence 24, Appl
45	468	81.8	273	2	US-08-403-853-18	Sequence 18, Appl

ALIGNMENTS

RESULT 1
US-09-225-322B-10
; Sequence 10, Application US/09225322B
; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-09-225-322B-10

Query Match 100.0%; Score 572; DB 4; Length 128;
Best Local Similarity 100.0%; Pred. No. 3.5e-51;
Matches 108; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
|||||||||||||||||||||||||||||||||||||||||||||||
Db 81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128

RESULT 2
US-09-225-322B-19
; Sequence 19, Application US/09225322B

; Patent No. 6437098
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/225,322B
; CURRENT FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:light chain
; OTHER INFORMATION: variable region
US-09-225-322B-19

Query Match   100.0%;   Score 572; DB 4;   Length 128;
Best Local Similarity   100.0%;   Pred. No. 3.5e-51;
Matches   108;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   80

Qy   61   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   128

RESULT 3
US-09-764-304-10
; Sequence 10, Application US/09764304
; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: cDNA KM-641
US-09-764-304-10

Query Match   100.0%;   Score 572; DB 4;   Length 128;
Best Local Similarity   100.0%;   Pred. No. 3.5e-51;
Matches   108;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   80

Qy   61   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   128

RESULT 4
US-09-764-304-19
; Sequence 19, Application US/09764304
; Patent No. 6495666
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: light chain
; OTHER INFORMATION: variable region
US-09-764-304-19

Query Match   100.0%;   Score 572; DB 4;   Length 128;
Best Local Similarity   100.0%;   Pred. No. 3.5e-51;
Matches   108;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   80

Qy   61   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db   81   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   128

RESULT 5
US-09-065-059-3

; Sequence 3, Application US/0905059
; Patent No. 6068941
; GENERAL INFORMATION:
; APPLICANT: SEINO, Ken-ichiro
; APPLICANT: KAYAGAKI, No. 606884iuhiko
; APPLICANT: YAGITA, Hideo
; APPLICANT: OKUMURA, Ko
; APPLICANT: NAKATA, Motomi
; TITLE OF INVENTION: THERAPEUTIC AGENT FOR HEPATITIS
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: McDermott, Will & Emery
; STREET: 99 Canal Center Plaza
; CITY: Alexandria
; STATE: Virginia
; COUNTRY: USA
; ZIP: 22314
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/065,059
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Bucca Ph.D., Daniel
; REGISTRATION NUMBER: P-42,368
; REFERENCE/DOCKET NUMBER: 50356-151
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-518-5100
; TELEFAX: 703-684-1124
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-065-059-3

Query Match   90.2%;   Score 516;   DB 3;   Length 108;
Best Local Similarity   89.8%;   Pred. No. 1.5e-45;
Matches   97;   Conservative   4;   Mismatches   7;   Indels   0;   Gaps   0;

Qy   1   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIPYSSNLHSGVPS   60
          |||||||:||||:||||||||||||||||||||||||:|||||||||||||||||||||||
Db   1   DIQMTQSPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYTSRLHSGVPS   60

Qy   61   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR   108
         |||||:|||||||||||||||||||||||:||||||||||||||||||
Db   61   RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSEFPWTFGGGTKLEIKR   108

RESULT 6
US-08-652-558-35
; Sequence 35, Application US/08652558
; Patent No. 5861155
; GENERAL INFORMATION:
; APPLICANT: LIN, AUGUSTINE YEE-THARN
; TITLE OF INVENTION: HUMANIZED ANTIBODIES AND USES
; TITLE OF INVENTION: THEROF
; NUMBER OF SEQUENCES: 52
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BANNER & WITCOFF
; STREET: 75 STATE STREET, 23RD FLOOR
; CITY: BOSTON
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch diskette, 1.4 Mb storage

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WordPerfect 6.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/652,558
; FILING DATE: JUNE 6, 1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/IB94/00387
; FILING DATE: NOVEMBER 21, 1994
; ATTORNEY/AGENT INFORMATION:
; NAME: YANKWICH, LEON R.
; REGISTRATION NUMBER: 30,237
; REFERENCE/DOCKET NUMBER: 95,497-L
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-345-9100
; TELEFAX: 617-345-9111
; INFORMATION FOR SEQ ID NO: 35:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-652-558-35

Query Match   87.9%;   Score 503;   DB 2;   Length 107;
Best Local Similarity   89.7%;   Pred. No. 3.2e-44;
Matches   96;   Conservative   5;   Mismatches   6;   Indels   0;   Gaps   0;

Qy   1   DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIPYSSNLHSGVPS   60
         |||||:||||:||||||||| ||||||||||||||||||:|:||:||||||||||||||
Db   1   DIQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYTSRLHSGVPS   60

Qy   61   RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK   107
        |||||:|||||||||||||||||||||:||||||:||||||||||||
Db   61   RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSKLPRTFGGGTKVEIK   107

RESULT 7
US-08-236-520-2
; Sequence 2, Application US/08236520
; Patent No. 5591629
; GENERAL INFORMATION:
; APPLICANT: Rodriguez, Moses
; APPLICANT: Miller, David J.
; TITLE OF INVENTION: MONOCLONAL ANTIBODIES WHICH PROMOTE
; TITLE OF INVENTION: CENTRAL NERVOUS SYSTEM REMYELINATION
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hamilton, Brook, Smithy & Reynolds, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/236,520
; FILING DATE: 29-APR-1994
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Granahan, Patricia
; REGISTRATION NUMBER: 27,227
; REFERENCE/DOCKET NUMBER: MMV92-01
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-861-6240
; TELEFAX: 617-861-9540
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 131 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-236-520-2

Qy   Query Match   87.8%;   Score 502;   DB 1;   Length 131;
Best Local Similarity   88.9%;   Pred. No. 5.2e-44;
Matches   96;   Conservative   3;   Mismatches   9;   Indels   0;   Gaps   0;

```
Qy     1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
          ||||||||||||||||||||||||||||||||||||||||||||| |||:||||||||||
Db    21  DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS  80

Qy    61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR             108
          |||||||||||||||||||||||||||:|||||||||||||||||||
Db    81  RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR            128
```

RESULT 8
PCT-US95-05262-2
; Sequence 2, Application PC/TUS9505262
; GENERAL INFORMATION:
; APPLICANT: Mayo Foundation for Medical Education Research
; TITLE OF INVENTION: MONOCLONAL ANTIBODIES WHICH PROMOTE
; TITLE OF INVENTION: CENTRAL NERVOUS SYSTEM REMYELINATION
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hamilton, Brook, Smith & Reynolds, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/05262
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: U.S. 08/236,520
; FILING DATE: April 29, 1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Granahan, Patricia
; REGISTRATION NUMBER: 27,227
; REFERENCE/DOCKET NUMBER: MMV92-01 PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-861-6240
; TELEFAX: 617-861-9540
; APPLICATION NUMBER: 2;
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 131 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US95-05262-2

Qy   Query Match   87.8%;   Score 502;   DB 5;   Length 131;
Best Local Similarity   88.9%;   Pred. No. 5.2e-44;
Matches   96;   Conservative   3;   Mismatches   9;   Indels   0;   Gaps   0;

```
Qy     1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
          ||||||||||||||||||||||||||||||||||||||||||||| |||:||||||||||
Db    21  DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS  80

Qy    61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR             108
          |||||||||||||||||||||||||||:|||||||||||||||||||
Db    81  RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR            128
```

RESULT 9
US-08-487-761-13
; Sequence 13, Application US/08487761
; Patent No. 6217866
; GENERAL INFORMATION:
; APPLICANT: Schlessinger, Joseph
; APPLICANT: Givol, David
; APPLICANT: Bellot, Francoise
; APPLICANT: Kris, Richard
; APPLICANT: Ricca, George A.
; APPLICANT: Cheadle, Christopher
; APPLICANT: South, Victoria J.
; TITLE OF INVENTION: Monoclonal Antibodies Specific to Human
; TITLE OF INVENTION: Epidermal Growth Factor Receptor and Therapeutic Methods
; TITLE OF INVENTION: Employing Same
; NUMBER OF SEQUENCES: 17
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Rhone-Poulenc Rorer Inc.
; STREET: 500 Arcola Road, 3C43
; CITY: Collegeville
; STATE: PA
; COUNTRY: USA
; ZIP: 19426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: Macintosh
; OPERATING SYSTEM: System 7.1
; SOFTWARE: Word 5.0 (Patent)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,761
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/086,411
; FILING DATE: 29-JUN-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Goodman, Rosanne
; REGISTRATION NUMBER: 32,534
; REFERENCE/DOCKET NUMBER: A0207C-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (215) 454-3817
; TELEFAX: (215) 454-3808
; INFORMATION FOR SEQ ID NO: 13:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 112 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-487-761-13

Qy   Query Match   87.1%;   Score 498;   DB 3;   Length 112;
Best Local Similarity   87.0%;   Pred. No. 1.1e-43;
Matches   94;   Conservative   6;   Mismatches   8;   Indels   0;   Gaps   0;

```
Qy     1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
          |||||||||||||||||||||||:||||||||||||||||||||||| |||:||||||||||
Db     1  EIHMTQTTSSLSASLGDRVTISCRASQDIRNYLNWYQQKPDGTVKLLIYYTSTLHSGVPS  60

Qy    61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR            108
          |||||||||||||||||||||||||||:||||||||||||||||||||
Db    61  RFSGGGSGTDYSLTISNLEPEDIATYYCQQYSKIPYTFGGGTKLEIKR           108
```

RESULT 10
US-09-386-658A-4
; Sequence 4, Application US/09386658A
; Patent No. 6593137
; GENERAL INFORMATION:
; APPLICANT: Erlanger, Bernard F.
; APPLICANT: Chen, Bi-Xing
; TITLE OF INVENTION: ANTIBODIES SPECIFIC FOR FULLERENES
; FILE REFERENCE: 0575/54182

```
; CURRENT APPLICATION NUMBER: US/09/386,658A
; CURRENT FILING DATE: 1999-08-31
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: Patentin version 3.1
;
; SEQ ID NO 4
;  LENGTH: 109
;  TYPE: PRT
;  ORGANISM: Mouse
US-09-386-658A-4

Query Match             86.9%;
Best Local Similarity   86.1%;
Matches  93; Conservative   8; Mismatches   7; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        ||||||| || ||||||||| |||||||:|||||||||||||| ||||::||  |  ||||
Db   1 DIQMTQTTSSLSASLGDRVTFSCSASQDINNYLNWYQQKPDGTIKLLIYYTSSLRSGVPS 60

Qy  61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
        ||||| |||||||||:|||||||||||| ||||||| |||||||| |
Db  61 RFSGGSGSGTDYSLTINNLEPEDIATYFCQQYSRLPFFGSGTKLEIKR 108
```

```
RESULT 11
US-08-458-516-9
; Sequence 9, Application US/0845816
; Patent No. 5777085
; GENERAL INFORMATION:
;   APPLICANT: Tso, J. Yun
;   APPLICANT: Co, Man Sung
;   TITLE OF INVENTION: Humanized Antibodies Reactive with
;   TITLE OF INVENTION: GPIIB/IIIA
;   NUMBER OF SEQUENCES: 23
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: William M. Smith
;   STREET: One Market Plaza, Steuart Tower, Suite 2000
;   CITY: San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94105
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: Patentin Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/458,516
;   FILING DATE:
;   CLASSIFICATION: 424
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 08/059,159
;   FILING DATE: 03-MAY-1993
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Smith, William M.
;   REGISTRATION NUMBER: 30,223
;   REFERENCE/DOCKET NUMBER: 11823-37-3
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 415-326-2400
;   TELEFAX: 415-326-2422
;   INFORMATION FOR SEQ ID NO: 9:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 107 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-458-516-9

Query Match             85.3%;  Score 488;  DB 1;  Length 107;
Best Local Similarity   86.9%;  Pred. No. 1.1e-42;
Matches  93; Conservative   4; Mismatches  10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        ||||||| || ||||||||| |||||||:|||||||||||||| ||||::|| | |||||
Db   1 DIQMTQTTSSLSASLGDRVTFSCSASQDINNYLNWYQQKPDGTIKLLIYYTSSLRSGVPS 60

Qy  61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
        ||||| |||||||||:||||||||||| |||||| ||||||||||
Db  61 RFSGGSGSGTDYSLTINNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 107
```

```
RESULT 12
US-08-458-516-5
; Sequence 5, Application US/0845816
; Patent No. 5777085
; GENERAL INFORMATION:
;   APPLICANT: Co, Man Sung
;   TITLE OF INVENTION: Humanized Antibodies Reactive with
;   TITLE OF INVENTION: GPIIB/IIIA
;   NUMBER OF SEQUENCES: 23
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: William M. Smith
;   STREET: One Market Plaza, Steuart Tower, Suite 2000
;   CITY: San Francisco
;   STATE: California
;   COUNTRY: USA
;   ZIP: 94105
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: Patentin Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/458,516
;   FILING DATE:
;   CLASSIFICATION: 424
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 08/059,159
;   FILING DATE: 03-MAY-1993
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Smith, William M.
;   REGISTRATION NUMBER: 30,223
;   REFERENCE/DOCKET NUMBER: 11823-37-3
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 415-326-2400
;   TELEFAX: 415-326-2422
;   INFORMATION FOR SEQ ID NO: 5:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 127 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-458-516-5

Query Match             85.3%;  Score 488;  DB 1;  Length 127;
Best Local Similarity   86.9%;  Pred. No. 1.3e-42;
Matches  93; Conservative   4; Mismatches  10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        ||||||| || ||||||||| |||||||:|||||||||||||| ||||::|| | |||||
Db  21 DIQMTQTTSSLSASLGDRVTFSCSASQDINNYLNWYQQKPDGTIKLLIYYTSSLRSGVPS 80

Qy  61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
        ||||| |||||||||:||||||||||| |||||| ||||||||||
Db  81 RFSGGSGSGTDYSLTINNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 127
```

```
RESULT 13
US-08-649-100-17
; Sequence 17, Application US/08649100
; Patent No. 6114507
; GENERAL INFORMATION:
;   APPLICANT: SHIRAKAWA, KAMON
;   APPLICANT: MATUSE, TOMOKAZU
;   APPLICANT: NAGATA, SHIGEKAZU
;   APPLICANT: CO, MAN SUNG
```

; APPLICANT: VASQUEZ, MAXIMILIANO
; TITLE OF INVENTION: ANTI-FAS LIGAND ANTIBODY AND ASSAY
; TITLE OF INVENTION: METHOD USING THE ANTI-FAS LIGAND ANTIBODY
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747
; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/649,100
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: MURPHY JR, GERALD M
; REGISTRATION NUMBER: 28,977
; REFERENCE/DOCKET NUMBER: 1110-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-0050
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 127 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-649-100-17

Query Match   85.3%; Score 488; DB 3; Length 127;
Best Local Similarity   87.9%; Pred. No. 1.3e-42;
Matches 94; Conservative   3; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||| ||| |||||||||||:||||||||||||||||||||||||:|:||| ||||||
Db 21 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSTLHSGVPS 80

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
       |||||||| ||||||||| ||||||||| | ||||||||||||||
Db 81 RFSGGGSGTNYSLTISNLEQEDIATYFCQQGSTLPWTFGGGTKLEIK 127

RESULT 14
US-09-199-149-7
; Sequence 7, Application US/09199149
; Patent No. 6160099
; GENERAL INFORMATION:
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Taylor, Alexander H.
; APPLICANT: Trulli Jr., Stephen H.
; APPLICANT: Johanson, Kyung O.
; TITLE OF INVENTION: Humanized Monoclonal Antibodies
; FILE REFERENCE: P50860
; CURRENT APPLICATION NUMBER: US/09/199,149
; CURRENT FILING DATE: 1998-11-24
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 108
; TYPE: PRT
; ORGANISM: murine cells
US-09-199-149-7

Query Match   85.1%; Score 487; DB 3; Length 108;
Best Local Similarity   85.2%; Pred. No. 1.4e-42;
Matches 92; Conservative   6; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||| ||| |||||||||||:||||||||||||||||||||||||:|:||| ||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSTLHSGVPS 60

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
       |||||||| ||||||||| ||||||||| | ||||||||||||||
Db 61 RFSGGGSGTNYSLTISNLEQEDIATYFCQQGSTLPWTFGGGTKLEIK 108

RESULT 15
US-09-813-659-30
; Sequence 30, Application US/09813659
; Patent No. 6482919
; GENERAL INFORMATION:
; APPLICANT: Ledbetter, Jeffrey A.
; APPLICANT: Hayden, Martha S.
; APPLICANT: Linsley, Peter S.
; APPLICANT: Bajorath, Jurgen
; APPLICANT: Fell, H. Perry
; APPLICANT: Gilliland, Lisa K.
; TITLE OF INVENTION: EXPRESSION VECTORS ENCODING BISPECIFIC FUSION PROTEINS
; TITLE OF INVENTION: AND METHODS OF PRODUCING BIOLOGICALLY ACTIVE BISPECIFIC
; TITLE OF INVENTION: FUSION PROTEINS IN A MAMMALIAN CELL
; FILE REFERENCE: 30436.18USD2
; CURRENT APPLICATION NUMBER: US/09/813,659
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 09/549,067
; PRIOR FILING DATE: 2000-04-13
; PRIOR APPLICATION NUMBER: 08/539,436
; PRIOR FILING DATE: 1995-10-05
; PRIOR APPLICATION NUMBER: 08/121,054
; PRIOR FILING DATE: 1993-09-13
; PRIOR APPLICATION NUMBER: 08/013,420
; PRIOR FILING DATE: 1993-02-01
; NUMBER OF SEQ ID NOS: 32
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 30
; LENGTH: 274
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-813-659-30

Query Match   85.1%; Score 487; DB 4; Length 274;
Best Local Similarity   85.2%; Pred. No. 4.3e-42;
Matches 92; Conservative   5; Mismatches 11; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
       ||||||| ||| |||||||||||:||||||||:|||||||||||||||:|:|| ||||||
Db 24 DIQMTQTTSSLSASLGDRVTISCRASQDIRNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 83

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
       ||||||||||||||| || ||||||||| | |||||||||||| |
Db 84 RFSGGGSGTDYSLTIANLQPEDIATYFCQQGNTLPWTFGGGTKLVTKR 131

Search completed: December 23, 2004, 19:08:02
Job time : 8.13276 secs

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 19:04:51

Title: US-10-089-500-56
Perfect score: 572
Sequence: 1 DIQMTQTASSLPASLGDRVT.........HQYSKLPWTFGGGTKLEIKR 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1595201 seqs, 359116952 residues

Total number of hits satisfying chosen parameters: 1595201

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

Published Applications AA:*
1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
3: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
4: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
5: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
6: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
7: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
8: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
9: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
10: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
11: /cgn2_6/ptodata/2/pubpaa/US09B_NEW_PUB.pep:*
12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
16: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep:*
17: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
18: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
19: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
20: /cgn2_6/ptodata/2/pubpaa/U60_PUBCOMB.pep:*

(without alignments)
1578.640 Million cell updates/sec
; Search time 24.5684 Seconds

SUMMARIES

Result NO.	Score	% Query Match	Length	DB ID	Description
1	572	100.0	128	9	US-09-764-304-10	Sequence 10, Appl
2	572	100.0	128	9	US-09-764-304-19	Sequence 19, Appl
3	572	100.0	128	14	US-10-265-713-10	Sequence 10, Appl
4	572	100.0	128	14	US-10-265-713-19	Sequence 19, Appl
5	572	100.0	128	14	US-10-166-626-10	Sequence 10, Appl
6	572	100.0	128	14	US-10-166-626-19	Sequence 19, Appl
7	510	89.2	108	9	US-09-056-160B-10	Sequence 10, Appl
8	510	89.2	108	14	US-10-234-671-10	Sequence 10, Appl
9	502	87.8	131	8	US-08-779-784-21	Sequence 21, Appl
10	502	87.8	131	14	US-10-010-729-64	Sequence 64, Appl
11	497	86.9	109	14	US-10-197-080-4	Sequence 4, Appl
12	494	86.4	107	14	US-10-741-657A-16	Sequence 16, Appl
13	491	85.8	107	17	US-10-473-977-69	Sequence 69, Appl
14	488	85.3	107	15	US-10-411-037-52	Sequence 52, Appl
15	488	85.3	107	15	US-10-411-026-52	Sequence 52, Appl
16	488	85.3	107	15	US-10-410-962-52	Sequence 52, Appl
17	488	85.3	107	15	US-10-410-049-52	Sequence 52, Appl
18	488	85.3	107	16	US-10-410-930-52	Sequence 52, Appl
19	488	85.3	107	16	US-10-410-997-52	Sequence 52, Appl
20	488	85.3	107	16	US-10-411-012-52	Sequence 52, Appl
21	488	85.3	107	16	US-10-287-994-52	Sequence 52, Appl
22	488	85.3	108	16	US-10-410-913-52	Sequence 52, Appl
23	488	85.3	13	13	US-11-140-555-4	Sequence 4, Appl
24	488	85.3	127	14	US-10-084-139-2	Sequence 2, Appl
25	488	85.3	601	9	US-09-480-236-1	Sequence 1, Appli
26	488	85.3	637	16	US-10-296-085A-16	Sequence 16, Appl
27	488	85.3	638	16	US-10-296-085A-21	Sequence 21, Appl
28	488	85.3	642	16	US-10-296-085A-38	Sequence 38, Appl
29	488	85.3	643	16	US-10-296-085A-69	Sequence 69, Appl
30	488	85.3	656	16	US-10-296-085A-39	Sequence 39, Appl
31	488	85.3	657	16	US-10-296-085A-68	Sequence 68, Appl
32	487	85.1	108	14	US-10-141-908-7	Sequence 7, Appli
33	487	85.1	108	9	US-09-813-659-30	Sequence 30, Appl
34	487	85.1	274	14	US-10-283-610A-30	Sequence 30, Appl
35	487	85.1	302	9	US-09-813-659-18	Sequence 18, Appl
36	487	85.1	302	9	US-09-813-659-32	Sequence 32, Appl
37	487	85.1	302	14	US-10-283-610A-18	Sequence 18, Appl
38	487	85.1	302	14	US-10-283-610A-32	Sequence 32, Appl
39	487	85.1	504	14	US-10-207-655-348	Sequence 348, App
40	487	84.8	555	15	US-11-107-991B-3	Sequence 3, Appl
41	487	84.8	555	14	US-11-310-674A-34	Sequence 34, Appl
42	484	84.6	107	14	US-10-389-679-10	Sequence 10, Appl
43	484	84.6	107	14	US-10-269-010-2	Sequence 2, Appl
44	484	84.6	107	14	US-11-268-883-6	Sequence 6, Appli
45	484	84.6	127	14	US-10-268-883-5	Sequence 5, Appl

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

ALIGNMENTS

RESULT 1
US-09-764-304-10

Sequence 10, Application US/09764304

Patent No. US20020026036A1

GENERAL INFORMATION:
APPLICANT: SHITARA, KENYA
APPLICANT: HANAI, NOBUO
APPLICANT: HASEGAWA, MAMORU
APPLICANT: MIYAJI, HIROMASA
APPLICANT: KUWANA, YOSHIHISA
TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
FILE REFERENCE: 249-101
CURRENT APPLICATION NUMBER: US/09/764,304
CURRENT FILING DATE: 2001-01-19
EARLIER APPLICATION NUMBER: 09/225,322
EARLIER FILING DATE: 1992-09-17
EARLIER APPLICATION NUMBER: JP 3-238375
EARLIER FILING DATE: 1991-09-18
NUMBER OF SEQ ID NOS: 19
SOFTWARE: Patentin Ver. 2.0

SEQ ID NO 10
LENGTH: 128
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: cDNA KM-641
US-09-764-304-10

```
Query Match             100.0%;   Score 572;   DB 9;   Length 128;
Best Local Similarity
Matches 108;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          |||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 2
US-09-764-304-19
; Sequence 19, Application US/09764304
; Patent No. US20020026036A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/09/764,304
; CURRENT FILING DATE: 2001-01-19
; EARLIER APPLICATION NUMBER: 09/225,322
; EARLIER FILING DATE: 1999-01-05
; EARLIER APPLICATION NUMBER: US 08/454,680
; EARLIER FILING DATE: 1995-05-31
; EARLIER APPLICATION NUMBER: US 08/408,133
; EARLIER FILING DATE: 1995-03-21
; EARLIER APPLICATION NUMBER: US 08/292,178
; EARLIER FILING DATE: 1994-08-17
; EARLIER APPLICATION NUMBER: US07/947,674
; EARLIER FILING DATE: 1992-09-17
; EARLIER APPLICATION NUMBER: JP 3-238375
; EARLIER FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: light chain
; OTHER INFORMATION: variable region
US-09-764-304-19

```
Query Match             100.0%;   Score 572;   DB 9;   Length 128;
Best Local Similarity
Matches 108;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          |||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 3
US-10-265-713-10
; Sequence 10, Application US/10265713
; Publication No. US20030095964A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/265,713
; CURRENT FILING DATE: 2002-10-08
; PRIOR APPLICATION NUMBER: US/09/225,322
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-10-265-713-10

```
Query Match             100.0%;   Score 572;   DB 9;   Length 128;
Best Local Similarity
Matches 108;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          |||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 4
US-10-265-713-19
; Sequence 19, Application US/10265713
; Publication No. US20030095964A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/265,713
; CURRENT FILING DATE: 2002-10-08
; PRIOR APPLICATION NUMBER: US/09/225,322
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:light chain

```
Query Match             100.0%;   Score 572;   DB 14;   Length 128;
Best Local Similarity
Matches 108;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          |||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

```
; OTHER INFORMATION: variable region
US-10-265-713-19

Query Match             100.0%;  Score 572;  DB 14;  Length 128;
Best Local Similarity   100.0%;  Pred. No. 3.5e-45;
Matches 108;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 5
US-10-166-626-10
; Sequence 10, Application US/10166626
; Publication No. US20030166876A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/166,626
; CURRENT FILING DATE: 2002-06-12
; PRIOR APPLICATION NUMBER: US/09/225,322B
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS:19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 10
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: cDNA KM-641
US-10-166-626-10

```
Query Match             100.0%;  Score 572;  DB 14;  Length 128;
Best Local Similarity   100.0%;  Pred. No. 3.5e-45;
Matches 108;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 6
US-10-166-626-19
; Sequence 19, Application US/10166626
; Publication No. US20030166876A1
; GENERAL INFORMATION:
; APPLICANT: SHITARA, KENYA
; APPLICANT: HANAI, NOBUO
; APPLICANT: HASEGAWA, MAMORU
; APPLICANT: MIYAJI, HIROMASA
; APPLICANT: KUWANA, YOSHIHISA
; TITLE OF INVENTION: PROCESS FOR PRODUCING HUMANIZED CHIMERA ANTIBODY
; FILE REFERENCE: 249-101
; CURRENT APPLICATION NUMBER: US/10/166,626
; CURRENT FILING DATE: 2002-06-12
; PRIOR APPLICATION NUMBER: US/09/225,322B
; PRIOR FILING DATE: 1999-01-05
; PRIOR APPLICATION NUMBER: US 08/454,680
; PRIOR FILING DATE: 1995-05-31
; PRIOR APPLICATION NUMBER: US 08/408,133
; PRIOR FILING DATE: 1995-03-21
; PRIOR APPLICATION NUMBER: US 08/292,178
; PRIOR FILING DATE: 1994-08-17
; PRIOR APPLICATION NUMBER: US07/947,674
; PRIOR FILING DATE: 1992-09-17
; PRIOR APPLICATION NUMBER: JP 3-238375
; PRIOR FILING DATE: 1991-09-18
; NUMBER OF SEQ ID NOS:19
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 19
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: variable region
US-10-166-626-19

```
Query Match             100.0%;  Score 572;  DB 14;  Length 128;
Best Local Similarity   100.0%;  Pred. No. 3.5e-45;
Matches 108;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

RESULT 7
US-09-056-160B-10
; Sequence 10, Application US/09056160B
; Patent No. US20020032315A1
; GENERAL INFORMATION:
; APPLICANT: Baca, Manuel
; APPLICANT: Wells, James A.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Lowman, Henry B.
; APPLICANT: Chen, Yvonne M.
; TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
; NUMBER OF SEQUENCES: 131
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/056,160B
; FILING DATE: 06-Apr-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/054,856
; FILING DATE: 06-AUG-1997

```
Query Match             100.0%;  Score 572;  DB 14;  Length 128;
Best Local Similarity   100.0%;  Pred. No. 3.5e-45;
Matches 108;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 80

Qy     61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db     81 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 128
```

```
;     ATTORNEY/AGENT INFORMATION:
;       NAME: Hasak, Janet E.
;       REGISTRATION NUMBER: 28,616
;       REFERENCE/DOCKET NUMBER: P1093R2
;     TELECOMMUNICATION INFORMATION:
;       TELEPHONE: 650/225-1896
;       TELEFAX: 650/952-9981
;   INFORMATION FOR SEQ ID NO: 10:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 108 amino acids
;       TYPE: Amino Acid
;       TOPOLOGY: Linear
US-09-056-160B-10

Query Match      89.2%;  Score 510;  DB 9;  Length 108;
Best Local Similarity   88.0%;  Pred. No. 1.6e-39;
Matches   95;  Conservative   7;  Mismatches  6;  Indels   0;  Gaps   0;

Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||| ||| |||||||:||||||||||||||||||||||| ||:::|||:||||||
Db          1 DIQMTQTTSSLSASLGDRVIISCSASQDISNYLNWYQQKPDGTVKVLIYFTSSLHSGVPS 60

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||||||||||||||||||||||| :|::|||||||||||||||||
Db         61 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSTVPWTFGGGTKLEIKR 108


RESULT 8
US-10-234-671-10
;     Sequence 10, Application US/10234671
;     Publication No. US20030190317A1
;   GENERAL INFORMATION:
;     APPLICANT: Baca, Manuel
;       Wells, James A.
;       Presta, Leonard G.
;       Lowman, Henry B.
;       Chen, Yvonne M.
;   TITLE OF INVENTION: ANTI-VEGF ANTIBODIES
;   NUMBER OF SEQUENCES: 131
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/10/234,671
;     FILING DATE: 03-Sep-2002
;     CLASSIFICATION: <Unknown>
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 09/056160
;     FILING DATE: 06-APR-1998
;     APPLICATION NUMBER: 60/126446
;     FILING DATE: 07-APR-1997
;     APPLICATION NUMBER: 60/054856
;     FILING DATE: 06-AUG-1997
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Cui, Steven X.
;     REGISTRATION NUMBER: 44,637
;     REFERENCE/DOCKET NUMBER: P1093R2C1
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-8674
;     TELEFAX: 650/952-9981
; INFORMATION FOR SEQ ID NO: 10:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 108 amino acids
;     TYPE: Amino Acid
;     TOPOLOGY: Linear
;     SEQUENCE DESCRIPTION: SEQ ID NO: 10:
US-10-234-671-10

Query Match      89.2%;  Score 510;  DB 14;  Length 108;
Best Local Similarity   88.0%;  Pred. No. 1.6e-39;
Matches   95;  Conservative   7;  Mismatches  6;  Indels   0;  Gaps   0;

Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||| ||| |||||||:||||||||||||||||||||||| ||:::|||:||||||
Db          1 DIQMTQTTSSLSASLGDRVIISCSASQDISNYLNWYQQKPDGTVKVLIYFTSSLHSGVPS 60

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||||||||||||||||||||||| :|::|||||||||||||||||
Db         61 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSTVPWTFGGGTKLEIKR 108


RESULT 9
US-08-779-784-21
;     Sequence 21, Application US/08779784
;     Publication No. US20020164325A1
;   GENERAL INFORMATION:
;     APPLICANT: Rodriguez, Moses
;     APPLICANT: Miller, David J.
;     APPLICANT: Asakura, Kunihiko
;   TITLE OF INVENTION: PROMOTION OF CENTRAL NERVOUS SYSTEM
;   TITLE OF INVENTION: REMYELINATION USING MONOCLONAL AUTOANTIBODIES
;   NUMBER OF SEQUENCES: 37
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: David A. Jackson, Esq.
;     STREET: 411 Hackensack Ave, Continental Plaza, 4th
;     STREET: Floor
;     CITY: Hackensack
;     STATE: New Jersey
;     COUNTRY: USA
;     ZIP: 07601
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.30
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/779,784
;     FILING DATE: 07-JAN-1997
;     CLASSIFICATION: 424
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 08/692,084
;     FILING DATE: 08-AUG-1996
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 08/236,520
;     FILING DATE: 29-APR-1994
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Jackson Esq., David A.
;     REGISTRATION NUMBER: 26,742
;     REFERENCE/DOCKET NUMBER: 1199-1-001 CIPA
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 201-487-5800
;     TELEFAX: 201-343-1684
; INFORMATION FOR SEQ ID NO: 21:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 131 amino acids
;     TYPE: amino acid
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-779-784-21

Query Match      87.8%;  Score 502;  DB 8;  Length 131;
Best Local Similarity   88.9%;  Pred. No. 1e-38;
Matches   96;  Conservative   3;  Mismatches  9;  Indels   0;  Gaps   0;

Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||| ||| |||||||||||:|||||||||||||||||||||||||::|:|||||||
Db         21 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIIYYTSRLHSGVPS 80
```

```
Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
        ||||||||||||||||||| ||||||||:|: ||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR 128
```

RESULT 10
US-10-010-729-64
; Sequence 64, Application US/10010729
; Publication No. US20030185827A1
; GENERAL INFORMATION:
; APPLICANT: Rodriguez, Moses
; APPLICANT: Miller, David J.
; APPLICANT: Pease, Larry R.
; TITLE OF INVENTION: Human IgM Antibodies and Diagnostic and
; TITLE OF INVENTION: Therapeutic Uses Thereof Particularly in the Central Nervous
; TITLE OF INVENTION: System
; FILE REFERENCE: 1199-1-005CIP2
; CURRENT APPLICATION NUMBER: US/10/010,729
; CURRENT FILING DATE: 2001-11-13
; PRIOR APPLICATION NUMBER: 09/730,473
; PRIOR FILING DATE: 2000-12-05
; PRIOR APPLICATION NUMBER: 09/580,787
; PRIOR FILING DATE: 2000-05-30
; PRIOR APPLICATION NUMBER: 09/322,862
; PRIOR FILING DATE: 1999-05-28
; PRIOR APPLICATION NUMBER: 08/779,784
; PRIOR FILING DATE: 1999-01-07
; PRIOR APPLICATION NUMBER: 08/692,084
; PRIOR FILING DATE: 1996-08-08
; PRIOR APPLICATION NUMBER: 08/236,520
; PRIOR FILING DATE: 1994-04-29
; NUMBER OF SEQ ID NOS: 80
; SOFTWARE: FastSEQ for Windows Version 4.0
;
; SEQ ID NO 64
; LENGTH: 131
; TYPE: PRT
; ORGANISM: Mus musculus
US-10-010-729-64

Query Match   87.8%; Score 502; DB 14; Length 131;
Best Local Similarity 88.9%; Pred. No. 1e-38;
Matches 96; Conservative 3; Mismatches 9; Indels 0; Gaps 0;

```
Qy    1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        |||||||:|||:||||||||||| ||||||||||||||||||||||||||:|:||||||
Db    1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSSRLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
        ||||||||||||||||||| ||||||||:|: ||||||||||||||||
Db   81 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR 128
```

RESULT 11
US-10-197-080-4
; Sequence 4, Application US/10197080
; Publication No. US20030113940A1
; GENERAL INFORMATION:
; APPLICANT: Erlanger, Bernard F.
; APPLICANT: Sheetz, Michael
; APPLICANT: Brus, Louis
; TITLE OF INVENTION: ANTIBODIES SPECIFIC FOR NANOTUBES AND RELATED METHODS AND COMPOSI...
; FILE REFERENCE: 0575/67096-A
; CURRENT APPLICATION NUMBER: US/10/197,080
; CURRENT FILING DATE: 2002-07-16
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.1
;
; SEQ ID NO 4
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Mouse
US-10-197-080-4

Query Match   86.9%; Score 497; DB 14; Length 109;
Best Local Similarity 86.1%; Pred. No. 2.5e-38;
Matches 93; Conservative 8; Mismatches 7; Indels 0; Gaps 0;

```
Qy    1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        |||||||:|||:||||||||||| ||||||||||||||||||||||||||:|:||||||
Db    1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSSRLHSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
        ||||||||  ||||| ||| ||||||||:|: ||||||||||||||||
Db   61 RFSGGGSGADYSLTIGNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 107
```

RESULT 12
US-10-741-657A-16
; Sequence 16, Application US/10741657A
; Publication No. US20040197325A1
; GENERAL INFORMATION:
; APPLICANT: Protein Design Labs
; TITLE OF INVENTION: ANTIBODIES AGAINST GPR64 AND USES THEREOF
; FILE REFERENCE: 05882.0177.NPUS01
; CURRENT APPLICATION NUMBER: US/10/741,657A
; CURRENT FILING DATE: 2003-12-19
; NUMBER OF SEQ ID NOS: 30
; SOFTWARE: PatentIn version 3.2
;
; SEQ ID NO 16
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Mus sp.
US-10-741-657A-16

Query Match   86.4%; Score 494; DB 17; Length 107;
Best Local Similarity 87.9%; Pred. No. 4.6e-38;
Matches 94; Conservative 3; Mismatches 10; Indels 0; Gaps 0;

```
Qy    1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        |||||||:|||:||||||||||| ||||||||||||||||||||||||||:|:||||||
Db    1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSSRLHSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
        ||||||||||||||||||| ||||||||:|: ||:||||||||||||||
Db   61 RFSGGGSGTDYSLTISNLEQEDIATYFCQQYSRLPFTFGGGTKLEIKR 108
```

RESULT 13
US-10-473-977-69
; Sequence 69, Application US/10473977
; Publication No. US20040253233A1
; GENERAL INFORMATION:
; APPLICANT: MATEO DE ACOSTA DEL RIO, Cristina M. et al
; TITLE OF INVENTION: GANGLIOSIDE-ASSOCIATED RECOMBINANT ANTIBODIES AND THE USE THEREO...
; TITLE OF INVENTION: DIAGNOSIS AND TREATMENT OF TUMORS
; FILE REFERENCE: 4565-0107P
; CURRENT APPLICATION NUMBER: US/10/473,977
; CURRENT FILING DATE: 2003-10-03
; PRIOR APPLICATION NUMBER: PCT/CU02/00003
; PRIOR FILING DATE: 2002-04-06
; PRIOR APPLICATION NUMBER: CU 84/2001
; PRIOR FILING DATE: 2001-04-06
; NUMBER OF SEQ ID NOS: 72
; SOFTWARE: PatentIn version 3.2
;
; SEQ ID NO 69
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Mus musculus
; FEATURE:
; NAME/KEY: DOMAIN
; LOCATION: (1)..(107)
US-10-473-977-69

Query Match   85.8%; Score 491; DB 17; Length 107;
Best Local Similarity 87.9%; Pred. No. 8.8e-38;
Matches 94; Conservative 3; Mismatches 10; Indels 0; Gaps 0;

RESULT 14
US-10-411-037-52
; Sequence 52, Application US/10411037
; Publication No. US20040043446A1
; GENERAL INFORMATION:
; APPLICANT: Neose Technologies, Inc.
; APPLICANT: DeFrees, Shawn
; APPLICANT: Zopf, David
; APPLICANT: Bayer, Robert
; APPLICANT: Hakes, David
; APPLICANT: Chen, Xi
; APPLICANT: Bowe, Caryn
; TITLE OF INVENTION: ALPHA GALACTOSIDASE A: REMODELING AND GLYCOCONJUGATION OF ALPHA
; TITLE OF INVENTION: GALACTOSIDASE A
; FILE REFERENCE: 040853-01-5082
; CURRENT APPLICATION NUMBER: US/10/411,037
; CURRENT FILING DATE: 2003-04-09
; PRIOR APPLICATION NUMBER: US 60/328,523
; PRIOR FILING DATE: 2001-10-10
; PRIOR APPLICATION NUMBER: US 60/344,692
; PRIOR FILING DATE: 2001-10-19
; PRIOR APPLICATION NUMBER: US 60/387,292
; PRIOR FILING DATE: 2002-06-07
; PRIOR APPLICATION NUMBER: US 60/391,777
; PRIOR FILING DATE: 2002-06-25
; PRIOR APPLICATION NUMBER: US 60/396,594
; PRIOR FILING DATE: 2002-07-17
; PRIOR APPLICATION NUMBER: US 60/404,249
; PRIOR FILING DATE: 2002-08-16
; PRIOR APPLICATION NUMBER: US 60/407,527
; PRIOR FILING DATE: 2002-08-28
; NUMBER OF SEQ ID NOS: 75
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 52
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Mus musculus
US-10-411-037-52

Query Match   85.3%;   Score 488;   DB 15;   Length 107;
Best Local Similarity   86.9%;   Pred. No. 1.7e-37;
Matches   93;   Conservative   4;   Mismatches   10;   Indels   0;   Gaps   0;

```
Qy  1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        |||||||| || ||||||||||| |||||:|||||||||||:||||| : : ||||||||
Db  1 DIQMTQTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGIVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
        ||||||||||||||||||| ||||||| :  |||||||||||||||
Db 61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 107
```

RESULT 15
US-10-411-026-52
; Sequence 52, Application US/10411026
; Publication No. US20040063911A1
; GENERAL INFORMATION:
; APPLICANT: Neose Technologies, Inc.
; APPLICANT: DeFrees, Shawn
; APPLICANT: Zopf, David
; APPLICANT: Bayer, Robert
; APPLICANT: Hakes, David
; APPLICANT: Chen, Xi
; TITLE OF INVENTION: PROTEIN REMODELING METHODS AND PROTEINS/PEPTIDES PRODUCED BY THE
; TITLE OF INVENTION: METHODS
; FILE REFERENCE: 040853-01-5053
; CURRENT APPLICATION NUMBER: US/10/411,026
; CURRENT FILING DATE: 2003-04-09
; PRIOR APPLICATION NUMBER: US 60/328,523
; PRIOR FILING DATE: 2001-10-10
; PRIOR APPLICATION NUMBER: US 60/344,692
; PRIOR FILING DATE: 2001-10-19
; PRIOR APPLICATION NUMBER: US 60/387,292
; PRIOR FILING DATE: 2002-06-07
; PRIOR APPLICATION NUMBER: US 60/391,777
; PRIOR FILING DATE: 2002-06-25
; PRIOR APPLICATION NUMBER: US 60/396,594
; PRIOR FILING DATE: 2002-07-17
; PRIOR APPLICATION NUMBER: US 60/404,249
; PRIOR FILING DATE: 2002-08-16
; PRIOR APPLICATION NUMBER: US 60/407,527
; PRIOR FILING DATE: 2002-08-28
; NUMBER OF SEQ ID NOS: 75
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 52
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Mus musculus
US-10-411-026-52

Query Match   85.3%;   Score 488;   DB 15;   Length 107;
Best Local Similarity   86.9%;   Pred. No. 1.7e-37;
Matches   93;   Conservative   4;   Mismatches   10;   Indels   0;   Gaps   0;

```
Qy  1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
        |||||||| || ||||||||||| |||||:|||||||||||:||||| : : ||||||||
Db  1 DIQMTQTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGIVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
        ||||||||||||||||||| ||||||| :  |||||||||||||||
Db 61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 107
```

Search completed: December 23, 2004, 19:35:50
Job time : 26.5684 secs

```
QM protein - protein search, using sw model

                    Copyright (c) 1993 - 2004 Compugen Ltd.

                    GenCore version 5.1.6

Run on:             December 23, 2004, 18:46:03 ; Search time 5.83589 seconds
                                                   (without alignments)
                                                   1780.604 Million cell updates/sec

Title:              US-10-089-500-56
Perfect score:      572
Sequence:           1 DIQMTQTASSLPASLGDRVT..........HQYSKLPWTFGGGTKLEIKR 108
Scoring table:      BLOSUM62
                    Gapop 10.0 , Gapext 0.5

Searched:           283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters:        283416

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :       PIR_79:*
                 1:   pir1:*
                 2:   pir1:*
                 3:   pir3:*
                 4:   pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

```
                                    SUMMARIES

Result                    %       Query
No.     Score    Match   Length   DB  ID        Description
------------------------------------------------------------------------
 1      520      90.9    111      2   A38740     Ig kappa chain V r
 2      514      89.9    111      2   A38740     Ig light chain V-J
 3      510      89.2    111      2   E38740     Ig kappa chain V r
 4      507      88.6    107      2   B30551     Ig kappa chain V r
 5      502      87.8    108      2   S69900     Ig kappa chain V r
 6      502      87.8    111      2   G38740     Ig kappa chain (cl
 7      498      87.1    108      1   KVMS73     Ig kappa chain V r
 8      495      86.5    122      2   A29380     Ig kappa chain pre
 9      493      86.2    108      2   S69903     Ig kappa chain (cl
10      489      85.5    115      2   JL0080     Ig kappa chain V-J
11      489      85.5    108      1   KVMSAR     Ig kappa chain pre
12      488      85.3    108      2   PH0888     Ig kappa chain V r
13      488      85.3    126      2   A34904     Ig kappa chain pre
14      485.5    84.9    108      2   S38862     Ig kappa chain V r
15      485      84.8    128      2   A26406     Ig kappa chain (cl
16      484.5    84.7    107      2   S69901     Ig kappa chain V-J
17      481      84.1    107      2   A48677     Ig kappa chain (cl
18      481      84.1    111      2   S69902     Ig kappa chain V-J
19      480      83.9    108      2   S19970     Ig kappa chain (cl
20      478      83.6    107      2   B48677     Ig kappa chain V-J
21      478      83.6    107      2   A28044     Ig kappa chain V r
22      475      83.0    108      2   A28044     Ig kappa chain V r
23      475      83.0    127      2   PH1224     Ig kappa chain V r
24      474      82.9    127      2   D48677     Ig kappa chain V-J
25      474      82.9    108      2   B26405     Ig kappa chain V r
26      473      82.7    108      2   PL0282     Ig kappa chain V r
27      473      82.7    108      2   C26405     Ig kappa chain V r
28      471.5    82.4    107      2   S69906     Ig kappa chain (cl
29      468      81.8    107      2   S32188     Ig kappa chain V r
30      466      81.5    105      2   PH0087     Ig kappa chain V r
31      462      80.8    107      2   C48677     Ig light chain V-J
32      461      80.6    108      2   S11124     Ig kappa chain V r
33      447      78.1    108      2   B30551     Ig kappa chain V r
34      429      75.0    115      2   A53276     Ig kappa chain V r
35      426      74.5    108      1   KIHUAU     Ig kappa chain V r
36      421      73.6    93       2   S38564     Ig kappa chain V-J
37      419      73.3    129      2   S52789     Ig kappa chain V r
38      408      71.3    108      1   KIHURE     Ig kappa chain V r
39      408      71.3    127      2   S40367     Ig kappa chain V-I
40      402      70.3    108      2   B49047     Ig kappa chain V r
41      402      70.3    110      2   S44118     Ig kappa chain V-J
42      400      69.9    108      1   KIHUAG     Ig kappa chain V-I
43      400      69.8    108      1   KIHURY     Ig kappa chain V-I
44      399      69.8    131      2   S40352     Ig kappa chain V-J
45      396      69.2    108      2   S19674     Ig kappa chain V r
```

```
                                  ALIGNMENTS

RESULT 1
A38740
Ig kappa chain V region (Py20) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
C;Accession: A38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J. Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of ant
A;Reference number: A38740; MUID:91177923; PMID:1706720
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tr
A;Molecule type: mRNA
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match             90.9%;   Score 520;  DB 2;  Length 111;
Best Local Similarity   88.9%;
Matches   96;  Conservative   7;  Mismatches   5;  Indels   0;  Gaps   0;

Qy     1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
          :|||||||||||||||||||||||||||||||||||||||:|:|||||||||||||||||
Db     4  DVQMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQQKPDGTVKLLIYYTSSLHSGVPS  63

Qy    61  RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          ||||||||||||||||||||||||||||||||||||||||||||||||
Db    64  RFSGSGSGTDYSLTISNLEPEDVATYYCQQYSKVPWTFGGGTKLEIKR 111

RESULT 2
E38740
Ig kappa chain V region (Py54) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
C;Accession: E38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J. Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of ant
A;Reference number: A38740; MUID:91177923; PMID:1706720
A;Accession: E38740
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tr
A;Molecule type: mRNA
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology

Query Match             89.9%;   Score 514;  DB 2;  Length 111;
```

```
Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              : |||||||| || ||||||||:||||||||:|:|:||||||||||
Db          4 DVVMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQHKPDGTVKLLIYYTSSLHSGVPS 63

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||||||||:||||| ||||||||||||||
Db         64 RFSGSGSGTDYSLTISDLEPEDIATYYCQQYSKLPWTFGGGTKLEIKR 111
```

RESULT 3

C38740

Ig kappa chain V region (Py2) - mouse
C;Species: Mus musculus (house mouse)
C;Accession: C38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J. Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:9117923; PMID:1706720
A;Accession: C38740
A;Molecule type: mRNA
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
A;Status: preliminary; immunoglobulin V region; immunoglobulin
C;Superfamily: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match   89.2%; Score 510; DB 2; Length 111;
Best Local Similarity   87.0%; Pred. No. 9.1e-40;
Matches 94; Conservative 7; Mismatches 7; Indels 0; Gaps 0;

```
Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||||||||||||||||||||:||||||||||||||||||:| |||
Db          4 DVVMTQTTSSLSASLGDRVTISCSASQGISNYLNWYQHKPDGTVKLLIYYTSSLHSGVPS 63

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||||||||||||||||||||||:|||||||||||||||||||||
Db         64 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSKLPWTFGGGTKLEIKR 111
```

RESULT 4

B49026

Ig kappa chain V region, anti-idiotypic monoclonal antibody - mouse
C;Species: Mus musculus (house mouse)
A;Note: sequence extracted from NCBI backbone (NCBIP:60876)
C;Accession: B49026; PL0220
R;Koizumi, T.; Puccetti, A.; Migliorini, P.; Barrett, K.J.; Schwartz, R.S.
Eur. J. Immunol. 21, 2185-2193, 1991
A;Title: Molecular heterogeneity of auto-anti-idiotypic antibodies in MLR-lpr/lpr mice.
A;Reference number: A49026; MUID:91364791; PMID:1909645
A;Accession: B49026
A;Molecule type: nucleic acid
A;Status: preliminary; not compared with conceptual translation
A;Experimental source: MLR-lpr/lpr
A;Note: sequence source: NCBI backbone
C;Accession: PL0220
R;Puccetti, A.; Koizumi, T.; Migliorini, P.; Andre-Schwartz, J.; Barrett, K.J.; Schwartz
J. Exp. Med. 171, 1919-1930, 1990
A;Title: An immunoglobulin light chain from a lupus-prone mouse induces autoantibodies i
A;Reference number: PL0220; MUID:90278348; PMID:1693654
A;Accession: PL0220
A;Molecule type: mRNA
A;Status: nucleic acid sequence not shown
A;Residues: 1-107 <PUC>
A;Experimental source: strain lupus-prone MRL-lpr/lpr mouse
A;Superfamily: immunoglobulin V region; immunoglobulin homology
A;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>
F;24-34/Region: complementarity-determining 1

```
Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              |||||||||||||||||||||||||||:||:||||||||||||||:|||
Db          1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||||||||:|||:||||||||||||||||||
Db         61 RFSGSGSGTDYSLTISNLEQEDIATYYCQQGNTLPWTFGGGTKLEIKR 108
```

RESULT 5

S69900

Ig kappa chain (clone KL2.18 / KL4B10 / KL4C11) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 14-Feb-1997 #sequence_revision 13-Mar-1997 #text_change 21-Jan-2000
C;Accession: S69900; S69907; S69908
R;Wysocki, L.J.; Creadon, G.; Lehmann, K.R.; Cambier, J.C.
Immunology 75, 116-121, 1992
A;Title: B-cell proliferation initiated by Ia cross-linking and sustained by interleukin
A;Reference number: S69900; MUID:92165291; PMID:1537587
A;Accession: S69900
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Accession: S69907
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Accession: S69908
A;Molecule type: DNA
A;Status: preliminary; translation not shown
A;Residues: 1-108 <WYS>
A;Cross-references: EMBL:X55041; NID:g511023; PIDN:CAA38881.1; PID:g511024
A;Residues: 1-108 <WY2>
A;Cross-references: EMBL:X55048; NID:g511037; PIDN:CAA38888.1; PID:g511038
A;Residues: 1-108 <WY3>
A;Cross-references: EMBL:X55049; NID:g511039; PIDN:CAA38889.1; PID:g511040
A;Superfamily: immunoglobulin V region; immunoglobulin homology
F;16-90/Domain: immunoglobulin homology <IMM>

Query Match   88.6%; Score 507; DB 2; Length 107;
Best Local Similarity   90.7%; Pred. No. 1.6e-39;
Matches 97; Conservative 3; Mismatches 7; Indels 0; Gaps 0;
```

```
Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||| ||| ||||||||||||||||:||||||||||||||||||||:| |||
Db          1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
              ||||||||||||||||||||||:||||||||||||||||||||||
Db         61 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYSKLPRTFGGGTKLEIK 107
```

RESULT 6

G38740

Ig kappa chain V region (Py69) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Oct-1991 #sequence_revision 18-Oct-1991 #text_change 09-Jul-2004
C;Accession: G38740
R;Ruff-Jamison, S.; Campos-Gonzalez, R.; Glenney Jr., J.R.
J. Biol. Chem. 266, 6607-6613, 1991
A;Title: Heavy and light chain variable region sequences and antibody properties of anti
A;Reference number: A38740; MUID:9117923; PMID:1706720
A;Accession: G38740
A;Molecule type: mRNA
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Residues: 1-111 <RUF>
A;Cross-references: UNIPROT:Q91WS9
C;Superfamily: immunoglobulin V region; immunoglobulin homology

Best Local Similarity   88.8%; Conservative 3; Mismatches 9; Indels 0; Gaps 0;

```
Qy          1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||| ||| ||||||||||||||||:||||||||||||||||||||:| |||
Db          1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy         61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||||||:|||:||||||||||||||||||
Db         61 RFSGSGSGTDYSLTISNLEQEDIATYYCQQGNTLPWTFGGGTKLEIKR 108
```

C;Keywords: heterotetramer; immunoglobulin
F;19-93/Domain: immunoglobulin homology <IMM>

Query Match   87.8%;   Score 502; DB 2; Length 111;
Best Local Similarity 87.0%; Pred. No. 4.9e-39;
Matches   94; Conservative   7; Mismatches   7; Indels   0; Gaps   0;

```
Qy    1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
         |:|||||  |||:|||||||||||||||||||||||||||||||||| :|||||:||||
Db    4  DVLMTQTSTSSLSASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIYTSSLHSEVPS   63

Qy   61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
         |||||||||||||||| :||||||||||:|||||||||||||||||
Db   64  RFSGGGSGTDYSLTISDLEPEDIATYFCCQQYSKLPWTFGGGTKLEIKR  111
```

RESULT 7

KVM573
Ig kappa chain V region (MOPC 173) - mouse (tentative sequence)
C;Species: Mus musculus (house mouse)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
C;Accession: A01926
R;Schiff, C.; Fougereau, M.
Eur. J. Biochem. 59, 525-537, 1975
A;Title: Determination of the primary structure of a mouse IgG2a immunoglobulin. Amino-a
A;Reference number: A01926; MUID:76091934; PMID:812696
A;Accession: A01926
A;Molecule type: protein
A;Residues: 1-108 <SCH>
A;Cross-references: UNIPROT:P01643
C;Comment: This chain was isolated from a myeloma protein.
C;Comment: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
A;Residues: heterotetramer
C;Keywords: heterotetramer
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

Query Match   85.2%;   Score 498; DB 1; Length 108;
Best Local Similarity 85.2%; Pred. No. 1.1e-38;
Matches   92; Conservative   9; Mismatches   7; Indels   0; Gaps   0;

```
Qy    1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
Db    1  DIQMTQTTSSLSASLGDRVTISCSASQSIGNYLBWYQQKPDGTVKLLIIYYTSRLHSGVPS   60

Qy   61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
Db   61  RFSGGGSGTDYSLTISBLZPZDIATYYCQQYSKLPRTFGGGTKLEIKR  108
```

RESULT 8

A29380
Ig kappa chain precursor V region (AC-1001) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 31-Dec-1988 #sequence_revision 31-Dec-1988 #text_change 21-Jan-2000
C;Accession: A29380
J;Chen, H.T.; Kabat, E.A.; Lundblad, A.; Ratcliffe, R.M.
J. Biol. Chem. 262, 13579-13583, 1987
A;Title: Nucleotide and translated amino acid sequences of cDNA coding for the variable
A;Reference number: A92612; MUID:88007582; PMID:3115981
A;Accession: A29380
A;Molecule type: mRNA
A;Residues: 1-122 <CHE>
A;Cross-references: GB:M17160; GB:J02815; NID:g196895; PIDN:AAA38824.1; PID:g196896
A;Note: the authors translated the codon TTC for residue 1 as Leu
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;30-104/Domain: immunoglobulin homology <IMM>

Query Match   86.5%;   Score 495; DB 2; Length 122;
Best Local Similarity 88.0%; Pred. No. 2.4e-38;
Matches   95; Conservative   3; Mismatches   10; Indels   0; Gaps   0;

RESULT 9

S69903
Ig kappa chain (clone K12.29 / K12.33 / K13.8) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 14-Feb-1997 #sequence_revision 13-Mar-1997 #text_change 21-Jan-2000
C;Accession: S69903
R;Wysocki, L.J.; Creadon, G.; Lehmann, K.R.; Cambier, J.C.
Immunology 75, 116-121, 1992
A;Title: B-cell proliferation initiated by Ia cross-linking and sustained by interleuki
A;Reference number: S69900; MUID:92165291; PMID:1537587
A;Accession: S69903
A;Molecule type: DNA
A;Residues: 1-108 <WYS>
A;Cross-references: EMBL:X55044; NID:g511029; PIDN:CAA38884.1; PID:g511030
A;Accession: S69904
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-108 <WY2>
A;Cross-references: EMBL:X55045; NID:g511031; PIDN:CAA38885.1; PID:g511032
A;Accession: S69905
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-108 <WY3>
A;Cross-references: EMBL:X55046; NID:g511033; PIDN:CAA38886.1; PID:g511034
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

```
Qy    1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
Db   15  DIQMTQTTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIIHYTSRLHSGVPS   74

Qy   61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
Db   75  RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR  122
```

Query Match   87.1%;   Score 498; DB 1; Length 108;
Best Local Similarity 85.2%; Pred. No. 1.1e-38;
Matches   92; Conservative   9; Mismatches   7; Indels   0; Gaps   0;

```
Qy    1  DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS   60
Db    1  DIQMTQTTSSLSASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIIYYTSRLHSGVPS   60

Qy   61  RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR  108
Db   61  RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPYTFGGGTKLEIKR  108
```

RESULT 10

JL0080
Ig kappa chain precursor V region (anti-phenyloxazolone, 18C10) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 21-Jan-2000
C;Accession: JL0080
R;Kaartinen, M.; Rocca-Serra, J.; Maekelae, O.
Mol. Immunol. 25, 859-865, 1988
A;Title: Combinatorial association of V genes: one VH gene codes for three non-cross-re
A;Reference number: JL0076; MUID:89096973; PMID:3211160
A;Accession: JL0080
A;Molecule type: mRNA
A;Residues: 1-115 <KAA>
A;Cross-references: GB:M27793; NID:g197161; PIDN:AAA38937.1; PID:g197162
A;Note: the authors translated the codon AGG for residue 30 as Ser
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;1-6/Domain: signal sequence (fragment) #status predicted <SIG>
F;7-115/Product: Ig light chain #status predicted <MAT>
F;22-96/Domain: immunoglobulin homology <IMM>
F;30-40/Region: complementarity-determining 1
F;56-62/Region: complementarity-determining 2

Query Match   86.2%;   Score 493; DB 2; Length 108;
Best Local Similarity 88.0%; Pred. No. 3.1e-38;
Matches   95; Conservative   4; Mismatches   9; Indels   0; Gaps   0;

RESULT 11
KWMSAR
Ig kappa chain V regions (anti-arsonate hybridoma proteins) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 06-Jul-1982 #sequence_revision 06-Jul-1982 #text_change 09-Jul-2004
R;Accession: A01927
R;Siegelman, M.; Capra, J.D.
R;Title: Complete amino acid sequence of light chain variable regions derived from five
J;Proc. Natl. Acad. Sci. U.S.A. 78, 7679-7683, 1981
A;Reference number: A01927; MUID:82150934; PMID:6801658
A;Accession: A01927
A;Molecule type: protein
A;Residues: 1-108 <SIE>
A;Cross-references: UNIPROT:P01644
A;Experimental source: strain A/J
A;Note: hP 93G7 differs in having 93-Met; HP 123E6 differs in having 7-Ser, 92-Tyr, and
Arg, 84-Ser, and 93-Ala
C;Comment: The sequence shown is HP R16.7.
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
C;Molecule type: heterotetramer
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

Query Match   88.0%;
Best Local Similarity   86.2%;   Score 493; DB 2; Length 115;
Matches   95; Conservative   4; Mismatches   9; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         ||||| ||| ||:||||||||||:||||||||||||||||||||||||:|:||:|||||||
Db   7 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 66

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||| |||||||||||||:||||||||||:||| ||:|||||||||||
Db 67 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPYTFGGGTKLEIKR 114

RESULT 12
PH0888
Ig kappa chain V region (anti-CD3) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 09-Oct-1992 #sequence_revision 09-Oct-1992 #text_change 21-Jan-2000
A;Accession: PH0888
R;Shalaby, M.R.; Shepard, H.M.; Presta, L.; Rodrigues, M.L.; Beverley, P.C.L.; Feldmann,
J;Exp. Med. 175, 217-225, 1992
A;Title: Development of humanized bispecific antibodies reactive with cytotoxic lymphoc
A;Reference number: PH0885; MUID:92113462; PMID:1346155
A;Accession: PH0888
A;Molecule type: mRNA
A;Residues: 1-109 <SHA>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;16-90/Domain: immunoglobulin homology

Query Match   86.1%;
Best Local Similarity   85.3%;   Score 488; DB 2; Length 109;
Matches   93; Conservative   4; Mismatches   11; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         |:||| ||| ||:||||||||||:||||||||||||||||||||||||:|:||:|||||||
Db   1 DVQMTQTTSSLAASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
         |||| |||||||||||||:||||||||||:||| |||||||||||||
Db 61 RFSGGGSGTDYSLTISNLEQEDIATYFCQQGNTLPPWTFGGGTKLEIK 108

RESULT 13
A34904
Ig kappa chain precursor V region (5-27) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 27-Jul-1990 #sequence_revision 27-Jul-1990 #text_change 09-Jul-2004
A;Accession: A34904
R;Bedzyk, W.D.; Herron, J.N.; Edmundson, A.B.; Voss Jr., E.W.
J;Biol. Chem. 265, 133-138, 1990
A;Title: Active site structure and antigen binding properties of idiotypically cross-rea
A;Reference number: A34903; MUID:90094387; PMID:2104617
A;Accession: A34904
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 1-126 <BED>
A;Cross-references: UNIPROT:Q91WF8
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;35-109/Domain: immunoglobulin homology <IMM>

Query Match   86.8%;
Best Local Similarity   85.3%;   Score 488; DB 2; Length 126;
Matches   92; Conservative   5; Mismatches   9; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         ||||| ||| ||:||||||||:||||||:||||||||||||||||||:|:||:|||||||
Db 20 DIQMTQTTSSLSASLGDRVTVSCRASQDINNYLNWYQQKPDGTVKLLIYYTSKLHSGVPS 79

Qy 61 RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKL-PWTFGGGTKLEI 106
         |||||||||||||||||:||||||||||:||| ||||||||||||
Db 80 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEI 125

RESULT 14
S38862
Ig kappa chain V region - mouse (house mouse)
C;Species: Mus musculus (house mouse)
C;Date: 06-Feb-1995 #sequence_revision 06-Feb-1995 #text_change 21-Jan-2000
A;Accession: S38862
R;Fischer, R.; Voss, A.; Hunziker, W.; Stierhof, Y.D.; Kreuzaler, F.
A;submitted to the EMBL Data Library, August 1993
A;Description: Production and cloning of TMV-specific monoclonal antibodies.
A;Cross-references: EMBL:X75854; NID:g429109; PID:g429110
A;Reference number: S37200
A;Accession: S38862
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-108 <FIS>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

Query Match   87.0%;
Best Local Similarity   84.9%;   Score 485.5; DB 2; Length 108;
Matches   94; Conservative   4; Mismatches   9; Indels   1; Gaps   1;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         ||||| ||| ||:||||||||||:||||||||||||||||||||||||:|:||:|||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy 61 RFSGGGSGTDYSLTISNLEPEDIATYFCQQGNTLPPWTFGGGTKLEIK 108
         ||||:||||||||||||:|||||||||||||||| |||||||||||
Db 61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIK 108

RESULT 15
A26406
Ig kappa chain V region (Ars-A) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 30-Jun-1989 #sequence_revision 30-Jun-1991 #text_change 09-Jul-2004
C;Accession: A26406
R;Sanz, I.; Capra, J.D.
Proc. Natl. Acad. Sci. U.S.A. 84, 1085-1089, 1987
A;Title: V-K and J-K gene segments of A/J Ars-A antibodies: somatic recombination genera
A;Reference number: A26406; MUID:87147197; PMID:3103124
A;Accession: A26406
A;Molecule type: DNA
A;Residues: 1-128 <SAN>
A;Cross-references: UNIPROT:Q91WF8; GB:M15519
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-110/Domain: immunoglobulin homology <IMM>

Query Match   84.8%; Score 485; DB 2; Length 128;
Best Local Similarity   87.0%; Pred. No. 2e-37;
Matches   94; Conservative   4; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
          ||||||||| || ||||||||||||||||||||||||||||||||||||:|||||||||
Db   21 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 80

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
          |||| |||||||||||||||| |||||: ||||||||||||||||||
Db   81 RFSGSGSGTDYSLTISNLEQEDISTYFCQQGNALPRTFGGGTKLEIKR 128

Search completed: December 23, 2004, 19:06:06
Job time : 5.83589 secs

This Page Blank (uspto)

```
                                                      GenCore version 5.1.6
                                          Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:                  December 23, 2004, 18:31:20 ; Search time 30.044 Seconds
                                                      (without alignments)
                                                      2068.313 Million cell updates/sec

Title:          US-10-089-500-56
Perfect score:  572
Sequence:       1 DIQMTQTASSLPASLGDRVT.........HQYSKLPWTFGGGTKLEIKR 108

Scoring table:  BLOSUM62
Searched:       Gapop 10.0 , Gapext 0.5

Total number of hits satisfying chosen parameters:    1825181

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :       UniProt_02:*
                 1: uniprot_sprot:*
                 2: uniprot_trembl:*

      Pred. No. is the number of results predicted by chance to have a
      score greater than or equal to the score of the result being printed,
      and is derived by analysis of the total score distribution.

                                        SUMMARIES

Result                 Query
No.    Score   Match Length  DB  ID           Description
----   -----   ------------  --  --           -----------
  1    506     88.5    233    2  Q91WS9       Q91ws9 mus musculu
  2    498     87.1    108    1  KV5J_MOUSE   P01643 mus musculu
  3    494     86.4    234    2  Q8R062       Q8r062 mus musculu
  4    489     85.5    108    1  KV5K_MOUSE   P01644 mus musculu
  5    488     85.3    108    1  KV5L_MOUSE   P01645 mus musculu
  6    488     85.0    111    2  AAR10992     Aar10992 mus muscu
  7    484     84.1    108    1  KV5N_MOUSE   P01647 mus musculu
  8    481     83.4    108    1  KV5M_MOUSE   P01646 mus musculu
  9    477     82.6    108    1  KV5O_MOUSE   P01648 mus musculu
 10    466     81.5    234    2  Q91WF8       Q91wf8 mus musculu
 11    466     81.5    107    2  Q9JL84       Q9jl84 mus musculu
 12    460     80.4    108    1  KV5U_MOUSE   P04946 mus musculu
 13    458     80.1    103    2  Q9J184       Q9j184 mus musculu
 14    457     79.9    104    2  AAR11052     Aar11052 mus muscu
 15    437     76.4    104    2  AAR11043     Aar11043 mus muscu
 16    436     76.2    104    2  AAR11000     Aar11000 mus muscu
 17    426     74.5    108    1  KV1B_HUMAN   P01594 homo sapien
 18    408     71.3    108    1  KV1O_HUMAN   P01607 homo sapien
 19    401     70.1    108    1  KV1Y_HUMAN   P80362 homo sapien
 20    400     69.9    108    1  KV1A_HUMAN   P01593 homo sapien
 21    399     69.8    108    1  KV1P_HUMAN   P01608 homo sapien
 22    396     69.2    108    2  Q9UL70       Q9ul70 homo sapien
 23   394.5    69.0    107    2  Q96SA9       Q96sa9 homo sapien
 24    394     68.9    108    2  Q9UL77       Q9ul77 homo sapien
 25    394     68.9    130    1  KV5G_MOUSE   P01639 mus musculu
 26    386     67.5    236    2  Q6GMX9       Q6gmx9 homo sapien
 27    385     67.3    108    1  KV1R_HUMAN   P01610 homo sapien
 28    385     67.3    236    2  Q6GMW1       Q6gmw1 homo sapien
 29    383     67.0    236    2  KV1L_HUMAN   P01604 homo sapien
 30    382     66.8    236    2  Q7Z3Y4       Q7z3y4 homo sapien
 31    380     66.4    108    1  KV1M_HUMAN   P01605 homo sapien
 32    380     66.4    236    2  Q7TMK3       Q7tmk3 mus musculu
 33    379     66.3    236    2  Q6GMX8       Q6gmx8 homo sapien
 34    377     65.9    108    1  KV5P_MOUSE   P01649 mus musculu
 35    375     65.6    116    2  Q96PF6       Q96pf6 homo sapien
 36    375     65.6    236    2  Q6PIH7       Q6pih7 homo sapien
 37    375     65.6    236    2  AAH34141     Aah34141 homo sapi
 38    374     65.4    108    1  KV1C_HUMAN   P01595 homo sapien
 39    374     65.4    108    1  KV1N_HUMAN   P01606 homo sapien
 40    374     65.4    108    1  KV1S_HUMAN   P01611 homo sapien
 41    374     65.4    129    1  KV1W_HUMAN   P04431 homo sapien
 42  371.5    64.9    107    2  Q9UL81       Q9ul81 homo sapien
 43    370     64.7    108    1  KV1H_HUMAN   P01600 homo sapien
 44    370     64.7    108    1  KV1K_HUMAN   P01601 homo sapien
 45    370     64.7    236    2  Q7TS98       Q7ts98 mus musculu
```

```
                                        ALIGNMENTS

RESULT 1
Q91WS9
ID   Q91WS9        PRELIMINARY;       PRT;     233 AA.
AC   Q91WS9;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Hypothetical protein (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22288257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (SEP-2001) to the EMBL/GenBank/DDBJ databases.
RL   EMBL; BC013496; AAH13496.1; -.
DR   PIR; A38740; A38740.
DR   PIR; C38740; C38740.
DR   PIR; E38740; E38740.
DR   PIR; G38740; G38740.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
```

DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein.
NON_TER 1
FT   NON_TER 1
SQ   SEQUENCE 233 AA; 25781 MW; B1C184DA149A16EB CRC64;

Qy   Query Match 88.5%; Score 506; DB 2; Length 233;
Db   Best Local Similarity 88.0%; Pred. No. 2.4e-83;
Matches 95; Conservative 5; Mismatches 8; Indels 0; Gaps 0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         ||||||||||||||||||||||||||| |:|.|:|||||||||||||||||||||||||
Db 20 DIQMTQTTSSLSASLGDRVTISCSGSQGITANYLNWYQQKPDGTVKLLIYTSSLHSGVPS 79

Qy 61 RFSGSGSGGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||||||||||||||||||||||||| :|| :|:|||||||||||||
Db 80 RFSGSGSGTDYSLTISNLEPEDIATYYCQQYRLPWTFGGGTKLEIKR 127

RESULT 2
ID   KV5J_MOUSE STANDARD; PRT; 108 AA.
AC   P01643;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region MOPC 173.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=76091934; PubMed=812696;
RA   Schiff C., Fougereau M.;
RT   "Determination of the primary structure of a mouse IgG2a
RT   immunoglobulin. Amino-acid sequence of the light chain.";
RL   Eur. J. Biochem. 59:525-537(1975).
CC   -!- MISCELLANEOUS: This chain was isolated from a myeloma protein.
PIR; A01926; KVMS73.
HSSP; P01594; 1JVS.
InterPro; IPR007110; Ig-like.
InterPro; IPR003596; Ig_V.
Pfam; PF00047; ig; 1.
SMART; SM00406; IGv; 1.
PROSITE; PS50835; IG_LIKE; 1.
Direct protein sequencing;
KW   Immunoglobulin V region.

FT   DOMAIN   1   23 Framework-1.
FT   DOMAIN   24   34 Complementarity-determining-1.
FT   DOMAIN   35   49 Framework-2.
FT   DOMAIN   50   56 Complementarity-determining-2.
FT   DOMAIN   57   88 Framework-3.
FT   DOMAIN   89   97 Complementarity-determining-3.
FT   DOMAIN   98 108 Framework-4.
FT   DISULFID 23   88 By similarity.
FT   NON_TER 108
SQ   SEQUENCE 108 AA; 11819 MW; 2AD29D92A72AA0A3 CRC64;

Qy   Query Match 87.1%; Score 498; DB 1; Length 108;
Db   Best Local Similarity 85.2%; Pred. No. 6.6e-43;
Matches 92; Conservative 9; Mismatches 7; Indels 0; Gaps 0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         |||||||.|||.||||||||||.|.| :|||||||||||||||||:|.|||||||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCSGSQGISNYLNWYQQKPDGTVKLLIYTSSLHSGVPS 60

Qy 61 RFSGSGSGGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||||||||||||||.| : :||||||||:|: ||||||||||||
Db 61 RFSGGGSGTDYSLTISBLZPZBIATYYCQQYSKLPRTFGGGTKLEIKR 108

RESULT 3
ID   Q8R062   PRELIMINARY; PRT; 234 AA.
AC   Q8R062

AC   Q8R062;
DT   01-JUN-2002 (TrEMBLrel. 21, Created)
DT   01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Hypothetical protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
STRAIN=FVB/N; TISSUE=Colon;
MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
STRAIN=FVB/N; TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (APR-2002) to the EMBL/GenBank/DDBJ databases.
EMBL; BC027418; AAH27418.1; -.
HSSP; P01594; 1JVS.
InterPro; IPR007110; Ig-like.
InterPro; IPR003597; Ig_C1.
InterPro; IPR003006; Ig_MHC.
InterPro; IPR003596; Ig_V.
Pfam; PF07654; C1-set; 1.
Pfam; PF00047; ig; 1.
SMART; SM00406; IGv; 1.
PROSITE; PS50835; IG_LIKE; 2.
PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein.
SQ   SEQUENCE 234 AA; 25858 MW; 4EB08C81426AEAB1 CRC64;

Qy   Query Match 86.4%; Score 494; DB 2; Length 234;
Db   Best Local Similarity 87.0%; Pred. No. 4.1e-42;
Matches 94; Conservative 6; Mismatches 8; Indels 0; Gaps 0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
         |||||||.|||.||||||||||.|.| |||||||||||||||||:|.|||||||||||
Db 21 DIQMTQTTSSLSASLGDRVTISCSGSQGISNYLNWYQQKPDGTVKLLIYTSSLHSGVPS 80

Qy 61 RFSGSGSGGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         ||||||||||:||||||||||||||||||||| || |||||||||||
Db 81 RFSGSGSGGTHYSLTISNLEPEDIATYYCQQYSQFPFTFGGGTKLEIKR 128

RESULT 4
ID   KV5K_MOUSE STANDARD; PRT; 108 AA.
AC   P01644;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP R16.7.

OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   PIR; A01927; KVMSAR.
DR   HSSP; P01594; 1JV5.
DR   InterPro; IPR007110; Ig-like.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   108   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11910 MW; A554642C63EF597 CRC64;

Query Match   85.5%; Score 489; DB 1; Length 108;
Best Local Similarity   88.0%; Pred. No. 5.4e-42;
Matches   95; Conservative   3; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||| |||:||||||||||| ||||||||||||||||||||||| |:::|||||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||| ||||||||| : ||:||||||||||||
Db   61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNSLPRTFGGGTKLEIKR 108

RESULT 5
ID   KV5L_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01645;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 93G7.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.

DR   PROSITE; PS50835; IG_LIKE; 1.
DR   Direct protein sequencing; Immunoglobulin V region.
KW
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   108   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11954 MW; 22F4642C63EFF58E CRC64;

Query Match   85.3%; Score 488; DB 1; Length 108;
Best Local Similarity   88.0%; Pred. No. 6.9e-42;
Matches   95; Conservative   3; Mismatches 10; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
              ||||||| |||:||||||||||| ||||||||||||||||||||||| |:::|||||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||||||||| ||||||||| : ||:||||||||||||
Db   61 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNMLPRTFGGGTKLEIKR 108

RESULT 6
ID   AAR10992   PRELIMINARY;   PRT;   111 AA.
AC   AAR10992;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   ANA immunoglobulin kappa light chain (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=B6.Sle1; TISSUE=Spleen;
RA   Liang Z., Xie C., Chen C., Kreska D., Hsu K., Zhou J.X., Mohan C.;
RT   "Antinuclear autoantibodies from B6.Sle1 mice.";
RL   Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY436832; AAR10992.1; -.
FT   NON_TER   1   1
FT   NON_TER   111   111
SQ   SEQUENCE   111 AA; 12120 MW; 879A9D6B5880C59D CRC64;

Query Match   85.0%; Score 486; DB 2; Length 111;
Best Local Similarity   88.6%; Pred. No. 1.1e-41;
Matches   93; Conservative   3; Mismatches   9; Indels   0; Gaps   0;

Qy   4 MTQTASSLPASLGDRVTISCSCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPSRFS 63
              |||| |||:||||||||||| ||||||||||||||||||||||| |:::||||||||||||
Db   1 MTQTPSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYYTSRLHSGVPSRFS 60

Qy   64 GGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |.||||||||||||| ||||||||| : |||||||||||||||
Db   61 GSGSGTDYSLTISNLEQEDIATYFCQQGNTLPWTFGGGTKLEIKR 105

RESULT 7
ID   KV5N_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01647;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 124E1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

```
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01607; 1REI.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN     1    23   Framework-1.
FT   DOMAIN    24    34   Complementarity-determining-1.
FT   DOMAIN    35    49   Framework-2.
FT   DOMAIN    50    56   Complementarity-determining-2.
FT   DOMAIN    57    88   Framework-3.
FT   DOMAIN    89    97   Complementarity-determining-3.
FT   DOMAIN    98   108   Framework-4.
FT   DISULFID  23    88   By similarity.
FT   NON_TER  108   108
SQ   SEQUENCE   108 AA;  11965 MW;  39971BC653EFEFA2 CRC64;

Query Match             84.6%;  Score 484;  DB 1;  Length 108;
Best Local Similarity   87.0%;  Pred. No. 1.8e-41;
Matches    94;  Conservative    3;  Mismatches   11;  Indels    0;  Gaps    0;

Qy    1  DIQMTQTTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
         |||||||| | | ||||||||||| |||||:|||||||||||||||||:|::|||||||||
Db    1  DIQMTQTTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS  60

Qy   61  RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||||||||||||||||||| |||||||| | : ||||||||||||||
Db   61  RFSGSGSGTDYSLTISNLEQEDIATYFCQQGKTLPRTFGGGTKLEIKR 108
```

```
RESULT 8
ID   KV5M_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01646;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 123E6.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01594; 1JVS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN     1    23   Framework-1.
FT   DOMAIN    24    34   Complementarity-determining-1.
FT   DOMAIN    35    49   Framework-2.
FT   DOMAIN    50    56   Complementarity-determining-2.
FT   DOMAIN    57    88   Framework-3.
FT   DOMAIN    89    97   Complementarity-determining-3.
FT   DOMAIN    98   108   Framework-4.
FT   DISULFID  23    88   By similarity.
FT   NON_TER  108   108
SQ   SEQUENCE   108 AA;  11989 MW;  4C9859C0BEBA09A CRC64;

Query Match             84.1%;  Score 481;  DB 1;  Length 108;
Best Local Similarity   87.0%;  Pred. No. 3.5e-41;
Matches    94;  Conservative    3;  Mismatches   11;  Indels    0;  Gaps    0;

Qy    1  DIQMTQTTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
         |||||||| | | ||||||||||| |||||:|||||||||||||||||:|::|||||||||
Db    1  DIQMTQTTSSLSASLGDRVTISCRASQDINNYLNWYQQKPDGTVKLLIYYTSRLHSGVPS  60

Qy   61  RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||||||||||||||||||| |||||||| | : ||||||||||||||
Db   61  RFSGSGSGTDYSLTISNLEQEDIATYFCQQGKTLPRTFGGGTKLEIKR 108
```

```
RESULT 9
ID   KV5O_MOUSE   STANDARD;   PRT;   108 AA.
AC   P01648;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   05-JUL-2004 (Rel. 44, Last annotation update)
DE   Ig kappa chain V-V region HP 91A3.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=82150934; PubMed=6801658;
RA   Siegelman M., Capra J.D.;
RT   "Complete amino acid sequence of light chain variable regions derived
RT   from five monoclonal anti-p-azophenylarsonate antibodies differing
RT   with respect to a crossreactive idiotype.";
RL   Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC   -!- MISCELLANEOUS: Anti-arsonate hybridoma protein.
DR   HSSP; P01594; 1JVS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin V region.
FT   DOMAIN     1    23   Framework-1.
FT   DOMAIN    24    34   Complementarity-determining-1.
FT   DOMAIN    35    49   Framework-2.
FT   DOMAIN    50    56   Complementarity-determining-2.
FT   DOMAIN    57    88   Framework-3.
FT   DOMAIN    89    97   Complementarity-determining-3.
FT   DOMAIN    98   108   Framework-4.
FT   DISULFID  23    88   By similarity.
FT   NON_TER  108   108
SQ   SEQUENCE   108 AA;  11961 MW;  D52EDA5E9A452291C CRC64;

Query Match             83.4%;  Score 477;  DB 1;  Length 108;
Best Local Similarity   85.2%;  Pred. No. 9.1e-41;
Matches    92;  Conservative    6;  Mismatches   10;  Indels    0;  Gaps    0;

Qy    1  DIQMTQTTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS  60
         |||||||| | | ||||||||||| |||||:||||||||:||||||||:|::|||||||||
Db    1  DIQMTQTPSSLSASLGDRVTISCRASQDINNYLNWYQRXPDGTVKLLIYYTSRLHSGVPS  60

Qy   61  RFSGSGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
         |||||||||||||||||||| ||||||| |  : ||||||||||||||
Db   61  RFSGSGSGTDYSLTISNLEQEDISTYFCQQGNALPRTFGGGTKLEIKR 108
```

RESULT 10
ID   Q91WF8
AC   Q91WF8;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE   Hypothetical protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.L., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
SQ   SEQUENCE FROM N.A.
            [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=FVB/N; TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC015292; AAH15292.1; -.
DR   PIR; A26406; A26406.
DR   PIR; A34904; A34904.
DR   PDB; 1JFQ; X-ray; L=21-234.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   InterPro; IPR001665; Ribosomal_S2.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
DR   PROSITE; PS00962; RIBOSOMAL_S2_1; UNKNOWN_1.
KW   Hypothetical protein.
SQ   SEQUENCE   234 AA; 25929 MW; B0D0B0E6EB7812D2 CRC64;

Query Match   81.5%; Score 466; DB 2; Length 234;
Best Local Similarity   83.3%; Pred. No. 2.9e-39;
Matches   90; Conservative   6; Mismatches   12; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
               |||||||||||||||||||||||||||||||||||||:|:|||||||||||||||||||||
Db   1 DIQMTQTTSSLSASLGDRVTISCRASQDISNYLNWYQQKPDGTVKLLIYTSSRLYLGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
               ||||||||||||||||||||||||:|||||||||||||||||:||||
Db   81 RFSGSGSGTDYSLTISNLEQEDIATYFCQQGNTPPTFGSGTKLEVKR 128

RESULT 11
ID   Q9JL84
AC   Q9JL84;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Anti-myosin immunoglobulin light chain variable region
DE   (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BALB/c;
RX   MEDLINE=20448942; PubMed=10992488;
RA   Malkiel S., Liao T.H., Cunningham M.W., Diamond B.;
RT   "T-cell-dependent antibody response to the dominant epitope of
RT   streptococcal polysaccharide, N-acetyl-glucosamine, is cross-reactive
RT   with cardiac myosin.";
RL   Infect. Immun. 68:5803-5808(2000).
DR   EMBL; AF206022; AAF69320.1; -.
HSSP; P01594; 1JV5.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
FT   NON_TER   1   1
FT   NON_TER   107   107
SQ   SEQUENCE   107 AA; 11648 MW; ACF9B1253ACA1E5D CRC64;

Query Match   80.4%; Score 460; DB 2; Length 107;
Best Local Similarity   81.3%; Pred. No. 4.9e-39;
Matches   87; Conservative   6; Mismatches   14; Indels   0; Gaps   0;

Qy   1 DIQMTQTASSLPASLGDRVTISCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPS 60
               |||||:|||:||||||||||||:||||||||||||||||||:||||||||::|:|||||
Db   1 DIQMTQTSTSSLSASLGDRVXXXCSASQGISNXXXWFQQKPDGTVKLLIYTSSLXSGVPS 60

Qy   61 RFSGGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIK 107
               ||||:|||||||||||||||||||||||||:||||||||||||||||
Db   61 RFSGSGSGXDYSLTISNLEPEDIATYYCQQYSKFPWTFGGGTKLEIK 107

RESULT 12
ID   KV5U_MOUSE   STANDARD;   PRT;   108 AA.
AC   P04946;
DT   13-AUG-1987 (Rel. 05, Created)
DT   13-AUG-1987 (Rel. 05, Last sequence update)
DT   29-MAR-2004 (Rel. 43, Last annotation update)
DE   Ig kappa chain V-V region NQ5-89.4.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=83271467; PubMed=6877353;
RA   Kaartinen M., Griffiths G.M., Markham A.F., Milstein C.;
RT   "mRNA sequences define an unusually restricted IgG response to 2-
RT   phenyloxazolone and its early diversification.";
RL   Nature 304:320-324(1983).
CC   -!- FUNCTION: Anti-2-phenyl oxazolone (PHOX) Antibody.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial

DR   EMBL; K00745; AAA38690.1; -.
DR   HSSP; P01594; 1JV5.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF00047; ig; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Hybridoma; Immunoglobulin V region.
FT   DOMAIN   1   23   Framework-1.
FT   DOMAIN   24   34   Complementarity-determining-1.
FT   DOMAIN   35   49   Framework-2.
FT   DOMAIN   50   56   Complementarity-determining-2.
FT   DOMAIN   57   88   Framework-3.
FT   DOMAIN   89   97   Complementarity-determining-3.
FT   DOMAIN   98   107   Framework-4.
FT   DISULFID   23   88   By similarity.
FT   NON_TER   108   108
SQ   SEQUENCE   108 AA; 11866 MW; DB2C885920DC6DDD CRC64;

Qy   61 RFSGGGSGTDYSLTIISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||| ||| ||||||| ||| ||| ||| | | | || ||||||||| |||
Db   61 RFSGSGSATDYSLTIITNLQQEDXATYXCQQGNTLPYTFGGGTKLXIKR 108

RESULT 13
AARI1052

ID   AARI1052;   PRELIMINARY;   PRT;   103 AA.
AC   AARI1052;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   ANA immunoglobulin kappa light chain (fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=B6.Sle1; TISSUE=Spleen;
RA   Liang Z., Xie C., Chen C., Kreska D., Hsu K., Zhou J.X., Mohan C.;
RT   "Antinuclear autoantibodies from B6.Sle1 mice.";
RL   Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY436892; AARI1052.1; -.
FT   NON_TER   103   103
SQ   SEQUENCE   103 AA; 11332 MW; B103B7D9871IB901 CRC64;

Query Match   79.9%; Score 457; DB 2; Length 103;
Best Local Similarity   86.3%;
Matches   88; Conservative   3; Mismatches   11; Indels   0; Gaps   0;

Qy   4 MTQTPASSLPASLGDRVTISCCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPSRFS 63
              |||||:||| ||||:||||||:|||||:|:|||||||||||||||||::|::|||||||||
Db   1 MTQTPSSLSASLGHRVTISCRASQDISYYLNWYQQKPDGTVKLLIYTSRLHSGVPSRFS 60

Qy   64 GGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLE 105
              ||||||||||||:||| || |||||||| | |||||||||||
Db   61 GGGSGTDYSLTIISNLEEEDIATYFCQLGNTLPWTFGGGTKLE 102

RESULT 14
AARI1043

ID   AARI1043;   PRELIMINARY;   PRT;   104 AA.
AC   AARI1043;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   ANA immunoglobulin kappa light chain (fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=B6.Sle1; TISSUE=Spleen;
RA   Liang Z., Xie C., Chen C., Kreska D., Hsu K., Zhou J.X., Mohan C.;
RT   "Antinuclear autoantibodies from B6.Sle1 mice.";
RL   Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY436883; AARI1043.1; -.
FT   NON_TER   1   1
FT   NON_TER   104   104
SQ   SEQUENCE   104 AA; 11473 MW; 58B393C037D426A7 CRC64;

Query Match   76.4%; Score 437; DB 2; Length 104;
Best Local Similarity   82.8%;
Matches   82; Conservative   6; Mismatches   11; Indels   0; Gaps   0;

Qy   4 MTQTASSLPASLGDRVTISCCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPSRFS 63
              ||||:|||:||||||||||||:|||||:|:||||||||||||||||::|::|||||||||
Db   1 MTQTPSSLSASLGDRVTISCRASQDISYYLNWYQQKPDGTVKLLIYTSRLHSGVPSRFG 60

Qy   64 GGGSGTDYSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              ||||||||||||:||||||||||||:: || |||||||||||
Db   61 GSGSGTDYSLTIISNLEEEDIATYFCQLGNTLPWTFGGGTKLE 102

RESULT 15
AARI1000

ID   AARI1000;   PRELIMINARY;   PRT;   104 AA.
AC   AARI1000;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   ANA immunoglobulin kappa light chain (fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=B6.Sle1; TISSUE=Spleen;
RA   Liang Z., Xie C., Chen C., Kreska D., Hsu K., Zhou J.X., Mohan C.;
RT   "Antinuclear autoantibodies from B6.Sle1 mice.";
RL   Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY436840; AARI1000.1; -.
FT   NON_TER   1   1
FT   NON_TER   104   104
SQ   SEQUENCE   104 AA; 11250 MW; 014C270D5B104DC6 CRC64;

Query Match   76.2%; Score 436; DB 2; Length 104;
Best Local Similarity   83.7%;
Matches   82; Conservative   7; Mismatches   9; Indels   0; Gaps   0;

Qy   11 LPASLGDRVTISCCSASQDISNYLNWYQQKPDGTVKLLIFYSSNLHSGVPSRFSGGGSGTD 70
              |||||||||||||:|||||:|:||||||||||||||||::|::||||||||||| ||| ||
Db   1 LSASLGDRVTISCRASQDISYYLNWYQQKPDGTVKLLIYTSRLHSGVPSRFSGSGSGGTD 60

Qy   71 YSLTISNLEPEDIATYFCHQYSKLPWTFGGGTKLEIKR 108
              |||||:|||: ||||||||: || || |||||||||||
Db   61 FSLTISNLDQEDIATYFCQQGNSLPYTFGGGTKLEIKR 98

Search completed: December 23, 2004, 19:04:40
Job time : 31.044 secs

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 18:30:04 ; Search time 155.692 Seconds
                 (without alignments)
                 1340.986 Million cell updates/sec

Title:
Perfect score: 3071
Sequence: 1 EVTLVESGGDFVKPGGSLKV..........IVEFLNRWITFCQSIISTLT 582
Scoring table: US-10-089-500-57
Searched: BLOSUM62
                 Gapop 10.0 , Gapext 0.5
Searched: 2002273 seqs, 358729299 residues

Total number of hits satisfying chosen parameters: 2002273

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   A_Geneseq_23Sep04:*
                 1: geneseqp1980s:*
                 2: geneseqp1990s:*
                 3: geneseqp2000s:*
                 4: geneseqp2001s:*
                 5: geneseqp2002s:*
                 6: geneseqp2003aa:*
                 7: geneseqp2003bs:*
                 8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	3071	100.0	582	4	AAB81991	Gangliosi
2	3026	98.5	582	4	AAB81987	Gangliosi
3	2759.5	89.9	583	4	AAB83156	Gangliosi
4	2744.5	89.4	579	6	AAE33444	KS antibo
5	2738.5	89.2	579	5	AAO30910	dI-KS-ala
6	2731.5	88.9	581	4	AAO30910	dI-KS-ala
7	2715.5	88.4	575	8	AAB81972	Gangliosi
8	2592	84.4	575	8	ADP42961	Humanised
9	2592	84.4	580	6	AAO30915	dI-NHS76
10	2560	83.4	580	6	AAO30913	dI-NHS76
11	2218.5	72.2	449	5	AAO18400	Mature hu
12	2216	72.2	713	8	ADN97491	Artificia
13	2216	72.2	715	8	ADN97489	Artificia
14	2209.5	71.9	475	7	ADM47075	Mouse ant
15	2205	71.8	477	7	AAR47453	chiT84.12
16	2203.5	71.8	471	8	ADM72029	Chimeric
17	2201.5	71.7	447	5	AAE33522	Human AQC
18	2200.5	71.7	444	6	AAE35327	Humanised
19	2200.5	71.7	444	6	AAE34876	BIWA4/8 a
20	2200.5	71.7	444	8	ADI15443	Humanised
21	2200.5	71.7	445	6	AC000851	Humanised
22	2195.5	71.5	445	6	AAO31101	Human A2-
23	2195.5	71.5	447	6	AAE33523	Human AQC
24	2194.5	71.5	450	6	ADH34587	Human AQC
25	2194	71.4	449	6	ABP58273	Humanised
26	2194	71.4	468	6	ABP58275	Humanised
27	2191.5	71.4	447	6	AAE33524	Human AQC
28	2189.5	71.3	463	8	ADM72025	Chimeric
29	2187	71.2	451	8	ADH34584	008 heavy
30	2184.5	71.1	446	7	ADF11425	208 anti-
31	2184	71.1	451	3	ADP88494	Humanised
32	2181	71.0	449	5	AAY68810	A rat hea
33	2181	71.0	474	6	AAO14065	Heavy cha
34	2181	71.0	474	6	ABU08017	Human mon
35	2181	71.0	474	8	ADF65775	Human mon
36	2180.5	71.0	474	6	ADJ92515	Human SQJ
37	2180.5	71.0	461	6	ABR39847	Humanised
38	2180.5	71.0	461	6	ABR39843	Humanised
39	2177.5	70.9	442	6	ABR39465	Humanised
40	2177.5	70.9	442	6	ABU08311	Humanised
41	2177.5	70.9	442	8	ABB80109	Heavy cha
42	2177.5	70.9	442	7	ADE94066	Humanised
43	2177.5	70.9	442	4	ADN61714	Humanised
44	2177.5	70.9	461	6	AAU07745	Humanised
45	2177.5	70.9	461	6	ABR39844	Humanised
					ABR39848	Humanised

ALIGNMENTS

RESULT 1
AAB81991

ID   AAB81991 standard; protein; 582 AA.
AC   AAB81991;
DT   03-JUL-2001 (first entry)
DE   Ganglioside GD3 specific antibody related protein SEQ ID NO: 57.
KW   Ganglioside; GD3; complementarity determining region; CDR; antibody;
KW   cancer.
OS   Synthetic.
PN   WO200123432-A1.
PD   05-APR-2001.
PF   29-SEP-2000; 2000WO-JP006774.
PR   30-SEP-1999; 99JP-00278291.
PR   06-APR-2000; 2000JP-00105088.
PA   (KYOW) KYOWA HAKKO KOGYO KK.
PI   Hanai N, Shitara K, Nakamura K, Niwa R;
DR   WPI; 2001-266143/27.
PT   New human type complementation-determining region-transplanted antibody
PT   and derivatives against ganglioside GD3, useful in diagnosis and therapy
PT   of e.g. tumors, with low antigenicity, little side effects but potent
PT   activity in cancer.
PS   Claim 39; Page 175-179; 183pp; Japanese.
CC   The present invention describes a monoclonal antibody which can react
CC   specifically with ganglioside GD3. The antibody and its derivatives are
CC   useful in the diagnosis and therapy of tumors, particularly cancer
CC   diagnosis. The present sequence is a protein used in the exemplification
CC   of the invention
SQ   Sequence 582 AA;

Query Match   100.0%; Score 3071; DB 4; Length 582;
Best Local Similarity   100.0%;
Matches 582; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60

Qy 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTTYYFDSWGQGTTLTVSSA 120
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTTYYFDSWGQGTTLTVSSA 120

Qy 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240

Qy 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300

Qy 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480

Qy 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540

Qy 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
   ||||||||||||||||||||||||||||||||||||||||||
Db 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582

Query Match 98.5%; Score 3026; DB 4; Length 582;
Best Local Similarity 98.3%; Pred. No. 8.7e-147;
Matches 572; Conservative 5; Mismatches 5; Indels 0; Gaps 0;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
   ||:|||||||||:|||||:||||||||||||||||||||:|:|:|||||||||||||||||
Db 1 EVQLVESGGDFVQPGGSLRVSCAASGFAFSHYAMSWVRQAPGKGLEWVAYISSGGSGTYY 60

Qy 61 SDSVKGRFTISRDNSKNTLYLQMRSLRAEDSAVYFCTRVKLGTTYYFDSWGQGTTLTVSSA 120
   ||||||||||||||:||||||||||||:||||:||||||||||||||||||||||||||||
Db 61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTTYYFDSWGQGTTLTVSSA 120

Qy 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240

Qy 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300

Qy 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480

Qy 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540

Qy 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
   ||||||||||||||||||||||||||||||||||||||||||
Db 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582

Qy 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480

Qy 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
   ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540

Qy 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
   ||||||||||||||||||||||||||||||||||||||||||
Db 541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582

RESULT 4
AAE33444

PN   WO200123431-A1.
PD   05-APR-2001.
PF   29-SEP-2000; 2000WO-JP006775.
PF   30-SEP-1999; 99JP-00278292.
PA   (KYOW) KYOWA HAKKO KOGYO KK.
PI   Hanai N, Nakamura K, Niwa R;
DR   WPI; 2001-266142/27.
PT   Monoclonal antibodies against ganglioside GM2 combined with drugs, radioisotopes or proteins for treatment and diagnosis of cancer.
PS   Claim 43; Page 61-65; 80pp; Japanese.
CC   The present invention relates to derivatives of an antibody against ganglioside GM2. The antibody may be a monoclonal antibody or its fragments. The antibody is combined with a radioactive isotope, protein or small drug in the treatment and diagnosis of cancer.
SQ   Sequence 583 AA;

Query Match   89.9%; Score 2759.5; DB 4; Length 583;
Best Local Similarity 89.4%; Pred. No. 3.6e-133;
Matches 523; Conservative 21; Mismatches 36; Indels 5; Gaps 2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSTYY 60
         ||:|||:||:| ||| || ||||:||| |||:|| |||||||||| |||:| | | ||
Db   1 EVQLVQSGAEVKKPGASVKVSCKASGYTFDYNMDWVKQSPGQGLEWMGYIYPNNGGTGY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY---FDSWGQGTTLTV 117
         ||:| ||||:|| | :|:|||||||||||:|:||| | : ||:| :|||||||||
Db   61 NQKFKSKVTITVDTSTAYMELHSLRSEDTAVYYC--ARTYGHYGYMFAYWGQGTLVTV 118

Qy 118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 119 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 178

Qy 178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 179 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 238

Qy 238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 239 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 298

Qy 298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 299 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 358

Qy 358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 359 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 418

Qy 418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGI 477
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 419 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGI 478

Qy 478 NNYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISN 537
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 479 NNYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISN 538

Qy 538 INVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
         |||||||||||||||||||||||||||||||||||||||||||||
Db 539 INVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 583

ID   AAE33444 standard; protein; 579 AA.
AC   AAE33444;
DT   02-APR-2003 (first entry)
DE   KS antibody heavy chain-interleukin 2 (IL-2) fusion protein.
KW   Immunoglobulin; diagnosis; epithelial cell adhesion molecule; EpCAM; cancer; gene therapy; interleukin-2; IL2; fusion protein.
OS   Unidentified.
PN   WO200290566-A2.
DR   WPI; 2003-111985/10.
DR   N-PSDB; AAD51139.
PI   Gillies SD, Lo K, Qian X;
PA   (LEXI-) LEXIGEN PHARM CORP.
PR   03-MAY-2001; 2001US-0288564P.
PF   03-MAY-2002; 2002WO-US013844.
PD   14-NOV-2002.
PT   New recombinant anti-EpCAM antibody having an amino acid sequence defining an immunoglobulin light or heavy chain framework region, useful for the diagnosis, prognosis and treatment of cancer.
PS   Disclosure; Page 80-82; 82pp; English.
CC   The present invention relates to novel recombinant anti-EpCAM (human epithelial cell adhesion molecule) antibodies comprising an amino acid sequence defining an immunoglobulin light or heavy chain framework region. Sequences of the present invention are useful for the diagnosis, prognosis and treatment of cancer. They are also used in gene therapy. The present sequence is KS antibody heavy chain-interleukin 2 (IL-2) fusion protein. This sequence is used to illustrate the method of the invention
SQ   Sequence 579 AA;

Query Match   89.4%; Score 2744.5; DB 6; Length 579;
Best Local Similarity 88.5%; Pred. No. 2.1e-132;
Matches 516; Conservative 31; Mismatches 31; Indels 5; Gaps 2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSTYY 60
         :|:|||:||:| ||| ||:|| ||||:|||| :: | :||| ||| | | | | | ::|:
Db   1 QIQLVQSGAEVKKPGETVKISCKASGYTFTNYGMNWVKQTPGKGLKWMGWINTYTGEPTY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR-VKLGTYYFDSWGQGTTLTVSS 119
         :| ::|||| |:: :|::| ||:|||||||:|:|| | | : |||: |||||:|||||
Db   61 ADDFKGRFAFSLETSTSTAFLQINNLRSEDTATYFCVRFISKGDY---WGQGTSVTVSS 116

Qy 120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
         ||||||||||||||||||||||||||||||||||||:|||||||||||||||||||||||
Db 177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236

Qy 240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296

Qy 300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 359
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 356

```
Qy    360 LTTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
          :||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    357 MTTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416

Qy    420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    417 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 476

Qy    480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536

Qy    540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
          |||||||||||||||||||||||||||||||||||||||||
Db    537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

```
RESULT 5
AAO30910
ID   AAO30910 standard; protein; 579 AA.
XX
AC   AAO30910;
XX
DT   22-SEP-2003  (first entry)
XX
DE   dI-KS-ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human.
XX
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO2003048334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2001;  2002WO-US038780.
XX
PR   04-DEC-2001;  2001US-0337113P.
PR   12-APR-2002;  2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PS   Example 10; Page 60-63; 71pp; English.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
CC   The invention relates to cytokine fusion proteins with increased
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   dI-KS-ala-IL2 (D20T) variant protein comprising dI-KS heavy chain fused
CC   to human IL-2 (D20T) variant protein. This sequence is used to illustrate
CC   the method of the invention
XX
SQ   Sequence 579 AA;
```

```
Query Match             89.2%;  Score 2738.5;  DB 6;  Length 579;
Best Local Similarity   88.3%;  Pred. No. 4.2e-132;
Matches  515;  Conservative  30;  Mismatches  33;  Indels   5;  Gaps  2;

Qy      1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSSGTYY 60
          ::|||||::|||   |:||:| | |:||||||||   | |:|||||:||||:|::::||:
```

```
Db      1 QIQLVQSGPELKKPGSSVKISCKASGYTFTNYGMNWVRQAPGKGLKWMGWINTYTGEPTY 60
          ::||::|||:||||||||||:||||||||:|:|||||||||||||:|||||:||:||||:
Db     61 SDSVKGRFIISRDNAKNTLYLQMRSLRSEDSAMYFCTR-VKLGTYYFDSWGQGTTLTVSS 119
          ||::||||:|::||:||:|||||:|||:||||:|||| | ::||:||||||||||||||
Db    117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176
          :||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db    237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 356
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    357 MTTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    417 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 476
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

```
RESULT 6
AAB81972
ID   AAB81972 standard; protein; 581 AA.
XX
AC   AAB81972;
XX
DT   03-JUL-2001  (first entry)
XX
DE   Ganglioside GD2 specific antibody related protein SEQ ID NO: 31.
XX
KW   Ganglioside; GD2; complementation determining region; CDR; antibody;
KW   mouse; cancer.
XX
OS   Synthetic.
XX
PN   WO200123573-A1.
XX
PD   05-APR-2001.
XX
PF   29-SEP-2000;  2000WO-JP006773.
XX
PR   30-SEP-1999;  99JP-00278290.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N,  Shitara K,  Nakamura K,  Niwa R;
XX
DR   WPI; 2001-266163/27.
XX
PT   Human type complementation-determining domain transplanted antibody and
PT   derivatives against ganglioside GD2, useful in diagnosis and therapy of
PT   e.g. tumors, has low antigenicity, little side effects but potent
PT   activity in cancer.
```

PS
XX
CC   The present invention describes an antibody, which can react specifically
CC   with ganglioside GD2, and is transplanted with a human type
CC   complementation-determining domain (CDR), or its fragments. The antibody
CC   and its derivatives are useful in diagnosis and therapy of tumours,
CC   particularly cancer diagnosis. The present sequence is a protein used in
CC   the exemplification of the invention
XX
SQ   Sequence 581 AA;

Query Match   88.9%; Score 2731.5; DB 4; Length 581;
Best Local Similarity   89.0%; Pred. No. 9.7e-132;
Matches 518; Conservative   24; Mismatches 39; Indels   1; Gaps   1;

Qy   1 EVTLVESGGDPFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
          |||||||||||||||||||||||||||||||| |||||||||||||||||| :|||| |||
Db   1 QVQLQESGPGLVKPSQTLSITCTVSGFSLASYNIHWVRQPPGKGLEWLGVIWAGGS-TNY 59

Qy   61 SDSVKGRFIISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA 120
          : :|||||| |||| || || |||| |||||||||| | |:|||| : |||||||||||
Db   60 NSALMSRLTISKDNSKNQVFLKMSSLTAADTAVYYCAKRSDDYSWFAYWCQGTLVTVSSA 119

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy   181 LYSLSSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 240
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 239

Qy   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy   361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy   421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   420 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 479

Qy   481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   480 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 539

Qy   541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
          |||||||||||||||||||||||||||||||||||||||||
Db   540 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 581

RESULT 7
ADP42961
ID   ADP42961 standard; protein; 575 AA.
XX
AC   ADP42961;
XX
DT   23-SEP-2004 (first entry)
XX
DE   Humanised immunoglobulin heavy chain-IL-2 fusion protein SEQ ID NO:6.
XX
KW   immunoglobulin; variable region; antibody; GD2; cytostatic; gene therapy;
KW   cancer; cell surface glycosphingolipid; IL-2.
OS   Synthetic.
XX
PN   WO2004055056-A1.

PD   01-JUL-2004.
XX
PF   16-DEC-2003; 2003WO-EP014295.
XX
PR   17-DEC-2002; 2002US-0433945P.
XX
PA   (MERE) MERCK PATENT GMBH.
XX
PI   Gillies SD, Lo K;
XX
DR   WPI; 2004-488049/46.
DR   N-PSDB; ADP42959.
XX
PT   New modified m14.18 antibodies with reduced immunogenicity and that
PT   specifically bind the human cell surface glycosphingolipid GD2, useful
PT   for treating cancer.
XX
PS   Disclosure; SEQ ID NO 6; 5ipp; English.
XX
CC   The invention relates to a novel antibody variable region, where the
CC   antibody variable region specifically binds to human cell surface
CC   glycosphingolipid GD2. An antibody variable region of the invention has
CC   cytostatic activity, and may have a use in gene therapy. The antibody may
CC   be used for treating cancer. The nucleic acid or cell is useful for
CC   manufacturing a medicament that may be used for treating diseases such as
CC   cancer. The present sequence represents an immunoglobulin heavy chain-IL-
CC   2 fusion protein.
XX
SQ   Sequence 575 AA;

Query Match   88.4%; Score 2715.5; DB 8; Length 575;
Best Local Similarity   88.8%; Pred. No. 6.3e-131;
Matches 517; Conservative   24; Mismatches 34; Indels   7; Gaps   3;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTYY 60
          ||:||: | |:|: ::|| :|||::| || ||||||||||||| |:||||||||||||||
Db   1 EVQLVQSGAEVKKPGASVKISCKASGSSFTGYNMNWVRQNIGKSLEWIGAIDPYYGGTSY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA 120
          : ||||:|| |:| ||||| |:|| | || |:||| | |: :| : |||||||||||
Db   61 NQKPKGRATLTVDKSTSTAYMELKSLRSEDTAVYYCVS---GMEY---WGQGTSVTVSSA 114

Qy   121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   115 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 174

Qy   181 LYSLSSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 240
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   175 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 234

Qy   241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   235 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 294

Qy   301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db   295 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEM 354

Qy   361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   355 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 414

Qy   421 QGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
          ||||||||||||||||||||||||||||: |||||||||||||||||||||||||||||
Db   415 QGNVFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINNY 473

Qy   481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   474 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 533

Qy   541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
          |||||||||||||||||||||||||||||||||||||||||
Db   534 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 575

RESULT 8

AAO30915

ID   AAO30915 standard; protein; 580 AA.
XX
AC   AAO30915;
XX
DT   22-SEP-2003 (first entry)
XX
DE   di-NHS76 (gamma4h) (FN>AQ)-ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human; variant.
XX
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO200304B334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2002; 2002WO-US038780.
XX
PR   04-DEC-2001; 2001US-0337111P.
PR   12-APR-2002; 2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
PS   Example 10; Page 68-71; 71pp; English.
XX
CC   The invention relates to cytokine fusion proteins with increased
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   di-NHS76 (gamma4h) (FN>AQ)-ala-IL2 (D20T) variant protein comprising di-
CC   NHS76 (gamma4h) heavy chain fused to human IL-2 (D20T) variant
CC   protein. This sequence
CC   is used to illustrate the method of the invention
XX
SQ   Sequence 580 AA;

Query Match   84.4%; Score 2592; DB 6; Length 580;
Best Local Similarity   84.7%; Pred. No. 1.3e-124;
Matches 494; Conservative 31; Mismatches 54; Indels 4; Gaps 3;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSH-YAMSWVRQTPAKRLEWVAYISSGGSGGTY 59
          |||||||||||||||||||||||||||||:|| :|||||||||||||||||:|||||||||
Db   1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          :|:|:| || : ||| | | | ||:||::||||:|||||| ||:||:||||||||||||
Db   60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   118 ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 177

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCPAPELLGG 239
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   178 GLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVEPKSCDKTHTCPPCPAPEFLGG 237

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   238 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQAQ 297

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREEQVYTLPPSRDE 359
          ||||||||||||||||||||||||||||||| | ||||||||||||||||||:|||| ||
Db   298 STYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE 357

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
          :|||||||||||||||||||||||||||||||||||||||||||||||||:||||||||
Db   358 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 417

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKTTQLQLEHLLLDLQMILNGINN 479
          ||||:|:||||||||:|:|||||:||||||||||||||||||||||||||||||||||||
Db   418 QQGNIFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLLLTLQMILNGINN 477

Qy   480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
          |||||||||||||||||| ||||||||||||||||||||||||||:||||||||||||||
Db   478 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 537

Qy   540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
          ||||||||||||||||||||||||||||||||||||||||||
Db   538 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580

RESULT 9

AAO30913

ID   AAO30913 standard; protein; 580 AA.
XX
AC   AAO30913;
XX
DT   22-SEP-2003 (first entry)
XX
DE   di-NHS76 (gamma2h) (FN>AQ)-ala-IL2 (D20T) variant protein.
XX
KW   Cytokine; interleukin-2; IL-2; cancer; viral infection; immune disorder;
KW   gene therapy; immunoglobulin; Ig; fusion protein; human; variant.
XX
OS   Homo sapiens.
OS   Unidentified.
OS   Chimeric.
XX
PN   WO200304B334-A2.
XX
PD   12-JUN-2003.
XX
PF   04-DEC-2002; 2002WO-US038780.
XX
PR   04-DEC-2001; 2001US-0337113P.
PR   12-APR-2002; 2002US-0371966P.
XX
PA   (EMDL-) EMD LEXIGEN RES CENT CORP.
XX
PI   Gillies SD;
XX
DR   WPI; 2003-513757/48.
XX
PT   New fusion protein comprising a non-IL-2 moiety fused to a mutant IL-2
PT   moiety, useful for preparing a composition for treating cancer, viral
PT   infections or immune disorders.
XX
PS   Claim 37; Page 64-67; 71pp; English.
XX
CC   The invention relates to cytokine fusion proteins with increased
CC   therapeutic index and methods for increasing the therapeutic index of
CC   such fusion proteins. The fusion protein comprises a non-interleukin-2
CC   (IL-2) moiety fused to a mutant IL-2 moiety. It is useful for preparing a
CC   composition for treating cancer, viral infections or immune disorders.
CC   The fusion protein is also used in gene therapy. The present sequence is
CC   di-NHS76 (gamma2h) (FN>AQ)-ala-IL2 (D20T) variant protein comprising di-
CC   NHS76 (gamma2h) heavy chain fused to human IL-2 (D20T) variant
CC   protein. This sequence
CC   is used to illustrate the method of the invention
XX
SQ   Sequence 580 AA;

Query Match
Best Local Similarity 83.4%; Score 2560; DB 6; Length 580;
         84.1%; Pred. No. 5.6e-123;
Matches 491; Conservative 31; Mismatches 56; Indels 6; Gaps 5;

```
Qy   1 EVTLVESGGDPVKPGGSLKVSCAASGFAFSH--YAMSWVRQTPAKRLEWVAYISSGSGTY 59
         |||||||:|| :||| ||:|:|||||| :|::  |||||||| |||||||| :||||| |||
Db   1 QVQLQEBGPGLVKPSETLSLTCAVSGYSISSGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy  60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
          :: |:.|.|||| :|::: || ||| .| | :| :|| ||:  .||.||||||| ||||
Db  60 YNPSLKSRVTISVDTSKNQPSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy 120 -ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
          |||||||||||||||.|||| ||||||||||||||||||||||||||||||||||||||
Db 118 GASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 177

Qy 179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 238
         ||||||||||||||| .|||||||||:||||||||||||:||||||||||||||||| :|
Db 178 SGLYSLSSVVTVPSSNFGIQTYTCNVDHKPSNTKVDKTVEPKSCDKTHTCPPCPAPP-VA 236

Qy 239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
         |||||||||||||||||||||||||||||||||||.|||||||||||||||||||||||
Db 237 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDDEVKFNWYVDGVEVHNAKTKPREEQY 296

Qy 299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358
          ||.||||||||:||||||||||||||||| ||||||||||||.||||||||||||||||
Db 297 QSTFRVVSVLTVVHQDWLNGKEYKCKVSNKGLPAPIEKTISKTKGQPREPQVYTLPPSRE 356

Qy 359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
         |:|||||||||||||||||||||||||||||||||||||.||||||||||||||||||||
Db 357 EMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSKLTVDKSR 416

Qy 419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGCKAPTSSSSTKKTQLQLEHLLLDLQMILNGIN 478
         |||||||||||||||||||||||| :  . |||||||||||||||||||||| ||||||||
Db 417 WQQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSSTKKTQLQLEHLLLTLQMILNGIN 476

Qy 479 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 538
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 477 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 536

Qy 539 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
         |||||||||||||||||||||||||||||||||||||||||||
Db 537 NVIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

RESULT 10

RESULT 11

Query Match
Best Local Similarity 72.2%; Score 2218.5; DB 5; Length 449;
         93.1%; Pred. No. 1.2e-105;
Matches 418; Conservative 9; Mismatches 21; Indels 0; Gaps 1;

```
Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGTYY 60
         ||.|||||| ::|||||||::||||||| ||.  |:.|.|| |||||||| :  ||||||
Db   1 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMYWFRQAPGKGLEWVATISDGGSYTYY 60

Qy  61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGT-YYFDSWGQGTTLTVSS 119
          ||||||||||||||||:||||| |||:||:| |||||:      .|:| .|||||||| |||
Db  61 PDSVKGRFTISRDNAKNSLYLQMSSLRAEDTAVYYCAREENGFYYFYPDYWGQGTTLVTVSS 119

Qy 120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 180

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 240

Qy 240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 300

Qy 300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 360

Qy 360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 420

Qy 420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
         |||||||||||||||||||||||||||||
Db 421 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 449
```

```
XX
PF   03-OCT-2003; 2003WO-US031420.
XX
PR   03-OCT-2002; 2002US-0415940P.
XX
PA   (LARG-) LARGE SCALE BIOLOGY CORP.
XX
PI   Reini SJ, Edwards P;
XX
DR   WPI; 2004-330170/30.
DR   N-PSDB; ADN97490.
XX
PT   New artificial proprotein comprises three peptide sequences, useful for
PT   artificial multimeric protein engineering in eukaryotes.
XX
PS   Example 15; SEQ ID NO 64; 244pp; English.
XX
CC   The invention relates to an artificial proprotein comprising three
CC   peptide sequences: a first peptide sequence of interest, a propeptide
CC   sequence attached to the C-terminus of the first peptide sequence of
CC   interest, and a second peptide of interest attached to the C-terminus of
CC   the propeptide sequence. The artificial proprotein and polynucleotides
CC   are useful for artificial multimeric protein engineering, e.g. antibodies
CC   and antibody fragments in eukaryotes. This sequence corresponds to a
CC   protein used in the generation of the protein of the invention.
XX
SQ   Sequence 713 AA;
XX

Query Match     72.2%;  Score 2216;  DB 8;  Length 713;
Best Local Similarity  91.7%;  Pred. No. 2.6e-105;
Matches  419;  Conservative  10;  Mismatches  20;  Indels  8;  Gaps  2;

Qy     1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
          ||| ||||||| |||||||| |||||||  ||||| ||||||||:||||||| | : ||
Db   257  EVDLVESGGDLVKPGGSLKUSCAASGFTPSHYGMSWVRQTPDKRLEWVATIGSRGTYTHY  316

Qy    61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL------GTYYF---DSWGQG  112
          .:|||||||||||| || ||||||:||:|||:||:|:||    |||:   |||  ||
Db   317  PDSVKGRFTISRDNDKNALYLQMNSLKSEDTAMYYCARRSEFYYYGNTYYYSAMDYWGQG  376

Qy   113  TTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF  172
          ::|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db   377  ASVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF  436

Qy   173  PAVLQSSGIYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCP   232
          |||||||| |||||||||||||||||||||||||||||||||||:||||||||||||||
Db   437  PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPCP  496

Qy   233  APELLGGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK  292
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   497  APELLGGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK  556

Qy   293  PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  352
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   557  PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  616

Qy   353  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL  412
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   617  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL  676

Qy   413  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
          |||||||||||||||||||||||||||||||||||||
Db   677  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  713

RESULT 12
ADN97489
ID   ADN97489 standard; protein; 715 AA.
XX
AC   ADN97489;
XX
DT   01-JUL-2004 (first entry)
XX
```

```
DE   Artificial protein construction protein #3.
XX
KW   artificial proprotein; propeptide; protein engineering; antibody.
XX
OS   Unidentified.
XX
PN   WO200403136 2-A2.
XX
PD   15-APR-2004.
XX
PF   03-OCT-2003; 2003WO-US031420.
XX
PR   03-OCT-2002; 2002US-0415940P.
XX
DR   WPI; 2004-330170/30.
DR   N-PSDB; ADN97488.
XX
PA   (LARG-) LARGE SCALE BIOLOGY CORP.
XX
PI   Reini SJ, Edwards P;
XX
PT   New artificial proprotein comprises three peptide sequences, useful for
PT   artificial multimeric protein engineering in eukaryotes.
XX
PS   Example 15; SEQ ID NO 62; 244pp; English.
XX
CC   The invention relates to an artificial proprotein comprising three
CC   peptide sequences: a first peptide sequence of interest, a propeptide
CC   sequence attached to the C-terminus of the first peptide sequence of
CC   interest, and a second peptide of interest attached to the C-terminus of
CC   the propeptide sequence. The artificial proprotein and polynucleotides
CC   are useful for artificial multimeric protein engineering, e.g. antibodies
CC   and antibody fragments in eukaryotes. This sequence corresponds to a
CC   protein used in the generation of the protein of the invention.
XX
SQ   Sequence 715 AA;
XX

Query Match     72.2%;  Score 2216;  DB 8;  Length 715;
Best Local Similarity  91.7%;  Pred. No. 2.6e-105;
Matches  419;  Conservative  10;  Mismatches  20;  Indels  8;  Gaps  2;

Qy     1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
          ||| ||||||| |||||||| |||||||  ||||| ||||||||:||||||| | : ||
Db   259  EVDLVESGGDLVKPGGSLKUSCAASGFTPSHYGMSWVRQTPDKRLEWVATIGSRGTYTHY  318

Qy    61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL------GTYYF---DSWGQG  112
          .:|||||||||||| || ||||||:||:|||:||:|:||    |||:   |||  ||
Db   319  PDSVKGRFTISRDNDKNALYLQMNSLKSEDTAMYYCARRSEFYYYGNTYYYSAMDYWGQG  378

Qy   113  TTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF  172
          ::|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||:
Db   379  ASVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF  438

Qy   173  PAVLQSSGIYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCP   232
          |||||||| |||||||||||||||||||||||||||||||||||:||||||||||||||
Db   439  PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPCP  498

Qy   233  APELLGGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK  292
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   499  APELLGGPSVFLPPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK  558

Qy   293  PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  352
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   559  PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  618

Qy   353  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL  412
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   619  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL  678

Qy   413  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
          |||||||||||||||||||||||||||||||||||||
Db   679  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  715
```

RESULT 13
ADM47075

```
ID   ADM47075 standard; protein; 475 AA.
XX
AC   ADM47075;
XX
DT   03-JUN-2004  (first entry)
XX
DE   Mouse anti-human G-CSF antibody heavy chain protein.
XX
KW   methylotroph yeast; mammalian sugar chain; OCH1; alpha-1;
KW   6-mannosyl transferase; alpha-1; 2-mannosidase;
KW   phosphate decarboxylase; URA3;
KW   orotidin-5'-phosphate decarboxylase;
KW   imidazole-glycerol-phosphate dehydratase; HIS3;
KW   3-isopropyl malate dehydrogenase; LEU2; proteinase A; ADE1;
KW   PEP4; YPS1; KTR1; MNN9; AOX; GAPDH; mannosyl transferase;
KW   glyceraldehyde 3-phosphate dehydrogenase; mannose glycoprotein.
XX
OS   Mus sp.
XX
PN   WO20030091431-A1.
XX
PD   06-NOV-2003.
XX
PF   28-APR-2003; 2003WO-JP005464.
XX
PR   26-APR-2002; 2002JP-00127677.
XX
PA   (KIRI ) KIRIN BEER KK.
PA   (NAAD-) NAT INST ADVANCED IND SCI & TECHNOLOGY.
XX
PI   Kobayashi K, Kitagawa Y, Komeda T, Kawashima N, Jigami Y,
PI   Chiba Y;
XX
DR   WPI; 2003-854401/79.
XX
PT   The invention relates to the production of a methylotroph yeast that
PT   produces mammalian sugar chains, comprising disrupting the OCH1 gene in
PT   the yeast that encodes for alpha-1,6-mannosyl transferase and inserting
PT   and expressing the alpha-1,2-mannosidase gene. The specification also
PT   includes DNA sequences encoding: (a) orotidin-5'-phosphate decarboxylase
PT   (URA3); (b) phosphoribosyl-amino-imidazole succinocarboxamide synthase
PT   (ADE1); (c) imidazole-glycerol-phosphate dehydratase (HIS3); (d) 3-
PT   isopropyl malate dehydrogenase (LEU2); (e) alpha-1,6-mannosyl transferase
PT   (OCH1); (f) proteinase A (PEP4); (g) proteinase B (PRB1); and (h)
PT   aspartic protease (YPS1), mannosyl transferase (KTR1 or MNN9), alcohol
PT   oxidase (AOX) and glyceraldehyde 3-phosphate dehydrogenase (GAPDH) gene
PT   sequences. The yeast is used for the production of human and mammalian
PT   high mannose glycoproteins with high yield and purity. The method is also
PT   useful for producing hybrid or complex sugar chains containing mammalian
PT   type chains. This sequence represents a mouse anti-human G-CSF antibody
PT   heavy chain used in the invention.
XX
PS   Example 28; SEQ ID NO 94; 247pp; Japanese.
XX
SQ   Sequence 475 AA;

  Query Match             71.9%;  Score 2209.5; DB 7;  Length 475;
  Best Local Similarity   91.2%;  Pred. No.3.7e-105;
  Matches   416;  Conservative   15;  Mismatches   18;  Indels    7;  Gaps   2;

Qy          1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              :||||||||| ||||||||:|:||||||:||||:|||||||:|| ||||||| ||| |||
Db         20 EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKGLEWVSSISSSSSYIY 79

Qy         61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL----GTYYF---DSWGQGT 113
              :||||||||||||||| |||||| |||:||::| |  |:|:    ||:     |:|||||
Db         80 ADSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDRIIMVRGVYVYYGMDVWGQGT 139
```

RESULT 14
AAR47453

```
ID   AAR47453 standard; protein; 477 AA.
XX
AC   AAR47453;
XX
DT   25-MAR-2003  (revised)
DT   24-JUN-1994  (first entry)
XX
DE   chiT84.12 H3 heavy chain.
XX
KW   chimeric; carcinoembryonic antigen; CEA; murine; mouse; constant; region;
KW   transform; myeloma cell; light chain; tumour.
XX
OS   Synthetic.
XX
PN   WO9325237-A1.
XX
PD   23-DEC-1993.
XX
PF   15-JUN-1993; 93WO-US005709.
XX
PR   15-JUN-1992; 92US-0090407 4.
XX
PA   Shively JE, Fischer R, Wu A, Paxton R, Yang YH;
PI   (YANG/) YANG Y.
PI   (CITY ) CITY OF HOPE.
XX
DR   WPI; 1994-007204/01.
DR   N-PSDB; AAQ54655.
XX
PT   New chimeric T 84.12 antibody active against carcinoembryonic antigen -
PT   has murine variable and human constant regions, also DNA encoding it and
PT   transformed myeloma cells.
XX
PS   Claim 1; Page 22-23; 27pp; English.
XX
CC   The sequences (AAQ54651-52) show the light and heavy chain cDNAs of
CC   murine T84.12. The T84.12 antibody is directed against the tumour marker
CC   carcinoma embryonic antigen, and is useful for tumour imaging and
CC   immunotherapy. The amino acid sequence given in the specification has
CC   been incorrectly identified as a nucleic acid sequence, therefore
CC   unacceptable characters have been represented as an 'N'. The amino acid
CC   sequence given below has been derived from the cDNA, by the indexer.
CC   (Updated on 25-MAR-2003 to correct PN field.)
XX

Qy        114 TLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 173
              :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        140 TVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 199

Qy        174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCPA 233
              ||||||||||||||||||||||||||||||||||||||||||:||||:|||||||||||
Db        200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPCPA 259

Qy        234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 293
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 319

Qy        294 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 353
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        320 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 379

Qy        354 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 413
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        380 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 439

Qy        414 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              ||||||||||||||||||||||||||||||||||||
Db        440 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 475
```

SQ   Sequence 477 AA;

Query Match   71.8%;   Score 2205; DB 2; Length 477;
Best Local Similarity   92.5%;   Pred. No. 6.3e-105;
Matches   419; Conservative   8; Mismatches 18; Indels 8; Gaps 3;

```
Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
Db   29  EVQLVESGGGFVKRGGSLKLSCAASGFTFSSYAMSWVRQTPEKRLEWVASISSDGI-TFY   87

Qy   61  SDSVKGRFTISRDNAKNTILYLQMRSLRSEDSAMYFCTRVKLGTYY----FDSWGQGTTLT  116
Db   88  VDSVKGRPTISRDNARNILYLQMSSLRSEDTAMYYCARI---DYYGGGGFGYWGQGTLAT  144

Qy  117  VSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL  176
Db  145  VSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL  204

Qy  177  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL  236
Db  205  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL  264

Qy  237  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE  296
Db  265  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE  324

Qy  297  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS  356
Db  325  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS  384

Qy  357  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDK  416
Db  385  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDK  444

Qy  417  SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
Db  445  SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  477
```

RESULT 15

ID   ADM72029 standard; protein; 471 AA.
XX
AC   ADM72029;
XX
DT   03-JUN-2004 (first entry)
XX
DE   Chimeric mouse-human antibody M19B11 heavy chain.
XX
KW   GPC3; glypican 3; anti-GPC3 antibody; cell disruption; anti-cancer;
KW   cytostatic; M19B11.
XX
OS   Mus sp.
OS   Homo sapiens.
OS   Chimeric.
XX
PN   WO200402739-A1.
XX
PD   18-MAR-2004.
XX
PF   04-SEP-2003; 2003WO-JP011318.
XX
PR   04-SEP-2002; 2002WO-JP008999.
XX
PA   (CHUS) CHUGAI SEIYAKU KK.
XX
PI   Aburatani H, Midorikawa Y, Nakano K, Ohizumi I, Ito Y, Tokita S;
XX
DR   WPI; 2004-269573/25.
DR   N-PSDB; ADM72028.
XX
PT   Antibody against the N terminus of glypican 3 (GPC3) causes cell
PT   disruption and is useful as an anticancer agent.

XX
PS   Example 4; SEQ ID NO 14; 122pp; Japanese.
XX
CC   The invention relates to an antibody against the N terminus of glypican 3
CC   (GPC3). The antibody can be used for causing cell disruption and can be
CC   used as an anti-cancer agent. The present sequence represents a chimeric
CC   mouse-human antibody M19B11 heavy chain.
XX
SQ   Sequence 471 AA;

Query Match   71.8%;   Score 2203.5; DB 8; Length 471;
Best Local Similarity   92.3%;   Pred. No. 7.5e-105;
Matches   418; Conservative   9; Mismatches 21; Indels 5; Gaps 2;

```
Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
Db   20  EVQLVESGGGLVKPGGTLKLSCAASGSTFSNYAMSWVRQTPEKRLEWVAAIDSNGGTTYY   79

Qy   61  SDSVKGRFTISRDNAKNTILYLQMRSLRSEDSAMYFCTRVKLGTYY----YFDSWGQGTLVT 116
Db   80  PDTMKDRFTISRDNAKNTLYLQMNSLRSEDTAFYHCTREN-GGYENYGWFAYWGQGTLVT  138

Qy  117  VSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL  176
Db  139  VSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL  198

Qy  177  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL  236
Db  199  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL  258

Qy  237  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE  296
Db  259  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE  318

Qy  297  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS  356
Db  319  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS  378

Qy  357  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDK  416
Db  379  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDK  438

Qy  417  SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
Db  439  SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  471
```

Search completed: December 23, 2004, 18:57:43
Job time : 157,692 secs

OM protein - protein search, using sw model

Copyright (c) 1993 - 2004 Compugen Ltd.

GenCore version 5.1.6

Run on: December 23, 2004, 18:46:39 ; Search time 38.4376 seconds
(without alignments)
1004.148 Million cell updates/sec

Title: US-10-089-500-57
Perfect score: 3071
Sequence: 1 EVTLVESGGDFVKPGGSLKV........IVEFLNRWITFCQSISTLT 582
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 478139 seqs, 6618000 residues

Total number of hits satisfying chosen parameters: 478139

Maximum DB seq length: 200000000
Minimum DB seq length: 0

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA:*
1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	2153.5	70.1	459	1	US-08-157-101A-7	Sequence 7, Appli
2	2149.5	70.0	452	1	US-09-027-449-71	Sequence 71, Appl
3	2149.5	70.0	452	3	US-09-026-985-71	Sequence 71, Appl
4	2149.5	70.0	452	4	US-09-121-952A-71	Sequence 71, Appl
5	2149.5	70.0	452	4	US-09-234-340A-71	Sequence 71, Appl
6	2124	69.2	453	3	US-08-466-151-8	Sequence 8, Appli
7	2124	69.2	453	4	US-08-466-163B-8	Sequence 8, Appli
8	2124	69.2	453	4	US-09-802-096-8	Sequence 8, Appli
9	2124	69.2	453	4	US-09-802-077-8	Sequence 8, Appli
10	2122	69.1	451	2	US-08-887-352B-14	Sequence 14, Appl
11	2122	69.1	451	2	US-08-887-352B-16	Sequence 16, Appl
12	2122	69.1	451	3	US-08-466-151-65	Sequence 65, Appl
13	2122	69.1	451	3	US-09-109-207C-14	Sequence 14, Appl
14	2122	69.1	451	3	US-09-109-207C-16	Sequence 16, Appl
15	2122	69.1	451	4	US-09-296-005-14	Sequence 14, Appl
16	2122	69.1	451	4	US-09-296-005-16	Sequence 16, Appl
17	2122	69.1	451	4	US-09-920-171-14	Sequence 14, Appl
18	2122	69.1	451	4	US-09-920-171-16	Sequence 16, Appl
19	2122	69.1	451	4	US-09-716-028-14	Sequence 14, Appl
20	2122	69.1	451	4	US-09-716-028-16	Sequence 16, Appl
21	2122	69.1	451	4	US-10-113-996-14	Sequence 14, Appl
22	2122	69.1	451	4	US-10-113-996-16	Sequence 16, Appl
23	2118	69.0	451	2	US-08-887-352B-18	Sequence 18, Appl
24	2118	69.0	451	3	US-09-109-207C-18	Sequence 18, Appl
25	2118	69.0	451	3	US-09-282-505-2	Sequence 2, Appli
26	2118	69.0	451	3	US-09-054-255-2	Sequence 2, Appli
27	2118	69.0	451	3	US-09-296-005-18	Sequence 18, Appl
28	2118	69.0	451	4	US-09-282-846-2	Sequence 2, Appli
29	2118	69.0	451	4	US-09-680-145-2	Sequence 2, Appli
30	2118	69.0	451	4	US-09-920-171-18	Sequence 18, Appl
31	2118	69.0	451	4	US-09-716-028-18	Sequence 18, Appl
32	2118	69.0	451	4	US-10-113-996-18	Sequence 18, Appl
33	2118	69.0	451	4	US-09-483-588-2	Sequence 2, Appli
34	2115.5	68.9	449	3	US-09-679-397-2	Sequence 2, Appli
35	2115.5	68.9	449	3	US-09-680-148-2	Sequence 2, Appli
36	2115.5	68.9	449	4	US-09-304-465A-2	Sequence 2, Appli
37	2102	68.4	449	1	US-08-458-516-13	Sequence 13, Appl
38	2097	68.3	478	3	US-08-487-550-8	Sequence 8, Appli
39	2097	68.3	478	4	US-09-526-098-8	Sequence 8, Appli
40	2066	67.3	478	4	US-09-383-916-8	Sequence 8, Appli
41	2066	67.2	711	3	US-09-485-737B-90	Sequence 90, Appl
42	2063	67.2	468	3	US-09-485-737B-67	Sequence 67, Appl
43	2052.5	66.8	467	4	US-08-030-175-42	Sequence 42, Appl
44	2052	66.8	467	2	US-08-378-939-10	Sequence 10, Appl
45	2049.5	66.7	467	4	US-08-030-175-41	Sequence 41, Appl

ALIGNMENTS

RESULT 1
US-08-157-101A-7

; Sequence 7, Application US/08157101A
; Patent No. 5808032
; GENERAL INFORMATION:
; APPLICANT: KURIHARA, TATSUYA
; APPLICANT: MATSUKURA, SHIGEKAZU
; APPLICANT: TSURUOKA, NOBUO
; APPLICANT: ARIMA, KENJI
; APPLICANT: NISHIHARA, TATSURO
; TITLE OF INVENTION: ANTI-HBS ANTIBODY GENES AND EXPRESSION
; TITLE OF INVENTION: PLASMIDS THEREFOR
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: PILLSBURY, MADISON & SUTRO
; STREET: 1100 NEW YORK AVENUE, N.W.
; CITY: WASHINGTON
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/157,101A
; FILING DATE: 05-APR-1994
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: TITUS, MARIANA K
; REGISTRATION NUMBER: 35843
; REFERENCE/DOCKET NUMBER: 9437/204199
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-861-3711
; TELEFAX: 202-822-0944
; TELEX: 6714627 CUCH
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 459 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-157-101A-7

Query Match 70.1%; Score 2153.5; DB 1; Length 459;
Best Local Similarity 89.8%; Pred. No. 1.3e-159;
Matches 404; Conservative 20; Mismatches 25; Indels 1; Gaps 1;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAPSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY  60
        :|||||: |::|| |||| :|:||||||||| |: | | :||||| :|||| :|
Db   10 QVQLVESGGGVVQPGRSLRLSCAASGFTFSSNSMHWVRQAPGKGLEWVAVILYDGNHKFY  69

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK-LGTYYFPDSWGQGTTLTVSS  119
        :|||||||||||||:||||||| |:||||||| |||| :| |:| |||||||||||| ||
Db   70 ADSVKGRFTISRDNSKNTLYLEVKSLQTEDTGVYRFPDSWGQGTTLVTVSS  129

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  179
        |||||||||||||||||||||||||||||||||||||||||||||||:||||||||||||
Db  130 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALASGVHTFPAVLQSS  189

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG  239
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  190 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG  249

Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  299
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  250 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  309

Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE  359
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  310 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE  369

Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  419
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  370 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  429

Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
        ||||||||||||||||||||||||||||||
Db  430 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK  459
```

```
Query Match      70.0%;  Score 2149.5;  DB 3;  Length 452;
Best Local Similarity 88.7%;  Pred. No. 2.6e-159;
Matches 401;  Conservative 19;  Mismatches 29;  Indels 3;  Gaps 1;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAPSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY  60
        :|||||:  |||| |||||||||:| :|  | :||||| |||| :||| | : :|
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYVHWVRQAPGKGLEWVGYIDPSNGETYY  60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK---GTYYFPDSWGQGTTLTV  117
        :  ||||||:|||||:||||||||| ||:||| :| | |     |:| ||||||||||||
Db   61 NQKFKGRFTLSRDNSKNTLYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTTLTV  120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  177
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  237
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  297
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  357
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  417
        :|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
        ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  452
```

REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P1085R3-1
TELECOMMUNICATION INFORMATION:
 TELEPHONE: 650/225-5530
 TELEFAX: 650/952-9981
INFORMATION FOR SEQ ID NO: 71:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 452 amino acids
 TYPE: Amino Acid
 TOPOLOGY: Linear
US-09-026-985-71

Query Match 70.0%; Score 2149.5; DB 3; Length 452;
Best Local Similarity 88.7%; Pred. No. 2.6e-159;
Matches 401; Conservative 19; Mismatches 29; Indels 3; Gaps 1;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
          ||||:||| |:|.|||||:|.||||||:.|| || |.|||||:|.|||||.|| .|.||.| |
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY   60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL---GTYYFDSWGQGTTLTV  117
          :.||:|||||:|||||.|||:.|||.|.|||.|:|||.|:.| | |:||||||||||||
Db   61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV  120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  237
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  297
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  417
          :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
          ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  452
```

 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: WinPatin (Genentech)
CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/09/121,952A
 FILING DATE: 24-Jul-1998
 CLASSIFICATION: 514
PRIOR APPLICATION DATA:
 APPLICATION NUMBER: 60/074330
 FILING DATE: 22-JAN-1998
PRIOR APPLICATION DATA:
 APPLICATION NUMBER: 60/075467
 FILING DATE: 20-FEB-1998
ATTORNEY/AGENT INFORMATION:
 NAME: Love, Richard B.
 REGISTRATION NUMBER: 34,659
 REFERENCE/DOCKET NUMBER: P1085R4
TELECOMMUNICATION INFORMATION:
 TELEPHONE: 650/225-5530
 TELEFAX: 650/952-9981
INFORMATION FOR SEQ ID NO: 71:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 452 amino acids
 TYPE: Amino Acid
 TOPOLOGY: Linear
US-09-121-952A-71

Query Match 70.0%; Score 2149.5; DB 4; Length 452;
Best Local Similarity 88.7%; Pred. No. 2.6e-159;
Matches 401; Conservative 19; Mismatches 29; Indels 3; Gaps 1;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
          ||||:||| |:|.|||||:|.||||||:.|| || |.|||||:|.|||||.|| .|.||.| |
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHYMHWVRQAPGKGLEWVGYIDPSNGETTY   60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL---GTYYFDSWGQGTTLTV  117
          :.||:|||||:|||||.|||:.|||.|.|||.|:|||.|:.| | |:||||||||||||
Db   61 NQKFKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFFDVWGQGTLVTV  120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  177
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ  180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  237
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL  240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  297
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  417
          :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
          ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  452
```

```
;     APPLICANT: Zapata, Gerardo A.
;     TITLE OF INVENTION: METHODS OF TREATING INFLAMMATORY DISEASES
;     TITLE OF INVENTION: WITH ANTI-IL-8 ANTIBODY FRAGMENT-POLYMER CONJUGATES
;     NUMBER OF SEQUENCES: 72
;     CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
;     COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
;     CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/09/234,340A
;     FILING DATE:
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US/09/121,952
;     FILING DATE: 24-Jul-1998
;     APPLICATION NUMBER: 60/074330
;     FILING DATE: 22-JAN-1998
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 60/075467
;     FILING DATE: 20-FEB-1998
;     ATTORNEY/AGENT INFORMATION:
;     NAME: Love, Richard B.
;     REGISTRATION NUMBER: 34,659
;     REFERENCE/DOCKET NUMBER: P1085R4
;     TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-5530
;     TELEFAX: 650/952-9881
;     INFORMATION FOR SEQ ID NO: 71:
;     SEQUENCE CHARACTERISTICS:
;     LENGTH: 452 amino acids
;     TYPE: Amino Acid
;     TOPOLOGY: Linear
US-09-234-340A-71
```

```
Qy      Query Match          70.0%;  Score 2149.5; DB 4; Length 452;
        Best Local Similarity  88.7%; Pred. No. 2.6e-159;
        Matches  401; Conservative  19; Mismatches  29; Indels  3; Gaps  1;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTY  60
        |||||||||:||||||||||||::|||||||||||||||||||||||||||:||||||||
Db    1 EVQLVQSGGGLVQPGGSLRLSCAASGYSFSSHXHWRQAPGKGLEWVGYIDPSNGETY     60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL---GTYYFDSWGQGTTLTV 117
        ||||||||||||||||||||||||||||||||||||||||:   ||||||||||||||||
Db   61 NQKFPKGRFTLSRDNSKNTAYLQMNSLRAEDTAVYYCARGDYRYNGDWFPDVWGQGTLVTV 120

Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 180

Qy  178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 240

Qy  238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 300

Qy  298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 360

Qy  358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
        |||:||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 420

Qy  418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        ||||||||||||||||||||||||||||||||
Db  421 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 452
```

```
RESULT 6
US-08-466-151-8
; Sequence 8, Application US/08466151
; Patent No. 6037453
; GENERAL INFORMATION:
;     APPLICANT: Jardieu, Paula M.
;     APPLICANT: Presta, Leonard G.
;     TITLE OF INVENTION: Immunoglobulin Variants
;     NUMBER OF SEQUENCES: 65
;     CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Genentech, Inc.
;     STREET: 1 DNA Way
;     CITY: South San Francisco
;     STATE: California
;     COUNTRY: USA
;     ZIP: 94080
;     COMPUTER READABLE FORM:
;     MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: WinPatin (Genentech)
;     CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/466,151
;     FILING DATE:
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/466163
;     FILING DATE: 06-Jun-1995
;     APPLICATION NUMBER: 08/405617
;     FILING DATE: 15-MAR-1995
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/185899
;     FILING DATE: 26-JAN-1994
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 07/879495
;     FILING DATE: 07-MAY-1992
;     PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 07/744768
;     FILING DATE: 14-AUG-1991
;     ATTORNEY/AGENT INFORMATION:
;     NAME: Svoboda, Craig G.
;     REGISTRATION NUMBER: 39,044
;     REFERENCE/DOCKET NUMBER: P0718P2C1D1
;     TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 650/225-1489
;     TELEFAX: 650/952-9881
;     INFORMATION FOR SEQ ID NO: 8:
;     SEQUENCE CHARACTERISTICS:
;     LENGTH: 453 amino acids
;     TYPE: Amino Acid
;     TOPOLOGY: Linear
US-08-466-151-8
```

```
Qy      Query Match          69.2%;  Score 2124; DB 3; Length 453;
        Best Local Similarity  88.8%; Pred. No. 2.6e-157;
        Matches  403; Conservative  21; Mismatches  24; Indels  6; Gaps  4;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGSGSGTY  59
        |||||||||:||||||||||||::||||| :||||||||||||||||||||||:|||||||
Db    1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITVDGS-TN  59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
        |::|||||||||||||||||||||||||:|||:|||||||:  ||||||||||||||||
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy  118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
        |||||   ||||||||||||||||||||||||||||||||||||||||||||||||||||
```

Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||
Db   420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 7
US-08-466-163B-8
Sequence 8, Application US/0846163B
; Patent No. 6329509
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Immunoglobulin Variants
; FILE REFERENCE: P0718P2C1D1
; CURRENT APPLICATION NUMBER: US/08/466,163B
; CURRENT FILING DATE: 1995-06-06
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized maell, version 1 heavy chain
US-08-466-163B-8

Query Match   69.2%; Score 2124; DB 3; Length 453;
Best Local Similarity   88.8%; Pred. No. 2.6e-157;
  Matches 403; Conservative 21; Mismatches 24; Indels   6; Gaps   4;

Qy   1 EVTLVESGGDFVKPGGSSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY 59
          |||||||:|||||||||||||||||::||| :||||||||||||||||||||||||||||
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSISGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
          :|:||:|||||:||||::|:||||||:||:|:||::|:|:: :|:|:||||||||||||
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||: :||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Db   240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          ||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||
Db   420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 8
US-09-802-096-8
Sequence 8, Application US/09802096
; Patent No. 6685939
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method of Preventing the Onset of Allergic Disorders (as amende
; FILE REFERENCE: P0718P2C3US
; CURRENT APPLICATION NUMBER: US/09/802,096
; CURRENT FILING DATE: 2001-03-08
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: PCT/US92/06860
; PRIOR FILING DATE: 1992-08-14
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized maell, version 1 heavy chain
US-09-802-096-8

Query Match   69.2%; Score 2124; DB 4; Length 453;
Best Local Similarity   88.8%; Pred. No. 2.6e-157;
  Matches 403; Conservative 21; Mismatches 24; Indels   6; Gaps   4;

Qy   1 EVTLVESGGDFVKPGGSSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY 59
          |||||||:|||||||||||||||||::||| :||||||||||||||||||||||||||||
Db   1 EVQLVESGGGLVQPGGSLRLSCAVSGYSISGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
          :|:||:|||||:||||::|:||||||:||:|:||::|:|:: :|:|:||||||||||||
Db   60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||: :||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359

Qy 356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
Db 360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy 416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db 420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 9
US-09-802-077-8
Sequence 8, Application US/09802077
Patent No. 6669472
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Method of Treating Allergic Disorders (as amended)
; FILE REFERENCE: P0718P2C2US
; CURRENT APPLICATION NUMBER: US/09/802,077
; CURRENT FILING DATE: 2001-03-08
; PRIOR APPLICATION NUMBER: US 08/405,617
; PRIOR FILING DATE: 1995-03-15
; PRIOR APPLICATION NUMBER: US 08/185,899
; PRIOR FILING DATE: 1994-01-26
; PRIOR APPLICATION NUMBER: PCT/US92/06860
; PRIOR FILING DATE: 1992-08-14
; PRIOR APPLICATION NUMBER: US 07/879,495
; PRIOR FILING DATE: 1992-05-07
; PRIOR APPLICATION NUMBER: US 07/744,768
; PRIOR FILING DATE: 1991-08-14
; NUMBER OF SEQ ID NOS: 64
; SEQ ID NO 8
; LENGTH: 453
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: humanized maeI1, version 1 heavy chain

Query Match   69.2%; Score 2124; DB 4; Length 453;
Best Local Similarity 88.8%; Pred. No. 2.6e-157;
Matches 403; Conservative 21; Mismatches 24; Indels 6; Gaps 4;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY 59
Db 1 EVQLVESGGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy 60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAYYCARGSHYFGHWHFAVWGQGTLVTV 119
Db 60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117

Qy 118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
Db 120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 179

Qy 176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 235
Db 180 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 239

Qy 236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
Db 240 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 299

Qy 296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
Db 300 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 359

Qy 356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
Db 360 SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 419

Qy 416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db 420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

Db 420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

RESULT 10
US-08-887-352B-14
Sequence 14, Application US/08887352B
Patent No. 5994511
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of
; TITLE OF INVENTION: Improving Polypeptides
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/887,352B
; FILING DATE: 03-Jul-1997
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Svoboda, Craig G.
; REGISTRATION NUMBER: 39,044
; REFERENCE/DOCKET NUMBER: P1123
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1489
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 451 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-08-887-352B-14

Query Match   69.1%; Score 2122; DB 2; Length 451;
Best Local Similarity 88.7%; Pred. No. 3.7e-157;
Matches 401; Conservative 21; Mismatches 26; Indels 4; Gaps 3;

Qy 1 EVTLVESGGDFVKPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY 59
Db 1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy 60 YADSVKGRFTISRDDSKNTFYLQMNSLRAEDTAYYCARGSHYFGHWHFAVWGQGTLVTV 119
Db 60 YNPSVKGRFTISRDDSKNTFYLQMNSLRAEDTAYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy 118 SSAST--KGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
Db 120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy 178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCPAPELL 237
Db 180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPCPAPELL 239

Qy 238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
Db 240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy 298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
Db 300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy 358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
Db 360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy 416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db 420 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 453

Left column (RESULT 11):

```
Qy  418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
             ||||||||||||||||||||||||||||||||
Db  420  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

```
RESULT 11
US-08-887-352B-16
; Sequence 16, Application US/0887352B
; Patent No. 5994511
; GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improving Polypeptides
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/887,352B
; FILING DATE: 03-Jul-1997
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Svoboda, Craig G.
; REGISTRATION NUMBER: 39,044
; REFERENCE/DOCKET NUMBER: P1123
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1489
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 451 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-08-887-352B-16

Query Match             69.1%;  Score 2122;  DB 2;  Length 451;
Best Local Similarity   88.7%;  Pred. No. 3.7e-157;
Matches   401;  Conservative  21;  Mismatches  26;  Indels  4;  Gaps  3;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY  59
             |:||||||||||||||||||||||||:||||||| ||||||||:|||||||||||||
Db    1  EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN  59

Qy   60  YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
             |:|||||||||||||:||||||| ||||:|:|:|:||:    ||||||||||||:|
Db   60  YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy  118  SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
             ||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||
Db  120  SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPPAVLQ 179

Qy  178  SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180  SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy  238  GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240  GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy  298  YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300  YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359
```

Right column (RESULT 12):

```
Qy  358  DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
             :|:||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360  EEMTKRQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy  418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
             ||||||||||||||||||||||||||||||||
Db  420  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

```
RESULT 12
US-08-466-151-65
; Sequence 65, Application US/08466151
; Patent No. 6037453
; GENERAL INFORMATION:
; APPLICANT: Jardieu, Paula M.
; APPLICANT: Presta, Leonard G.
; TITLE OF INVENTION: Immunoglobulin Variants
; NUMBER OF SEQUENCES: 65
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/466,151
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/466163
; FILING DATE: 06-Jun-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/405617
; FILING DATE: 15-Mar-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/185899
; FILING DATE: 26-Jan-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/466,151
; FILING DATE: 07-May-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/879495
; FILING DATE: 07-May-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/744768
; FILING DATE: 14-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Svoboda, Craig G.
; REGISTRATION NUMBER: 39,044
; REFERENCE/DOCKET NUMBER: P0718P22C1D1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1489
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 65:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 451 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
US-08-466-151-65

Query Match             69.1%;  Score 2122;  DB 3;  Length 451;
Best Local Similarity   88.7%;  Pred. No. 3.7e-157;
Matches   401;  Conservative  21;  Mismatches  26;  Indels  4;  Gaps  3;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY  59
             |:||||||||||||||||||||||||:||||||| ||||||||:|||||||||||||
Db    1  EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN  59

Qy   60  YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
             |:|||||||||||||:||||||| ||||:|:|:|:||:    ||||||||||||:|
Db   60  YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119
```

RESULT 13
US-09-109-207C-14
Sequence 14, Application US/09109207C
Patent No. 6172213
GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptide
; FILE REFERENCE: P1123R1
; CURRENT APPLICATION NUMBER: US/09/109,207C
; CURRENT FILING DATE: 1998-06-30
; PRIOR APPLICATION NUMBER: US 60/051,554
; PRIOR FILING DATE: 1997-07-03
; NUMBER OF SEQ ID NOS: 44
; SEQ ID NO 14
; LENGTH: 451
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; NAME/KEY: Artificial
; LOCATION: 1-451
; OTHER INFORMATION: Heavy chain sequence derived from MAE11
US-09-109-207C-14

Query Match   69.1%; Score 2122; DB 3; Length 451;
Best Local Similarity   88.7%; Pred. No. 3.7e-157;
Matches 401; Conservative   21; Mismatches   26; Indels   4; Gaps   3;

```
Qy     1 EVTLVESGGDFVKRPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYAISSGSGSTY 59
           :|:|||||||::|: |:|||||::|:|:  ::|:|:|||:|||.|||:||||:|:|:|:||
Db     1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy    60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
           |:.||||| ||||||::|||:||||:|||.|||:::||||    :||:||:||||||:|:|
Db    60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy   178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
           :|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy   418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           ||||||||||||||||||||||||||||||||
Db   420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

RESULT 14
US-09-109-207C-16
Sequence 16, Application US/09109207C
Patent No. 6172213
GENERAL INFORMATION:
; APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
; TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptide
; FILE REFERENCE: P1123R1
; CURRENT APPLICATION NUMBER: US/09/109,207C
; CURRENT FILING DATE: 1998-06-30
; PRIOR APPLICATION NUMBER: US 60/051,554
; PRIOR FILING DATE: 1997-07-03
; NUMBER OF SEQ ID NOS: 44
; SEQ ID NO 16
; LENGTH: 451
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; NAME/KEY: Artificial
; LOCATION: 1-451
; OTHER INFORMATION: Heavy chain sequence derived from MAE11
US-09-109-207C-16

Query Match   69.1%; Score 2122; DB 3; Length 451;
Best Local Similarity   88.7%; Pred. No. 3.7e-157;
Matches 401; Conservative   21; Mismatches   26; Indels   4; Gaps   3;

```
Qy     1 EVTLVESGGDFVKRPGGSLKVSCAASGFAF-SHYAMSWVRQTPAKRLEWVAYAISSGSGSTY 59
           :|:|||||||::|: |:|||||::|:|:  ::|:|:|||:|||.|||:||||:|:|:|:||
Db     1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy    60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
           |:.||||| ||||||::|||:||||:|||.|||:::||||    :||:||:||||||:|:|
Db    60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy   178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
           :|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy   418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           ||||||||||||||||||||||||||||||||
Db   420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

```
RESULT 15
US-09-296-005-14
; Sequence 14, Application US/09296005
; Patent No. 6290957
; GENERAL INFORMATION:
;  APPLICANT: Henry B. Lowman, Leonard G. Presta, Paula M. Jardieu, John Lowe
;  TITLE OF INVENTION: Improved Anti-IgE Antibodies and Method of Improving Polypeptides
;  FILE REFERENCE: P1123C1r
;  CURRENT APPLICATION NUMBER: US/09/296,005
;  CURRENT FILING DATE: 1999-04-21
;  EARLIER APPLICATION NUMBER: US 08/887,352
;  EARLIER FILING DATE: 1997-07-02
;  NUMBER OF SEQ ID NOS: 26
; SEQ ID NO 14
;  LENGTH: 451
;  TYPE: PRT
;  ORGANISM: Artificial
;  FEATURE:
;  NAME/KEY: Artificial
;  LOCATION: 1-451
;  OTHER INFORMATION: Heavy chain sequence derived from MAE11
US-09-296-005-14

  Query Match             69.1%;  Score 2122;  DB 3;  Length 451;
  Best Local Similarity   88.7%;  Pred. No. 3.7e-157;
  Matches  401; Conservative  21; Mismatches  26; Indels   4; Gaps   3;

Qy      1 EVTLVESGGDFVKPGGGSLKVSCAASGPAF-SHYAMSWVRQTPAKRLEWVAYISSGGSGTY 59
          ||| ||||| | |||||||||| | |  |   |||||||||| |  |||||  ||||| | |
Db      1 EVQLVESGGGLVQPGGSLRLSCAVSGYSITSGYSWNWIRQAPGKGLEWVASITYDGS-TN 59

Qy     60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK--LGTYYFDSWGQGTTLTV 117
          | ||||||| |||||| ||| |||| | | ||  | |    | |||| || |||||||| |
Db     60 YNPSVKGRITISRDDSKNTFYLQMNSLRAEDTAVYYCARGSHYFGHWHFAVWGQGTLVTV 119

Qy    118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
          ||||||||||||||||||||||| || |||||||||||||||||| |||||||||||||
Db    120 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 179

Qy    178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    180 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 239

Qy    238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    240 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 299

Qy    298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    300 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 359

Qy    358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
          : |:|||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    360 EEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 419

Qy    418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||
Db    420 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 451
```

Search completed: December 23, 2004, 19:08:03
Job time : 39.4376 secs

This Page Blank (uspto)

OM protein - protein search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: December 23, 2004, 19:04:51 ; Search time 132.396 Seconds
                   (without alignments)
                   1578.640 Million cell updates/sec

Title: US-10-089-500-57
Perfect score: 3071
Sequence: 1 EVTLVESGGDFVKPGGSLKV........IVEFLNRWITFCQSIISTLT 582

Scoring table: BLOSUM62
                   Gapop 10.0 , Gapext 0.5

Searched: 1595201 seqs, 359116952 residues

Total number of hits satisfying chosen parameters: 1595201

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                   Maximum Match 100%
                   Listing first 45 summaries

Database :   Published Applications AA:*
                   1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
                   2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
                   3: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
                   4: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
                   5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
                   6: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
                   7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
                   8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
                   9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
                   10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
                   11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
                   12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
                   13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
                   14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
                   15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
                   16: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep:*
                   17: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
                   18: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:*
                   19: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
                   20: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	%	Query Match Length	DB ID	Description
1	2744.5	89.4	579	14	US-10-138-727A-41	Sequence 41, Appl
2	2738.5	89.2	579	14	US-10-310-719-32 Sequence 32, Appl
3	2715.5	88.4	575	17	US-10-737-208A-6 Sequence 6, Appli
4	2592	84.4	580	14	US-10-310-719-37 Sequence 37, Appl
5	2560	83.4	580	14	US-10-310-719-35 Sequence 35, Appl
6	2218.5	72.2	663	15	US-10-412-406-32 Sequence 32, Appl
7	2218.5	72.2	4852	15	US-10-412-406-33 Sequence 33, Appl
8	2218	72.2	713	16	US-10-679-620-64 Sequence 64, Appl
9	2216	72.2	715	16	US-10-679-620-62 Sequence 62, Appl
10	2201.5	71.7	447	15	US-10-474-832-4 Sequence 4, Appli
11	2201.5	71.7	447	14	US-10-150-475A-6 Sequence 6, Appli
12	2200.5	71.7	444	16	US-10-704-522-6 Sequence 6, Appli
13	2200.5	71.7	444	16	US-10-645-215-6 Sequence 6, Appl
14	2197	71.5	449	17	US-10-635-908-16 Sequence 16, Appl
15	2197	71.5	449	17	US-10-635-908-18 Sequence 18, Appl
16	2195.5	71.5	445	14	US-10-320-231A-79 Sequence 79, Appl
17	2195.5	71.5	447	15	US-10-474-832-5 Sequence 5, Appli
18	2191.5	71.4	447	15	US-10-310-719-37 Sequence 5, Appli
19	2184.5	71.1	446	15	US-10-408-901-38 Sequence 38, Appl
20	2181	71.0	449	9	US-09-736-371B-21 Sequence 21, Appl
21	2181	71.0	449	15	US-10-463-442-21 Sequence 21, Appl
22	2181	71.0	474	10	US-09-848-832-3 Sequence 3, Appli
23	2181	71.0	474	14	US-10-225-108A-3 Sequence 3, Appli
24	2177.5	70.9	474	14	US-10-291-265-395 Sequence 395, App
25	2177.5	70.9	474	15	US-10-461-108-1 Sequence 1, Appl
26	2177.5	70.9	442	15	US-10-226-435A-12 Sequence 12, Appl
27	2177.5	70.9	442	15	US-10-487-326-12 Sequence 12, Appl
28	2177.5	70.9	442	12	US-10-486-908-12 Sequence 12, Appl
29	2176	70.9	445	15	US-10-408-901-34 Sequence 34, Appl
30	2171	70.7	451	15	US-09-822-698A-26 Sequence 26, Appl
31	2170.5	70.7	442	17	US-10-487-322-12 Sequence 12, Appl
32	2170.5	70.7	442	17	US-10-487-326-21 Sequence 21, Appl
33	2170.5	70.7	442	17	US-10-486-908-16 Sequence 16, Appl
34	2166.5	70.5	446	15	US-10-408-901-46 Sequence 46, Appl
35	2166.5	70.5	469	17	US-10-858-186-14 Sequence 14, Appl
36	2159.5	70.3	469	17	US-10-408-901-30 Sequence 30, Appl
37	2159	70.3	445	15	US-10-408-901-42 Sequence 42, Appl
38	2158.5	70.3	446	15	US-10-656-769-26 Sequence 26, Appl
39	2153.5	70.1	446	15	US-10-108-260A-4640 Sequence 4640, Ap
40	2153	70.1	452	15	US-10-656-769-20 Sequence 20, Appl
41	2152	70.0	474	15	US-09-726-258-71 Sequence 71, Appl
42	2149.5	70.0	469	15	US-10-656-769-22 Sequence 22, Appl
43	2145.5	69.9	447	16	US-10-379-392-116 Sequence 116, App
44	2145.5	69.9	452	17	US-10-818-765-4 Sequence 4, Appli
45	2144.5	69.8	447	16	US-10-379-392-117 Sequence 117, App

ALIGNMENTS

RESULT 1
US-10-138-727A-41

Sequence 41, Application US/10138727A
Publication No. US20030157054A1
GENERAL INFORMATION:
APPLICANT: Gillies, Stephen
APPLICANT: Lo, Kin-Ming
APPLICANT: Qian, Susan
TITLE OF INVENTION: Recombinant Tumor Specific Antibody And Use Thereof
FILE REFERENCE: LEX-019
CURRENT APPLICATION NUMBER: US/10/138,727A
CURRENT FILING DATE: 2002-05-03
PRIOR APPLICATION NUMBER: US 60/288,564
PRIOR FILING DATE: 2001-05-03
NUMBER OF SEQ ID NOS: 42
SOFTWARE: Patentin version 3.0
SEQ ID NO 41
LENGTH: 579
TYPE: PRT
ORGANISM: Artificial sequence
FEATURE:
OTHER INFORMATION: heavy chain-IL2
US-10-138-727A-41

  Query Match   89.4%; Score 2744.5; DB 14; Length 579;
  Best Local Similarity   88.5%; Pred. No. 1.4e-166;
  Matches 516; Conservative   31; Mismatches   31; Indels   5; Gaps 2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              :|||||||||||||||||||| :::|:|||::|::|:||||||:|:|:|||||||||||||
Db   1 QIQLVQSGAEVKKPGETVKISCKASGYTFTNYGMNWVKQTPGKGLKWMGWINTYTGEPTY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR-VKLGTYYFPDSWGGGTTLTVSS 119
              |||||::||:::||||||||:::||:|::::|:||||| :::||||||:|||||||||:||
Db   61 ADDFKGRFAFSLETSTSTAFLQINNLRSEDTATYFCVRFISKGDY----WGQGTSVTVSS 116

```
Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db  117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176
Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db  177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236
Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db  237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296
Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db  297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 356
Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db  357 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416
Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
Db  417 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 476
Qy  480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
Db  477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536
Qy  540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db  537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

RESULT 2
US-10-310-719-32
Sequence 32, Application US/10310719
Publication No. US20030166163A1
GENERAL INFORMATION:
; APPLICANT: Gillies, Stephen
; TITLE OF INVENTION: Immunocytokines with Modulated Selectivity
; FILE REFERENCE: LEX-020
; CURRENT APPLICATION NUMBER: US/10/310,719
; CURRENT FILING DATE: 2002-12-04
; PRIOR APPLICATION NUMBER: 60/337,113
; PRIOR FILING DATE: 2001-12-04
; PRIOR APPLICATION NUMBER: 60/371,966
; PRIOR FILING DATE: 2002-04-12
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 32
; LENGTH: 579
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: dI-KS-ala IL2 (D20T) heavy chain fused to IL-2 variant

Query Match   89.2%; Score 2738.5; DB 14; Length 579;
Best Local Similarity 88.3%; Pred. No. 3.3e-166;
Matches 515; Conservative 30; Mismatches 33; Indels 5; Gaps 2;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
Db    1 QIQLVQSGPELKKPGSSVKISCKASGYTFTNYGMNWVRQAPGKGLKWMGWINTYTGEPTY 60
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR-VKLGTYYFDSWGQGTTLTVSS 119
Db   61 ADDFKGRFITIAEFSTSTLYLQLNNLRSEDTATYFCVRFISKGDY----WGQGTTVTVSS 116
Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db  117 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 176
Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db  177 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGG 236
Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db  237 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 296
Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db  297 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE 356
Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db  357 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 416
Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
Db  417 QQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKKTQLQLEHLLLTLQMILNGINN 476
Qy  480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
Db  477 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 536
Qy  540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
Db  537 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 579
```

RESULT 3
US-10-737-208A-6
Sequence 6, Application US/10737208A
Publication No. US20040203100A1
GENERAL INFORMATION:
; APPLICANT: Lo, Kin-Ming
; APPLICANT: Gillies, Stephen D.
; TITLE OF INVENTION: IMMUNOCYTOKINE SEQUENCES AND USES THEREOF
; FILE REFERENCE: LEX-023
; CURRENT APPLICATION NUMBER: US/10/737,208A
; CURRENT FILING DATE: 2003-12-16
; PRIOR APPLICATION NUMBER: US 60/433,945
; PRIOR FILING DATE: 2002-12-17
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 6
; LENGTH: 575
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Humanized Immunoglobulin Heavy Chain-IL-2
US-10-737-208A-6

Query Match   88.4%; Score 2715.5; DB 17; Length 575;
Best Local Similarity 88.8%; Pred. No. 9.5e-165;
Matches 517; Conservative 24; Mismatches 34; Indels 7; Gaps 3;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTTY 60
Db    1 EVQLVQSGAEVEKPGASVKISCKASGSSFTGYNMAWVRQNIGKSLEWIGAIDPYYGGTSY 60
Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 120
Db   61 NQKFKGRATLTVDKSTSTAYHLKSLRSEDTAVYYCVS---GMEY--WGQGTSVTVSSA 114
Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
Db  115 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 174
Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGGP 240
Db  175 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPELLGGP 234
Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
Db  241 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 300
```

```
Db  235 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 294
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||:|
Db  295 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEM 354

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  355 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 414

Qy  421 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINNY 480
         |||||||||||||||||||||||||| |||||||||||||||||||||||||||||||
Db  415 QGNVFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINNY 473

Qy  481 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 540
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  474 KNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNINV 533

Qy  541 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
        ||||||||||||||||||||||||||||||||||||||||||
Db  534 IVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 575
```

RESULT 4
US-10-310-719-37
; Sequence 37, Application US/10310719
; Publication No. US20030166163A1
; GENERAL INFORMATION:
; APPLICANT: Gillies, Stephen
; TITLE OF INVENTION: Immunocytokines with Modulated Selectivity
; FILE REFERENCE: LEX-020
; CURRENT APPLICATION NUMBER: US/10/310,719
; CURRENT FILING DATE: 2002-12-04
; PRIOR APPLICATION NUMBER: 60/337,113
; PRIOR FILING DATE: 2001-12-04
; PRIOR APPLICATION NUMBER: 60/371,966
; PRIOR FILING DATE: 2002-04-12
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 37
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION:
; OTHER INFORMATION: di-NHS76(gamma4h)(FN-AQ)-ala-IL2(D20T) heavy chain fused to IL2
US-10-310-719-37

Query Match   84.4%; Score 2592; DB 14; Length 580;
Best Local Similarity   84.7%; Pred. No. 7.1e-157;
Matches 494; Conservative   31; Mismatches 54; Indels   4; Gaps   3;

```
Qy    1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSH-YAMSWVRQTPAKRLEWVAYISSGGSGTY 59
        :|| :|||||| |||| | |||||||||| |||||:|||||:|| :
Db    1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
Db   60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
        |||||||||||||  : ||  ||||||||||||||||||||||||||||||||||||||
Db  118 ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 177

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db  178 GLYSLSSVVTVPSSSLGTQTYICNVDHKPSNTKVDKRVEPKSCDKTHTCPPCPAPEFLGG 237

Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
        |||||||||||||||||||||||||||||||:|||||:||||||||||||||||||||
Db  238 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQAQ 297

Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
        |||||||||||||||||||||||||||||  |:|||||||||||||||||||||||:|
Db  298 STYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE 357

Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  358 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 417

Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKKTQLQLEHLLLDLQMILNGINN 479
        ||||:|||||||||||||||||||||||| ||||||||||||||||||||||||||||:
Db  418 QQGNIFSCSVMHEALHNHYTQKSLSLSPG-APTSSSTKKTQLQLEHLLLDLQMILNGINY 477

Qy  480 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 539
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  478 YKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNIN 537

Qy  540 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
        |||||||||||||||||||||||||||||||||||||||||||
Db  538 VIVLELKGSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

RESULT 5
US-10-310-719-35
; Sequence 35, Application US/10310719
; Publication No. US20030166163A1
; GENERAL INFORMATION:
; APPLICANT: Gillies, Stephen
; TITLE OF INVENTION: Immunocytokines with Modulated Selectivity
; FILE REFERENCE: LEX-020
; CURRENT APPLICATION NUMBER: US/10/310,719
; CURRENT FILING DATE: 2002-12-04
; PRIOR APPLICATION NUMBER: 60/337,113
; PRIOR FILING DATE: 2001-12-04
; PRIOR APPLICATION NUMBER: 60/371,966
; PRIOR FILING DATE: 2002-04-12
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 35
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: variant
; OTHER INFORMATION: di-NHS76(gamma2h)(FN-AQ)-ala-IL2(D20T) heavy chain fused to IL2
US-10-310-719-35

Query Match   83.4%; Score 2560; DB 14; Length 580;
Best Local Similarity   84.1%; Pred. No. 7.8e-155;
Matches 491; Conservative   31; Mismatches 56; Indels   6; Gaps   5;

```
Qy    1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSH-YAMSWVRQTPAKRLEWVAYISSGGSGTY 59
        :|| :|||||| |||| | |||||||||| |||||:|||||:|| :
Db    1 QVQLQESGPGLVKPSETLSLTCAVSGYSISSGGYYWGWIRQPPGKGLEWIGSIYHSGS-TY 59

Qy   60 YSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSS 119
Db   60 YNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCARGKWSK--FDYWGQGTLVTVSS 117

Qy  120 -ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 178
          |||||||||||||  : ||  ||||||||||||||||||||||||||||||||||||||
Db  118 GASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 177

Qy  179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 238
        |||||||||||||||   ||||||||:|||||||||| ||||||||||||||||||
Db  178 SGLYSLSSVVTVPSSNNGTQTYICNVDHKPSNTKVDKTVEPKSCDKTHTCPPCPAP-VA 236

Qy  239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
        ||||||||||||||||||||||||||||||||||||:||||||||||||||||||||||
Db  237 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQA 296

Qy  299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKTKGQPREPQVYTLPPSRD 358
         ||:|||||||||:|||||||||||||||| |||||||||||||||||||||||||||:
Db  297 QSTFRVVSVLTVVHQDWLNGKEYKCKVSNKGLPAPIEKTISKTKGQPREPQVYTLPPSRE 356
```

```
Qy   359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
         :|||||||||||||||||||||||||||||||||||||:|||||||||||||||||||||
Db   357 EMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSKLTVDKSR 416

Qy   419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGKAPTSSSTKTQLQEHLLLDLQMILNGIN 478
         ||||||||||||||||||||||||      |  |||||||||||||||| |||||||||
Db   417 WQQGNVFSCSVMHEALHNHYTQKSATATPGAAPTSSSTKTQLQEHLLLTLQMILNGIN 476

Qy   479 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 538
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   477 NYKNPKLTRMLTFKFYMPKKATELKHLQCLEEELKPLEEVLNLAQSKNFHLRPRDLISNI 536

Qy   539 NVIVLELKSSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 582
         ||||||||||||||||||||||||||||||||||||||||||||
Db   537 NVIVLELKSSETTFMCEYADETATIVEFLNRWITFCQSIISTLT 580
```

RESULT 6
US-10-412-406-32
Sequence 32, Application US/10412406
Publication No. US20040058394A1
GENERAL INFORMATION:
; APPLICANT: BIOGEN, INC.
; APPLICANT: GARBER, Ellen
; APPLICANT: LYNE, Paul
; APPLICANT: SALDHANA, Jose W.
; TITLE OF INVENTION: HUMANIZED ANTI-LT-BETA-R ANTIBODIES
; FILE REFERENCE: BINA100CN
; CURRENT APPLICATION NUMBER: US/10/412,406
; CURRENT FILING DATE: 2003-04-10
; PRIOR APPLICATION NUMBER: 60/240,285
; PRIOR FILING DATE: 2000-10-13
; PRIOR APPLICATION NUMBER: 60/275,289
; PRIOR FILING DATE: 2001-03-13
; PRIOR APPLICATION NUMBER: 60/299,987
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: PCT/US01/32140
; PRIOR FILING DATE: 2001-10-12
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 32
; LENGTH: 663
; TYPE: PRT
; ORGANISM: Homo Sapien

Query Match   72.2%;
Best Local Similarity   93.1%;
Matches 418; Conservative   9; Mismatches 21; Indels   1; Gaps   1;
                                        Score 2218.5; DB 15; Length 663;
                                        Pred. No. 5.2e-133;

```
Qy     1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGTYY 60
         ||:||||||  ||||||| ||||||| ||  ||  | | ::||  |||| | **||| ||
Db   215 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMYWFRQAPGKGLEWVATISDGGSYTY 274

Qy    61 SDSVKGRFTISRDNAKNTLYLQWRSLRSEDSAMYFCTRVKLGT-YYFDSWGQGTTLTVSS 119
          ||||||||||||||| ||||| ::||:||:| *| ||        |||  |||||| |||
Db   275 PDSVKGRFTISRDNAKNSLYLQMSSLRAEDTAVYYCAREENGNFYYFDYWGQGTTVTVSS 334

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   335 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 394

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   395 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 454

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   455 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 514

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
```

```
Db   515 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 574
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   575 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 634

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
         |||||||||||||||||||||||||||||
Db   635 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 663
```

RESULT 7
US-10-412-406-33
Sequence 33, Application US/10412406
Publication No. US20040058394A1
GENERAL INFORMATION:
; APPLICANT: BIOGEN, INC.
; APPLICANT: GARBER, Ellen
; APPLICANT: LYNE, Paul
; APPLICANT: SALDHANA, Jose W.
; FILE REFERENCE: BINA100CN
; TITLE OF INVENTION: HUMANIZED ANTI-LT-BETA-R ANTIBODIES
; CURRENT APPLICATION NUMBER: US/10/412,406
; CURRENT FILING DATE: 2003-04-10
; PRIOR APPLICATION NUMBER: 60/240,285
; PRIOR FILING DATE: 2000-10-13
; PRIOR APPLICATION NUMBER: 60/275,289
; PRIOR FILING DATE: 2001-03-13
; PRIOR APPLICATION NUMBER: 60/299,987
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: PCT/US01/32140
; PRIOR FILING DATE: 2001-10-12
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 33
; LENGTH: 4852
; TYPE: PRT
; ORGANISM: Homo Sapien

Query Match   72.2%;
Best Local Similarity   93.1%;
Matches 418; Conservative   9; Mismatches 21; Indels   1; Gaps   1;
                                        Score 2218.5; DB 15; Length 4852;
                                        Pred. No. 5.4e-132;

```
Qy     1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGTYY 60
         ||:||||||  ||||||| ||||||| ||  ||  | | ::||  |||| | **||| ||
Db  4404 EVQLVESGGGLVKPGGSLRLSCAASGFTFSDYYMYWFRQAPGKGLEWVATISDGGSYTY 4463

Qy    61 SDSVKGRFTISRDNAKNTLYLQWRSLRSEDSAMYFCTRVKLGT-YYFDSWGQGTTLTVSS 119
          ||||||||||||||| ||||| ::||:||:| *| ||        |||  |||||| |||
Db  4524 PDSVKGRFTISRDNAKNSLYLQMSSLRAEDTAVYYCAREENGNFYYFDYWGQGTTVTVSS 4583

Qy   120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  4584 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 4643

Qy   180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  4644 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 4703

Qy   240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  4704 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 4763

Qy   300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  4764 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 4823

Qy   360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  4823 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW

Qy   420 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
         |||||||||||||||||||||||||||||
Db       QQGNVFSCSVMHEALHNHYTQKSLSLSPG 448
```

Db 4824 QQGNVFSCSVMHEALHNHYTQKSLSLSPG 4852
         ||||||||||||||||||||||||||||

RESULT 8
US-10-679-620-64
; Sequence 64, Application US/10679620
; Publication No. US20040110930A1
; GENERAL INFORMATION:
; APPLICANT: Large Scale Biology
; APPLICANT: Reinl, Stephen J.
; APPLICANT: Edwards, Patricia C.
; TITLE OF INVENTION: MULTIMERIC PROTEIN ENGINEERING
; FILE REFERENCE: 34150-004A
; CURRENT APPLICATION NUMBER: US/10/679,620
; CURRENT FILING DATE: 2003-10-03
; PRIOR APPLICATION NUMBER: 60/415,940
; PRIOR FILING DATE: 2002-10-03
; NUMBER OF SEQ ID NOS: 122
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 64
; LENGTH: 713
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: p9810chimericv2-1, see Example 15

US-10-679-620-64

Query Match   72.2%; Score 2216; DB 16; Length 713;
Best Local Similarity   91.7%; Pred. No. 8.2e-133;
Matches   419; Conservative 10; Mismatches 20; Indels   8; Gaps   2;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
          ||||||||| ||||||||||||||||||| |||||| :|||||||| |||||||: ||:|: |
Db 257 EVDLVESGGGDLVKPGGSLKLSCAASGFTFSHYGMSWVRQTPDKRLEWVATIGSRGTYTHY 316

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL-----GTYYF---DSWGQG 112
          .||||||||||||||: |||||| :|| ||||||::|:|| | ||:|| |
Db 317 PDSVKGRFTISRDNDKNALYLQMNSLKSEDTAMYYCARRSEFYYYGNTYYYSAMDYWGQG 376

Qy 113 TTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF 172
          ::|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 377 ASVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF 436

Qy 173 PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCP 232
          ||||||||||||||||||||||||||||||||||||||||||:||||||||||||||||
Db 437 PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCP 496

Qy 233 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK 292
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 497 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK 556

Qy 293 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT 352
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 557 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT 616

Qy 353 LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 412
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 617 LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 676

Qy 413 TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||||||
Db 677 TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 713

RESULT 9
US-10-679-620-62
; Sequence 62, Application US/10679620
; Publication No. US20040110930A1
; GENERAL INFORMATION:
; APPLICANT: Large Scale Biology
; APPLICANT: Reinl, Stephen J.
; APPLICANT: Edwards, Patricia C.
; TITLE OF INVENTION: MULTIMERIC PROTEIN ENGINEERING
; FILE REFERENCE: 34150-004A
; CURRENT APPLICATION NUMBER: US/10/679,620
; CURRENT FILING DATE: 2003-10-03
; PRIOR APPLICATION NUMBER: 60/415,940
; PRIOR FILING DATE: 2002-10-03
; NUMBER OF SEQ ID NOS: 122
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 62
; LENGTH: 715
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: p9810chimericv1-1, see Example 15

US-10-679-620-62

Query Match   72.2%; Score 2216; DB 16; Length 715;
Best Local Similarity   91.7%; Pred. No. 8.2e-133;
Matches   419; Conservative 10; Mismatches 20; Indels   8; Gaps   2;

Qy   1 EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY 60
          ||||||||| ||||||||||||||||||| |||||| :|||||||| |||||||: ||:|: |
Db 259 EVDLVESGGGDLVKPGGSLKLSCAASGFTFSHYGMSWVRQTPDKRLEWVATIGSRGTYTHY 318

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKL-----GTYYF---DSWGQG 112
          .||||||||||||||: |||||| :|| ||||||::|:|| | ||:|| |
Db 319 PDSVKGRFTISRDNDKNALYLQMNSLKSEDTAMYYCARRSEFYYYGNTYYYSAMDYWGQG 378

Qy 113 TTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF 172
          ::|||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 379 ASVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTF 438

Qy 173 PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCP 232
          ||||||||||||||||||||||||||||||||||||||||||:||||||||||||||||
Db 439 PAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCP 498

Qy 233 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK 292
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 499 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTK 558

Qy 293 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT 352
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 559 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT 618

Qy 353 LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 412
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 619 LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 678

Qy 413 TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||||||
Db 679 TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 715

RESULT 10
US-10-474-832-4
; Sequence 4, Application US/10474832
; Publication No. US20040008165A1
; GENERAL INFORMATION:
; APPLICANT: BIOGEN, INC.
; TITLE OF INVENTION: ANTIBODIES TO VLA-1
; FILE REFERENCE: A101 PCT
; CURRENT APPLICATION NUMBER: US/10/474,832
; CURRENT FILING DATE: 2003-10-14
; PRIOR APPLICATION NUMBER: 60/283,794
; PRIOR FILING DATE: 2001-04-13
; PRIOR APPLICATION NUMBER: 60/303,689
; PRIOR FILING DATE: 2001-07-06
; NUMBER OF SEQ ID NOS: 70
; SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 4
; LENGTH: 447
; TYPE: PRT
; ORGANISM: Artificial Sequence

```
; FEATURE:
;  OTHER INFORMATION: Description of Artificial Sequence: Synthetic
;  OTHER INFORMATION: polypeptide
US-10-474-832-4

Query Match             71.7%;  Score 2201.5; DB 15; Length 447;
Best Local Similarity   92.9%;  Pred. No. 4e-132;
Matches  416; Conservative   9; Mismatches  22; Indels   1; Gaps   1;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGGH-TYY 60
          ||||||||:|||||||||:::|||||||||||||||||||:|||||||||||       ||||
Db    1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSRYTMSWVRQAPGKGLEWVATISGGGH-TYY 59

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTLVTVSSA 120
          |||||||||||||:||||||||:|||:|||:|:|||||:::|::|:|:|::||||||||||
Db   60 LDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCTRGFGDGGYFDVWGQGTLVTVSSA 119

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  120 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 179

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  180 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 239

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  240 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 299

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  300 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 359

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  360 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 419

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPG 448
          ||||||||||||||||||||||||||||
Db  420 QGNVFSCSVMHEALHNHYTQKSLSLSPG 447
```

```
RESULT 11
US-10-150-475A-6
Sequence 6, Application US/10150475A
Publication No. US2001003985A1
GENERAL INFORMATION:
 APPLICANT: Adolf, G. et al.
 TITLE OF INVENTION: Cytotoxic CD44 Antibody Immunoconjugates
 FILE REFERENCE: 1/1211
 CURRENT APPLICATION NUMBER: US/10/150,475A
 CURRENT FILING DATE: 2002-05-17
 PRIOR APPLICATION NUMBER: US 60/307,451
 PRIOR FILING DATE: 2001-07-24
 NUMBER OF SEQ ID NOS: 9
 SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 6
 LENGTH: 444
 TYPE: PRT
 ORGANISM: Artificial Sequence
 FEATURE:
  OTHER INFORMATION: Description of Artificial Sequence: Humanised
  OTHER INFORMATION: Murine Antibody BIWA 4 Heavy Chain SEQ ID NO: 6

Query Match             71.7%;  Score 2200.5; DB 14; Length 444;
Best Local Similarity   92.4%;  Pred. No. 4.6e-132;
Matches  415; Conservative  11; Mismatches  18; Indels   5; Gaps   1;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          ||||||||:||||||||:::|||||||||||||||||||:|||||||||||||||| |||
Db    1 EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTLVTVSSA 120
          |||:|||||||||||||:||||||:||:|||:|:|||:|||     :|||:|||||||||
Db   61 LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARQGL-----DYWGRGTLVTVSSA 115

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  116 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 175

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  176 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235
```

```
RESULT 12
US-10-704-522-6
Sequence 6, Application US/10704522
Publication No. US20040120949A1
GENERAL INFORMATION:
 APPLICANT: Adolf, Gunther
 APPLICANT: Baumann, Michael
 APPLICANT: Heider, Karl-Heinz
 TITLE OF INVENTION: Compositions and methods for treating cancer using
 TITLE OF INVENTION: cytotoxic CD44 Antibody Immunoconjugates
 FILE REFERENCE: 1/1414
 CURRENT APPLICATION NUMBER: US/10/704,522
 CURRENT FILING DATE: 2003-11-07
 PRIOR APPLICATION NUMBER: US 60/429,516
 PRIOR FILING DATE: 2002-11-27
 PRIOR APPLICATION NUMBER: EP 02024881
 PRIOR FILING DATE: 2002-11-08
 NUMBER OF SEQ ID NOS: 9
 SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 6
 LENGTH: 444
 TYPE: PRT
 ORGANISM: Artificial Sequence
 FEATURE:
  OTHER INFORMATION: Humanised Murine Antibody BIWA 4 Heavy Chain
US-10-704-522-6

Query Match             71.7%;  Score 2200.5; DB 16; Length 444;
Best Local Similarity   92.4%;  Pred. No. 4.6e-132;
Matches  415; Conservative  11; Mismatches  18; Indels   5; Gaps   1;

Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          ||||||||:||||||||:::|||||||||||||||||||:|||||||||||||||| |||
Db    1 EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTLVTVSSA 120
          |||:|||||||||||||:||||||:||:|||:|:|||:|||     :|||:|||||||||
Db   61 LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARQGL-----DYWGRGTLVTVSSA 115

Qy  121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  116 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 175

Qy  181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  176 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235

Qy  241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  236 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295

Qy  301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355

Qy  361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  356 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415

Qy  421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||
Db  416 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
```

```
Db   176  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   236  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   296  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   356  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   421  QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||
Db   416  QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
```

RESULT 13
US-10-645-215-6

; Sequence 6, Application US/10645215
; Publication No. US20040126379A1
; GENERAL INFORMATION:
; APPLICANT: Adolf, Guenther
; APPLICANT: Baum, Anke
; APPLICANT: Heider, Karl-Heinz
; TITLE OF INVENTION: Compositions and Methods for Treating Cancer using
; TITLE OF INVENTION: Cytotoxic CD44 Antibody Immunoconjugates and
; TITLE OF INVENTION: Chemotherapeutic Agents
; FILE REFERENCE: 1/1383
; CURRENT APPLICATION NUMBER: US/10/645,215
; CURRENT FILING DATE: 2003-08-21
; PRIOR APPLICATION NUMBER: EP 02 018 686.2
; PRIOR FILING DATE: August 21, 2002
; PRIOR APPLICATION NUMBER: US 60/405,956
; PRIOR FILING DATE: August 26, 2002
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: Patentin Ver. 2.1
;
; SEQ ID NO 6
; LENGTH: 444
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Humanised Murine Antibody BIWA 4 Heavy Chain
US-10-645-215-6

```
Query Match             71.7%;  Score 2200.5;  DB 16;  Length 444;
Best Local Similarity   92.4%;  Pred. No. 4.6e-132;
Matches   415;  Conservative   11;  Mismatches   18;  Indels   5;  Gaps   1;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
         |||||||||| ||||||| | :|||||||||||||||||||:|| ||||||||||||||
Db    1  EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYDMSWVRQAPGKGLEWVSTISSGGSYTY 60

Qy   61  LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAROGL------DYWGRGTLVTVSSA 115
         |  ||||||||||||||  :|||||||||||||||||||| |     ||||| ||||||
Db   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA 120

Qy  116  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 175
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy  176  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 235
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240

Qy  236  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 295
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300

Qy  296  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy  356  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 415
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy  416  QGNVFSCSVMHEALHNHYTQKSLSLSPGK 444
         |||||||||||||||||||||||||||||
Db  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
```

Db   296 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 355

RESULT 14
US-10-635-908-16

; Sequence 16, Application US/10635908
; Publication No. US20040219633A1
; GENERAL INFORMATION:
; APPLICANT: Bolhuis, Reinier LH
; APPLICANT: Woehl, Thorsten
; APPLICANT: Boettger, Volker
; TITLE OF INVENTION: Method of Producing Recombinant Antibodies
; FILE REFERENCE: 2923-552
; CURRENT APPLICATION NUMBER: US/10/635,908
; CURRENT FILING DATE: 2003-08-07
; PRIOR APPLICATION NUMBER: PCT/EP02/01283
; PRIOR FILING DATE: 2002-02-07
; PRIOR APPLICATION NUMBER: 60/327,008
; PRIOR FILING DATE: 2001-10-05
; PRIOR APPLICATION NUMBER: 60/266,853
; PRIOR FILING DATE: 2001-02-07
; NUMBER OF SEQ ID NOS: 23
; SOFTWARE: Patentin version 3.2
;
; SEQ ID NO 16
; LENGTH: 449
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: mouse anti-human monoclonal antibody
US-10-635-908-16

```
Query Match             71.5%;  Score 2197;  DB 17;  Length 449;
Best Local Similarity   92.2%;  Pred. No. 7.8e-132;
Matches   414;  Conservative   14;  Mismatches   21;  Indels   0;  Gaps   0;

Qy    1  EVTLVESGGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTY 60
         : | |||||||| ||||||| | :||||||||||||||| :|| ||||||| |||||||
Db    1  DVKLVESGGGLVKLGSLKLSCAASGFTFSNYYMSWVRQTPEKRLELVAAINSDGGITY 60

Qy   61  LDSIKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAROGL----DYWGRGTLVTVSSA 120
         |  ||||||||||||| :|||||| :||::||| |||||| |     ||||| |||||
Db   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA 120

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGP 240

Qy  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300

Qy  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301  TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361  TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy  421  QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
```

```
Db      421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            ||||||||||||||||||||||||||||
```

RESULT 15
US-10-635-908-18
; Sequence 18, Application US/10635908
; Publication No. US20040219633A1
; GENERAL INFORMATION:
; APPLICANT: Bolhuis, Reinier LH
; APPLICANT: Woehl, Thorsten
; APPLICANT: Boettger , Volker
; TITLE OF INVENTION: Method of Producing Recombinant Antibodies
; FILE REFERENCE: 2923-552
; CURRENT APPLICATION NUMBER: US/10/635,908
; CURRENT FILING DATE: 2003-08-07
; PRIOR APPLICATION NUMBER: PCT/EP02/01283
; PRIOR FILING DATE: 2002-02-07
; PRIOR APPLICATION NUMBER: 60/327,008
; PRIOR FILING DATE: 2001-10-05
; PRIOR APPLICATION NUMBER: 60/266,853
; PRIOR FILING DATE: 2001-02-07
; NUMBER OF SEQ ID NOS: 23
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 18
; LENGTH: 449
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: mouse anti-human monoclonal antibody
US-10-635-908-18

Query Match   71.5%; Score 2197; DB 17; Length 449;
Best Local Similarity   92.2%; Pred. No. 7.8e-132;
Matches 414; Conservative 14; Mismatches 21; Indels 0; Gaps 0;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAPSHYAMSWVRQTPAKRLEWVAYISSGSGSTYY 60
          : |||||||| | |:||||||||||:||||||||| |||||||| |:| |:||||||||
Db   1 DVKLVESGGGLVKLGGSLKLSCAASGFTFSNYYMSWVRQTPEKRLELVAAINSDGGITYY 60

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA 120
         ||:|||||||||||||||||||:|||:|||:|||:| | ||||||:||||||||||||||
Db   61 LDTVKGRFTISRDNAKNTLYLQMSSLKSEDTALFYCARHRSGYFSMDYWGQGTSVTVSSA 120

Qy 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG 180

Qy 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 240
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGP 240

Qy 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 SVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS 300

Qy 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL 360

Qy 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQ 420

Qy 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
         ||||||||||||||||||||||||||||
Db 421 QGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
```

Search completed: December 23, 2004, 19:35:51
Job time : 133.396 secs

```
OM protein - protein search, using sw model
          Copyright (c) 1993 - 2004 Compugen Ltd.
                    GenCore version 5.1.6

Run on:     December 23, 2004, 18:46:03 ; Search time 31.449 Seconds
                              (without alignments)
                              1780.604 Million cell updates/sec

OM protein - protein search, using sw model

Title:          US-10-089-500-57
Perfect score:  3071
Sequence:       1 EVTLVESGGDFVKPGGSLKV.........IVEFLNRWITFCQSIISTLT 582

Scoring table:
                BLOSUM62
                Gapop 10.0 , Gapext 0.5

Searched:       283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters:    283416

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :      PIR_79:*
                1:  pir1:*
                2:  pir2:*
                3:  pir3:*
                4:  pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Match	Query Match Length	DB	ID	Description
1	1767	57.5	330	1	GHHU	Ig gamma-1 chain C
2	1630.5	53.1	377	2	A23511	Ig gamma-3 chain C
3	1628.5	53.0	377	2	A60764	Ig gamma-3 chain C
4	1604	52.2	326	1	G2HU	Ig gamma-2 chain C
5	1590.5	51.8	327	1	G4HU	Ig gamma-4 chain C
6	1507.5	49.1	444	2	PC4436	monoclonal antibod
7	1466	47.7	470	2	S22080	Ig heavy chain pre
8	1430.5	46.6	469	2	S37483	Ig gamma-2a chain
9	1423	46.3	374	2	S69339	Ig heavy chain V r
10	1421	46.3	446	2	S40295	Ig gamma-2a chain
11	1412	46.0	472	2	S31459	Ig gamma-1 chain -
12	1365	44.4	474	2	G2MS11	Ig gamma-2b chain
13	1343.5	43.7	475	2	S01321	Ig gamma-2b chain
14	1263	41.1	255	4	I47159	Ig gamma-2a chain
15	1260	41.0	255	4	S31866	Ig gamma-1 chain C
16	1257	40.9	328	2	I47160	Ig gamma-2b chain
17	1254	40.8	234	2	PT0207	Ig gamma chain C r
18	1231	40.1	328	1	I47158	Ig gamma-1 chain C
19	1230.5	40.1	323	1	GHRB	Ig gamma 1 chain C r
20	1227	40.0	328	1	I47161	Ig gamma-1 chain C r
21	1216.5	39.6	329	1	G2GP	Ig gamma 3 chain c
22	1161.5	37.8	308	2	C30554	Ig heavy chain C r
23	1152	37.5	326	2	PS0017	Ig gamma-1 chain C
24	1151	37.5	289	2	G3HUVI	Ig gamma-3 heavy
25	1146.5	37.3	333	2	PS0018	Ig gamma-2b chain
26	1142	37.2	324	1	G1MS	Ig gamma-1 chain c
27	1141	37.2	329	1	G3MSC	Ig gamma-3 chain c
28	1139	37.1	393	1	G1MSM	Ig gamma-1 chain C
29	1130	36.8	398	1	G3MSM	Ig gamma-3 chain C
30	1126	36.7	330	1	G2MSA	Ig gamma-2a chain
31	1123.5	36.6	335	1	G2MSAB	Ig gamma-2a chain
32	1121	36.5	399	1	G2MSAM	Ig gamma-2a chain
33	1118.5	36.4	329	2	S00847	Ig gamma-2c chain
34	1118	36.4	548	2	S38864	Ig epsilon chain C
35	1112	36.2	322	2	PS0019	Ig gamma-2a chain
36	1092.5	35.6	327	2	S06611	Ig gamma-2a chain
37	1082	35.2	405	1	G2MSBM	Ig gamma-2b chain
38	1066	34.7	277	2	I47162	Ig gamma-2a chain
39	845.5	27.5	549	2	S04845	Ig gamma-4 chain c
40	817.5	26.6	249	2	S69340	Ig gamma-2b chain
41	802.5	26.1	572	2	B46529	Ig gamma-2a chain
42	801.5	26.1	241	2	S59131	Ig heavy chain (DO
43	770	25.1	218	2	A36040	Ig heavy chain v-I
44	760	24.7	220	2	A49444	Ig gamma-1 heavy c
45	744.5	24.2	254	2	B31790	Ig heavy chain V r

ALIGNMENTS

RESULT 1
GHHU

```
Ig gamma-1 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 31-Jan-1981 #sequence_revision 18-Aug-1982 #text_change 09-Jul-2004
C;Accession: A93433; S36861; S33887; B90563; A90564; B91668; A91723; A02146
R;Ellison, J.W.; Berson, B.J.; Hood, L.E.
Nucleic Acids Res. 10, 4071-4079, 1982
A;Title: The nucleotide sequence of a human immunoglobulin C-gamma1 gene.
A;Reference number: A93433; MUID:82274238; PMID:6287432
A;Cross-references: UNIPROT:P01857; EMBL:Z17370
A;Note: this sequence has the G1m(17) allotypic marker, 97-Lys, and the G1m(1) markers,
A;Note: Lys-330 is removed after translation
A;Molecule type: DNA
A;Residues: 1-330 <ELL>
A;Accession: A93433
A;Reference number: A93433; MUID:82274238; PMID:6287432
A;Cross-references: EMBL:Z17370
A;Molecule type: DNA
A;Residues: 2-330 <HAR>
A;Reference number: S33904
R;Harris, L.J.
submitted to the EMBL Data Library, October 1992
A;Accession: S33904
A;Reference number: S36861
A;Molecule type: DNA
A;Residues: 1-330 <ELL>

R;Takahashi, N.; Ueda, S.; Obata, M.; Nikaido, T.; Nakai, S.; Honjo, T.
Cell 29, 671-679, 1982
A;Title: Structure of human immunoglobulin gamma genes: implications for evolution of a
A;Reference number: S33887; MUID:83001943; PMID:6811139
A;Molecule type: DNA
A;Residues: 88-113;235-330 <TAK>
R;Cunningham, B.A.; Rutishauser, U.; Gall, W.E.; Gottlieb, P.D.; Waxdal, M.J.; Edelman,
Biochemistry 9, 3161-3170, 1970
A;Title: The covalent structure of a human gammaG-immunoglobulin. VII. Amino acid seque
A;Reference number: A90563; MUID:71064024; PMID:5489771
A;Contents: myeloma protein Eu
A;Accession: B90563
A;Molecule type: protein
A;Residues: 1-96,'R',98-135 <CUN>
A;Note: this sequence has the G1m(3) marker, 97-Arg
R;Rutishauser, U.; Cunningham, B.A.; Bennett, C.; Konigsberg, W.H.; Edelman, G.M.
Biochemistry 9, 3171-3181, 1970
A;Title: The covalent structure of a human gammaG-immunoglobulin. VIII. Amino acid seque
A;Reference number: A90564; MUID:71064025; PMID:5530842
A;Contents: Eu
A;Accession: A90564
A;Residues: 136-154,'Q',156-165,'Q',167-176,'Q',178-194,'N',196-197,'D',199-238,'E',240,
A;Molecule type: protein
A;Note: this sequence has the G1m(non-1) markers, 239-Glu and 241-Met
R;Ponting), H.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 357, 1571-1604, 1976
A;Title: Die Primaerstruktur eines monoklonalen IgG1-Immunglobulins (Myelomprotein Nie),
```

igen Primaerstruktur.
A;Reference number: A91668; MUID:77070269; PMID:826475
A;Contents: myeloma protein Nie
A;Accession: B91668
A;Molecule type: protein
A;Residues: 1-34, 'Q', 36-96, 'K', 98-115, 'Q', 117-197, 'D', 199-238, 'D', 240, 'L', 242-268, 'E', 27
A;Note: this sequence has the Glm(17) and Glm(1) markers
R;Schmidt, W.E.; Jung, H.D.; Palm, W.; Hilschmann, N.
R;Hoppe-Seyler's Z. Physiol. Chem. 364, 713-747, 1983
A;Title: Die Primaerstruktur des kristallisierbaren monoklonalen Immunglobulins IgG1 KOl
A;Reference number: A91723; MUID:83289131; PMID:6884994
A;Contents: myeloma protein KOL; disulfide bonds
A;Accession: A91723
A;Molecule type: protein
A;Residues: 1-96, 'R', 98-197, 'D', 199-238, 'E', 240, 'M', 242-266, 'D', 268-271, 'D', 273-330 <SCH
A;Residues: 98-197, 'R', 98-197, 'D', 199-238, 'E', 240, 'M', 242-266, 'D', 268-271, 'D', 273-330 <SCH
Hoppe-Seyler's Z. Physiol. Chem. 357, 1515-1540, 1976
R;Dreker, L.; Schwarz, J.; Reichel, W.; Hilschmann, N.
A;Title: Rule of antibody structure. The primary structure of monoclonal IgG1 immunoglob
embromide cleavage products. and the disulfide bridges.
A;Reference number: A91667; MUID:77070267; PMID:1002129
A;Contents: annotation; disulfide bonds
C;Genetics:
C;Gene: GDB:IGHG1
A;Cross-references: GDB:120085; OMIM:147100
A;Map position: 14q32.33-14q32.33
A;Introns: 99/1; 114/1; 224/1
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin
F;20-85/Domain: immunoglobulin homology <IM1>
F;27-83,144-204,250-308/Disulfide bonds: #status experimental
F;137-206/Domain: immunoglobulin homology <IM2>
F;243-310/Domain: immunoglobulin homology <IM3>
F;103/Disulfide bonds: interchain (to light chain) #status experimental
F;109,112/Disulfide bonds: interchain (to heavy chain) #status experimental
F;180/Binding site: carbohydrate (Asn) (covalent) #status experimental

```
Query Match            57.5%;  Score 1767;  DB 1;  Length 330;
Best Local Similarity  100.0%;  Pred. No. 2.6e-92;
Matches  330;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy  120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  179
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   60

Qy  180  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG  239
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG  120

Qy  240  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  299
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN  180

Qy  300  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE  359
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE  240

Qy  360  LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  419
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW  300

Qy  420  QQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
              ||||||||||||||||||||||||||||||
Db  301  QQGNVFSCSVMHEALHNHYTQKSLSLSPGK  330
```

RESULT 2
A23511
Ig gamma-3 chain C region (allotype G3m(b)) - human
C;Species: Homo sapiens (man)
C;Date: 28-Dec-1987 #sequence_revision 28-Dec-1987 #text_change 23-Jul-1999
A;Accession: A23511
R;Huck, S.; Fort, P.; Crawford, D.H.; Lefranc, M.P.; Lefranc, G.
R;Nucleic Acids Res. 14, 1779-1789, 1986
A;Title: Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: cc
A;Reference number: A23511; MUID:86148507; PMID:3081877
A;Accession: A23511
A;Molecule type: DNA
A;Residues: 1-377 <HUC>
A;Cross-references: GB:X03604; GB:M12958; NID:g330070; PIDN:CAA27268.1; PID:g577056
C;Genetic:
C;Gene: GDB:IGHG3
A;Cross-references: GDB:119339; OMIM:147120
A;Map position: 14q32.33-14q32.33
A;Introns: 98/3; 115/3; 130/3; 145/3; 160/3; 270/3
C;Superfamily: immunoglobulin; immunoglobulin homology
C;Keywords: immunoglobulin
F;20-85/Domain: immunoglobulin homology <IMM>

```
Query Match            53.1%;  Score 1630.5;  DB 2;  Length 377;
Best Local Similarity  82.0%;  Pred. No. 1.4e-84;
Matches  309;  Conservative  10;  Mismatches  11;  Indels  47;  Gaps  1;

Qy  120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  179
              ||||||||||:||:||||||||||||||||||||||||||||||||||||||||||||||
Db    1  ASTKGPSVFPLAPCSRSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS   60

Qy  180  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKV-----------------  217
              ||||||||||||||||||||||||||||||||||||:|
Db   61  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVELKTPLGDTTHTCPRCPEPKSC  120

Qy  218  -------------EPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDT  252
                           |||||||||||||||||||||||||||||||
Db  121  DTPPPCPRCPEPKSCDTPPPCPRCPEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDT  180

Qy  253  LMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH  312
              ||||||||||||||||||||||:|||||||||||||||||||||||::|||||||||||
Db  181  LMISRTPEVTCVVVDVSHEDPEVQFKWYVDGVEVHNAKTKPREEQYNSTFRVVSVLTVLH  240

Qy  313  QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVK  372
              ||||||||||||||||||||||||||||:|||||||||||||||:|:||||||||||||
Db  241  QDWLNGKEYKCKVSNKALPAPIEKTISKTKGQPREPQVYTLPPSREEMTKNQVSLTCLVK  300

Qy  373  GFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHE  432
              ||||||||||||||||||||||:|||||:||||||||||||||||||||||:|||||||
Db  301  GFYPSDIAVEWESNGQPENNYNTTPPMLDSDGSFFLYSKLTVDKSRWQQGNIFSCSVMHE  360

Qy  433  ALHNHYTQKSLSLSPGK  449
              ||||:||||||||||||
Db  361  ALHNRFTQKSLSLSPGK  377
```

RESULT 3
A60764
Ig gamma-3 chain C region, form LAT - human
C;Species: Homo sapiens (man)
C;Date: 14-May-1993 #sequence_revision 14-May-1993 #text_change 09-Jul-2004
A;Accession: A60764
R;Huck, S.; Lefranc, G.; Lefranc, M.P.
R;Immunogenetics 30, 250-257, 1989
A;Title: A human immunoglobulin IGHG3 allele (Gmb0, b1, c3, c5, u) with an IGHG4 convert
A;Reference number: A60764; MUID:90007613; PMID:2571587
A;Accession: A60764
A;Molecule type: protein
A;Residues: 1-377 <HUC>
A;Status: preliminary
C;Superfamily: immunoglobulin; immunoglobulin homology
C;Keywords: immunoglobulin

F;20-85/Domain: immunoglobulin homology <IMM>

```
Query Match          53.0%; Score 1628.5; DB 2; Length 377;
Best Local Similarity 82.0%; Pred. No. 1.9e-84;
Matches 309; Conservative 10; Mismatches 11; Indels 47; Gaps 1;

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db    1 ASTKGPSVFPLAPCSRSTSGGTQTYTCNVANHKPSNTKVDKKV----------------- 60

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKV 217
Db   61 DTPPPCPRCPEPKSCDTPPPCPRCPEPKSCDTPPPCPRCPAPELLGGPSVFLFPPKPKSC 120

Qy  218 -------------------BPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKPKSC 217
Db  121 DTPPPCPRCPEPKSCDTPPPCPRCPEPKSCDTPPPCPRCPAPELLGGPSVFLFPPKPKDT 180

Qy  253 LMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH 312
Db  181 LMISRTPEVTCVVVDVSHEDPEVQFKWYVDGVEVHNAKTKPREEQYNSTFRVVSVLTVLH 240

Qy  313 QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVK 372
Db  241 QDWLNGKEYKCKVSNKALPAPIEKTISKTKGQPREPQVYTLPPSREEMTKNQVSLTCLVK 300

Qy  373 GFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHE 432
Db  301 GFYPSDIAVEWESSGQPENNYNTTPPVLDSDGSFFLYSRLTVDKSRWQEGNVFSCSVMHE 360

Qy  433 ALHNHYTQKSLSLSPGK 449
Db  361 ALHNRFTQKSLSLSPGK 377
```

RESULT 4
G2HU
Ig gamma-2 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 30-Apr-1981 #sequence_revision 13-Jun-1983 #text_change 09-Jul-2004
C;Accession: A93906; A92809; A90752; A93132; A02148
R;Ellison, J.; Hood, L.
A;Reference number: A93906; MUID:82197621; PMID:6804948
A;Title: Linkage and sequence homology of two human immunoglobulin gamma heavy chain con
A;Journal: Proc. Natl. Acad. Sci. U.S.A. 79, 1984-1988, 1982
R;Wang, A.C.; Tung, E.; Fudenberg, H.H.
A;Reference number: A92809; MUID:81007873; PMID:6774012
A;Title: The primary structure of a human IgG2 heavy chain: genetic, evolutionary, and f
A;Journal: J. Immunol. 125, 1048-1054, 1980
R;Connell, G.E.; Parr, D.M.; Hofmann, T.
A;Reference number: A90752; MUID:8001357; PMID:113060
A;Title: The amino acid sequences of the three heavy chain constant region domains of a
A;Journal: Can. J. Biochem. 57, 758-767, 1979
A;Accession: A90752
A;Molecule type: protein
A;Residues: 1-19,'Q',21-57,'Z',59,'A',61-193,'D',195-325 <WAN>
A;Note: Trp-156 is at or near the complement-binding site
A;Accession: A92809
A;Molecule type: protein
A;Residues: 1-24,'E',26-57,'E','EV',60-85/132-171,'ZZZ',175,'B',177-193,'D',195-196,'Q',198-
A;Accession: A90752
A;Molecule type: protein
A;Residues: 238-275 <HOF>
R;Hofmann, T.; Parr, D.M.
A;Reference number: A94591
submitted to the Atlas, March 1980
A;Contents: annotation; Zie, revisions to residues 25, 59, 60, and 264-268
ned
A;Note: the revised sequence differs from that shown in having 60-Ala and in the amidat
R;Milstein, C.; Frangione, B.
Biochem. J. 121, 217-225, 1971
A;Title: Disulphide bridges of the heavy chain of human immunoglobulin G2.
A;Reference number: A90253; MUID:72033500; PMID:4940472
A;Contents: annotation; myeloma protein Sa, disulfide bonds
R;Frangione, B.; Milstein, C.; Pink, J.R.L.
A;Title: Structural studies of immunoglobulin G.
Nature 221, 145-148, 1969
A;Reference number: A93157; MUID:69064124; PMID:5782707
A;Contents: annotation; Sa, disulfide bonds
C;Genetics:
A;Gene: GDB:IGHG2
A;Cross-references: GDB:119338; OMIM:147110
A;Map position: 14q32.33-14q32.33
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (ka
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into l
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin
F;20-85/Domain: immunoglobulin homology <IM1>
F;133-202/Domain: immunoglobulin homology <IM2>
F;239-306/Domain: immunoglobulin homology <IM3>
F;14/Disulfide bonds: interchain (to light chain) #status experimental
F;27-83,140-200,246-304/Disulfide bonds: #status experimental
F;102,103,106,109/Disulfide bonds: interchain (to heavy chain) #status experimental
F;176/Binding site: carbohydrate (Asn) (covalent) #status predicted

```
Query Match          52.2%; Score 1604; DB 1; Length 326;
Best Local Similarity 91.2%; Pred. No. 3.7e-83;
Matches 301; Conservative 12; Mismatches 13; Indels 4; Gaps 2;

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
Db    1 ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 60

Qy  180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
Db   61 GLYSLSSVVTVPSSNFGTQTYTCNVDHKPSNTKVDKTVERKCCVE---CPPCPAPVAG 116

Qy  240 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
Db  117 PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFNWYVDGVEVHNAKTKPREEQFN 176

Qy  300 STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
Db  177 STFRVVSVLTVVHQDWLNGKEYKCKVSNKGLPAPIEKTISKTKGQPREPQVYTLPPSREE 236

Qy  360 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRW 419
Db  237 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPMLDSDGSFFLYSRLTVDKSRW 296

Qy  420 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
Db  297 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK 326
```

RESULT 5
G4HU
Ig gamma-4 chain C region - human
C;Species: Homo sapiens (man)
C;Date: 02-Apr-1982 #sequence_revision 02-Apr-1982 #text_change 09-Jul-2004
C;Accession: A90933; A90249; A02150
R;Ellison, J.; Buxbaum, J.; Hood, L.
DNA 1, 11-18, 1981
A;Title: Nucleotide sequence of a human immunoglobulin C-gamma4 gene.

A;Reference number: A90933; MUID:83157104; PMID:6299662
A;Accession: A90933
A;Molecule type: DNA
A;Residues: 1-327 <ELI>
A;Cross-references: UNIPROT:P01861
A;Note: the sequence was determined from the germline gene
R;Pink, J.R.L.; Buttery, S.H.; De Vries, G.M.; Milstein, C.
Biochem. J. 117, 33-47, 1970
A;Title: Human immunoglobulin subclasses. Partial amino acid sequence of the constant r
A;Reference number: A90249; MUID:70207560; PMID:4192699
A;Accession: A90249
A;Molecule type: protein
A;Residues: 1-30,81-326 <PIN>
A;Reference:
A;Genetics:
A;Gene: GDB:IGHG4
A;Cross-references: GDB:119340; OMIM:147130
A;Map position: 14q32.33-14q32.33
A;Introns: 99/1; 111/1; 221/1
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: duplication; glycoprotein; heterotetramer; immunoglobulin
F;20-85/Domain: immunoglobulin homology <IM1>
F;99-110/Region: hinge
F;134-203/Domain: immunoglobulin homology <IM2>
F;240-307/Domain: immunoglobulin homology <IM3>
F;14/Disulfide bonds: interchain (to light chain) #status predicted
F;22/Disulfide bonds: interchain (to light chain) #status predicted
F;27-83,141-201,247-305/Disulfide bonds: intrachain #status predicted
F;106,109/Disulfide bonds: interchain (to heavy chain) #status experimental
F;177/Binding site: carbohydrate (Asn) (covalent) #status predicted

Query Match   51.8%; Score 1590.5; DB 1; Length 327;
Best Local Similarity   90.9%; Pred. No. 2.1e-82;
Matches 300; Conservative 12; Mismatches 15; Indels 3; Gaps 1;

(sequence alignment blocks — Qy/Db rows follow)

C;Comment: This catalytic antibody has peroxidase oxidase activity. It is directed again
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: glycoprotein; heterotetramer; immunoglobulin homology <IMM>
F;251-320/Domain: immunoglobulin homology <IMM>
F;22/Disulfide bonds: interchain (to 98) #status predicted
F;99/Disulfide bonds: interchain (to 109) #status predicted

RESULT 7
S22080
A;Title: Ig heavy chain precursor (B/MT.4A.17.H5.A5) - bovine
N;Alternate names: Ig gamma-1 chain C region (clone 8.10)
A;Species: Bos primigenius taurus (cattle)
A;Molecule type: DNA
A;Residues: 142-470 <SYM>
A;Cross-references: EMBL:X16701
A;Note: the sequence was determined from the germline gene
C;Genetics:
A;Gene: Ig CH gamma-1
A;Introns: 98/1; 111/1; 221/1
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: glycoprotein; heterotetramer; immunoglobulin homology; membrane protein
F;161-225/Domain: immunoglobulin homology <IMM>

F;318/Binding site: carbohydrate (Asn) (covalent) #status predicted

```
Query Match     47.7%;   Score 1466;   DB 2;   Length 470;
Best Local Similarity    61.5%;   Pred. No. 3.3e-75;
Matches 280;   Conservative 60;   Mismatches 105;   Indels 10;   Gaps 6;

Qy    1  EVTLVESGGDFVKPGGSLKLVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
Db   20  QVQLRESGPSLVKPSQTLSLICTVSGFSLSSYALTWVRQAPGKALEWVGGITSGGT-TYY   78

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY----YFDSWGQGTTLT  116
Db   79  NPALKSRLSITKENSKSQVSLSVSSVTPEDTATYYCARSTYGEVGDGAIADAWGGLLVT  138

Qy  117  VSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVL  176
Db  139  VSSASTTAPKVYPLSSCCGDKSSSTVTLGCLVSSTVMPEPVVTVWNSGALKSGVHTFPAVL  198

Qy  177  QSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDCKTHTCPPCPAPEL  236
Db  199  QSSGLYSLSSMVTVPGSTSG-QTFTCNVAHPASSTKVDKAVDP-TC-KPSCDCCPPEL  255

Qy  237  LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREE  296
Db  256  PGGPSVFIPPKPKDTLTIGGTPEVTCVVVDVGHDDPEVKFKWFVDDVEVNTATTKPREE  315

Qy  297  QYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPS  356
Db  316  QFNSTYRVVSALRIQHQDWTGGKEFKCKVHNEGLPAPIVRTISRTGPARRPQVVLAPP  375

Qy  357  RDELTKNQVSLTCLVKGFYPSDIAVEWESNGQP---ENNYKTTPPVLDSDGSFFLYSKLTV  414
Db  376  QEELSKSTVSLLTCMVTSFYPDYIAVEWQRNGQPESEDKYGTTPPQLDADSSYFLYSKLRV  435

Qy  415  DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
Db  436  DRNSWQEGDTYTCVVMHEALHNHYTQKSTSKSAGK  470
```

RESULT 8
S37483
Ig gamma-2a chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
A;Accession: S37483
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-469 <DUC>
A;Cross-references: EMBL:X70423; NID:g406252; PIDN:CAA49868.1; PID:g406253
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin
F;276-345/Domain: immunoglobulin homology <IMM>
R;Ducancel, F.F.D.
submitted to the EMBL Data Library, February 1993
A;Reference number: S37483

```
Query Match     46.6%;   Score 1430.5;   DB 2;   Length 469;
Best Local Similarity    58.8%;   Pred. No. 3.2e-73;
Matches 266;   Conservative 71;   Mismatches 110;   Indels 5;   Gaps 4;

Qy    1  EVTLVESGGDFVKPGGSLKLVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGSTYY  60
Db   20  QIQLQQSGPELVKPGASVKISCKASGYTFTDYYINWVKQRPGQGLKWIGNIYPASGNTKY   79

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGT-YYFDSWGQGTTLTVSS  119
Db   80  NENFKGKATLTVDTSSSTAYMQLSSLTSEDTAVYFCARAMGATATLLDYWGQGTTLTVSS  139

Qy  120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS  179
Db  140  AKTTAPSVYPLAPVCGDTTGSSVTLGCLVKGYFPEPVTLTWNSGSLSSGVHTFPAVLQSD  199
```

Qy 180 GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP--CPAPELL 237
Db 200 -LYTLSSSVTVTSSSTWPSQSITCNVAHPASSTKVDKKIEPRG-PTIKPCPPCPAPNLL 257

```
Qy  238  GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ  297
Db  258  GGPSVFIFPPKIKDVLMISLSPIVTCVVVDVSEDDPDVQISWFVNNVEVHTAQTQTHRED  317

Qy  298  YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR  357
Db  318  YNSTLRVVSALPIQHQDWMSGKEFKCKVNNKDLPAPIERTISKPKGSVRAPQVYVLPPP  377

Qy  358  DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS  417
Db  378  EEMTKKQVTLTCMVTDFMPEDIYVEWTNNGKTELNYKNTEPVLDSDGSYFMYSKLRVEKK  437

Qy  418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
Db  438  NWVERNSYSCSVVHEGLHNHHTTKSFSRTPGK  469
```

RESULT 9
S69339
Ig heavy chain V region precursor - human
C;Species: Homo sapiens (man)
C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 01-Dec-2000
A;Accession: S69339; S72664
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-140,'C',142-374 <KH2>
A;Cross-references: EMBL:X81695
A;Status: preliminary
A;Molecule type: mRNA
A;Accession: S72664
A;Reference number: S72664
R;Khamlichi, A.A.
submitted to the EMBL Data Library, September 1994
A;Accession: S69339
A;Status: preliminary
A;Molecule type: mRNA
A;Reference number: S69339; MUID:95262687; PMID:7744049
A;Reference number: S69339
A;Title: Structure of abnormal heavy chains in human heavy-chain-deposition disease.
R;Khamlichi, A.A.; Aucouturier, P.; Preud'homme, J.L.; Cogne, M.
Eur. J. Biochem. 229, 54-60, 1995
C;Superfamily: immunoglobulin C region; immunoglobulin homology

```
Query Match     46.3%;   Score 1423;   DB 2;   Length 374;
Best Local Similarity    61.9%;   Pred. No. 6.4e-73;
Matches 281;   Conservative 23;   Mismatches 46;   Indels 104;   Gaps 4;

Qy    1  EVTLVESGGDFVKPGGSLKLVSCAASGFAFSH--YAMSWVRQTPAKRLEWVAYISSGGSGT  58
Db   20  QITLKESGPTLVKPTQTLTLTCTFSGFSLSKSGVGVGWIRQPPGQALEWLALI-FWDDDK  78

Qy   59  YYSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLG---TYYFDSWGQGTTL  115
Db   79  RYSPSLRTRLTITKDTSKNQVVLTMTNVDPADTATYYCGYSVEGVGQGYRFHISWGQGTLV  138

Qy  116  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV  175
Db  139  TVSS------------------------------------------------------  142

Qy  176  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE  235
Db  143  --------------------------------------------EPKSCDKTHTCPPCPAPE  160

Qy  236  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  295
Db  161  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  220

Qy  296  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  355
Db  221  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  280
```

```
Qy  356  SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  415
         |||:|||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  281  SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  340

Qy  416  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
         |||||||||||||||||||||||||||||||||
Db  341  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  374
```

RESULT 10
S40295
Ig gamma-2a chain (mAb735) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 07-Apr-1994 #sequence_revision 07-Apr-1994 #text_change 09-Jul-2004
C;Accession: S40295
R;Klebert, S.; Kratzin, H.D.; Zimmermann, B.; Vaesen, M.; Frosch, M.; Weisgerber, C.; Bi
submitted to the EMBL Data Library, January 1993
A;Description: Primary structure of the murine monoclonal IgG2a antibody mAb735 against
A;Reference number: S40295
A;Accession: S40295
A;Molecule type: protein
A;Residues: 1-446 <KLE>
A;Cross-references: UNIPROT:Q99L25
C;Genetics:
A;Map position: 12
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: disulfide bond; glycoprotein; immunoglobulin; pyroglutamic acid
F;1-446/Product: Ig gamma-2a chain #status experimental <MAT>
F;1-117/Domain: V-D-J region <VDJ>
F;118-446/Domain: C region <CHR>
F;118-214/Domain: C1 region <CH1>
F;215-230/Region: hinge
F;231-340/Domain: C2 region <CH2>
F;341-446/Domain: C3 region <CH3>
F;360-427/Domain: immunoglobulin homology <IMM>
F;1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental
F;22-96,144-199,261-321,367-425/Disulfide bonds: #status predicted
F;132/Disulfide bonds: interchain (to light chain) #status predicted
F;224,227,229/Disulfide bonds: interchain #status predicted
F;297/Binding site: carbohydrate (Asn) (covalent) #status experimental

```
Query Match        46.3%;  Score 1421;  DB 2;  Length 446;
Best Local Similarity   58.7%;  Pred. No. 1e-72;
Matches  264;  Conservative   71;  Mismatches  109;  Indels   6;  Gaps   4;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAVISSGGSGTYY   60
         :|| ||| |  |  |::| |   |   |||     | ::| | : || | ::  |  |:
Db    1  QIQLQQSGPELVRPGASVKISCKASGYTFTDYYIHWVKQRPGEGLEWIGWIYPGSGNTKY   60

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTTLTVSSA  120
         ::  || | :| ||| | : | :| |:|||||:|  :  ||:  |  |||  | :|||||
Db   61  NEKFGKATLTVDTSSSTAYMQLSSLTSEDSAVFCARG--GKFAMDYWGQGTSVTVSSA   118

Qy  121  STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSG  180
         ||  |||:|||| | || |  : |||||| |||||||| |||| ||| |||||||||| |
Db  119  KTTAPSVYPLAPVCGDTTGSSVTLGCLVKGYFPEPVTLTWNSGSLSSGVHTFPAVLQSD-  177

Qy  181  LYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKIEPRG--CPAPELLG          238
         ||:|||:|||  : | |:|  | ||:|||:| ||:|||:||    |  |||
Db  178  LYTLSSSVVTVSSTWPSQSTTCNVAHPASSTKVDKKIERG-PIIKCPCKCCPAPNLLG    236

Qy  239  GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY  298
         |||||:||||  | |||| |::|||||||||  || :|  || : |||| |:| :||: |
Db  237  GPSVFIFPPKIDVLMISLSPMVTCVVVDVSEDDPDVQISWFVANNVEVLTAQTQTHREDY  296

Qy  299  NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD  358
         ||| |||| |  :|||| ||||:|||| ||| |||||:|||| ||  | |||| |||    
Db  297  NSTLRVVSALPIQHQDWMSGKEFKCKVNNKDLPAPIERTISKPKGSVRAPQVYVLPPPEE  356

Qy  359  ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR  418
         |:|| || |||: |:| :|| |||| ||| |: ||  |||||||||:|::||||:| |:|
Db  357  EMTKKQVTLTCMVTDFMPEDIYVEWTNNGKTELNYKNTEPVLDSDGSYFMYSKLRVEKKN  416

Qy  419  WQQGNVFSCSVMHEALHNHYTQKSLSLSPG    448
         | :|: :||||:||.|||| ||| | | ||
Db  417  WVERNSYSCSVVHEGLHNHHTTKSFSRTPG    446
```

RESULT 11
S31459
Ig gamma-1 chain - sheep (fragment)
C;Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 16-Jul-1999
R;Patri, S.; Nau, F.
submitted to the EMBL Data Library, December 1992
A;Reference number: S31459
A;Accession: S31459
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-472 <PAT>
A;Cross-references: EMBL:X69797
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin
F;277-346/Domain: immunoglobulin homology <IMM>

```
Query Match        46.0%;  Score 1412;  DB 2;  Length 472;
Best Local Similarity   58.4%;  Pred. No. 3.5e-72;
Matches  269;  Conservative   66;  Mismatches  108;  Indels  18;  Gaps   5;

Qy    1  EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAVISSGGSG---   57
         :| | :||| .  |  |   | |:|||:  :    | |||:| | || |
Db   18  QVRLQESGPSLATLLQTLSVTCTISGFSLNNNYGVDWVRQAPGKALEWL------GGSGYDE   72

Qy   58  -TYYSDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY------FDSWG  110
          : | |:||.|:|| || |  :| |: | | |::|||::|| ||              :|
Db   73  DIDYNPVLKSRLSITKDTSKSQVSLTLSVVTTEDTAVYYCARVDSSHAFAYASYDFWG   132

Qy  111  QGTTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH  170
         .| |: |:|||:  | |:||:| .  ::   | ||||| .  |||||| |||||||||||
Db  133  PGLLISVLSASTTPPKVYPLTSCCGDTSSSIVTLGCLVSSYMPEPVTVTWNSGALTSGVH  192

Qy  171  TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP  230
         ||||:||||||||||||||||::: | |:| |||.| :::||||:|||| . |  | |:|
Db  193  TFPAILQSSGLYSLSSVVTVPASTSGAQTFICNVAHPASSTKVDKRVEPCGCPDCHGC-R  251

Qy  231  CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK  290
         || || ||||||:||||||||| :|| |||||||||||  ||||:|  | : ||| :|:
Db  252  CPPPELPGGPSVFIFPPKPKDTLTISGTPEVTCVVVDVGQDDPEVQFSWFVDNVEVRTAR  311

Qy  291  TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV  350
         |||||| |||::|||| |  :|||| .||:|||| .: ||||||: |||: ||  ||||||
Db  312  TKPREEQFNSTFRVVSALPIQHQDWTGGKEFKCKVHNEALPAPIVRTISRTKGQAREPQV  371

Qy  351  YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQP--ENNYKTTPPVLDSDGSFFL  408
         |.| : :||| | | ||||||.||||. ||||| ::|||    :  ||:| |.||||:||
Db  372  YVLAPPQEELSKSTLSVTCLVTGFYPDYIAVEWQKNGQPESEDKXGTTTSQLDADGSYFL  431

Qy  409  YSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK    449
         ||:| |||| |::|:  :|.|||||||||||||| |  |.|
Db  432  YSRLRVDKSNWQEGDTYACVVMHEALHNHYTQKSISKPGCK    472
```

RESULT 12
G2MS11
Ig gamma-2b chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 31-Mar-1980 #sequence_revision 01-Dec-2000 #text_change 09-Jul-2004
C;Accession: S25057; A02157; A26235; A26232; A26233; A53598
R;Fischer, R.; Voss, A.; Niersbach, M.; Munziker, W.; Hirsch, H.J.; Kreuzaler, F.
submitted to the EMBL Data Library, July 1992
A;Description: Production of a Tobacco mosaic virus (TMV) inactivating neotop specific m
A;Reference number: S25057
A;Accession: S25057
A;Status: preliminary

A;Molecule type: mRNA
A;Residues: 1-474 <FIS>
A;Cross-references: UNIPROT:P01866; EMBL:X67210; NID:g54826; PIDN:CAA47649.1; PID:g54827
A;Residues: 138-161, 'L', 163-189, 'FP', 193-474 <YAM>
R;Yamawaki-Kataoka, Y.; Kataoka, T.; Takahashi, N.; Obata, M.; Honjo, T.
Nature 283, 786-789, 1980
A;Note: the sequence was determined from the germline gene
A;Reference number: A02157; MUID:80120716; PMID:6766534
A;Contents: a allele
A;Accession: A02157
A;Title: Complete nucleotide sequence of immunoglobulin gamma2b chain gene cloned from n
A;Molecule type: DNA
A;Residues: 138-161, 'L', 163-189, 'FP', 193-474 <YAM>
R;Tucker, P.W.; Marcu, K.B.; Slightom, J.L.; Blattner, F.R.
Science 206, 1299-1303, 1979
A;Contents: b allele
A;Reference number: A26235; MUID:80081501; PMID:117548
A;Accession: A26235
A;Molecule type: mRNA
A;Residues: 138-172, 'P', 174-189, 'FP', 193-376, 'T', 378-474 <TU1>
R;Tucker, P.W.; Marcu, K.B.; Newell, N.; Richards, J.; Blattner, P.R.
Science 206, 1303-1306, 1979
A;Note: Lys-474 is probably removed posttranslationally
A;Reference number: A26232; MUID:80081502; PMID:117549
A;Title: Sequence of the cloned gene for the constant region of murine gamma2b immunoglo
A;Accession: A26232
A;Molecule type: DNA
A;Residues: 138-172, 'P', 174-189, 'FP', 193-376, 'T', 378-474 <TU2>
R;Ollo, R.; Rougeon, F.
Nature 296, 761-763, 1982
A;Title: Mouse immunoglobulin allotypes: post-duplication divergence of gamma2a and gamm
A;Contents: b allele
A;Reference number: A26233; MUID:82173203; PMID:6803173
A;Accession: A26233
A;Molecule type: DNA
A;Residues: 138-161, 'L', 163-189, 'FP', 193-300, 'R', 302-331, 'A', 333-437, 'DI', 440-474 <OLL>
R;Kim, H.; Yamaguchi, Y.; Masuda, K.; Matsunaga, C.; Yamamoto, K.; Irimura, T.; Takahash
J. Biol. Chem. 269, 12345-12350, 1994
A;Title: O-Glycosylation in hinge region of mouse immunoglobulin G2b.
A;Reference number: A53598; MUID:94216359; PMID:7512967
A;Contents: b allele
A;Accession: A53598
A;Status: preliminary
A;Molecule type: protein
A;Residues: 234-251 <KIM>
C;Comment: The a allele sequence is shown.
C;Genetics:
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
C;Superfamily: immunoglobulin C region; heterotetramer; immunoglobulin
C;Keywords: alternative splicing; duplication; glycoprotein; heterotetramer; immunoglobulin
C;Superfamily: immunoglobulin C region; immunoglobulin homology
F;157-222/Domain: immunoglobulin homology <IM1>
F;236-257/Region: hinge
C;Keywords: hinge
C;Superfamily: immunoglobulin
F;281-350/Domain: immunoglobulin homology <IM2>
F;387-454/Domain: immunoglobulin homology <IM3>
F;152/Disulfide bonds: interchain (to light chain) #status predicted
F;164-220,288-348,394-452/Disulfide bonds: #status predicted
F;247,250,253,256/Disulfide bonds: interchain (to heavy chain) #status predicted
F;324/Binding site: carbohydrate (Asn) (covalent) #status predicted

```
Qy  118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
             |||| |||| ||||  ||    || ||||| ||||||||| || |||| | |||   |
Db  136 SAAKTTPPSVYPLAPGCGDTTGSSVTLGCLVKGYFPEPVTVTWNSGSLSSSVHTLSQALL 195

Qy  178 SSGLYSLSSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT-HTCPP----- 230
            ||| | |||| ||||| ||   |  |  | || |||||| |||| | || |||
Db  196 QSGLYTMSSSVTVPSSTWPSQTVTCSVAHPASSTTVDKKLEPSGPISTINPCPPCKCHK  255

Qy  231 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFKNWYVDGVEVHNAK 290
            |||  |||||||| |||  || ||||| |||||||||||  ||  ||||||||||||||
Db  256 CPAPNLEGGPSVFIFPPNIKDVLMISLTPKVTCVVVDVSEDDPDVQISWFVNNVEHTAQ   315

Qy  291 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV  350
              || |||||| ||||| |  ||||| ||| ||||| | || |||||||| || |  ||
Db  316 TQTHREDYNSTIRVVSTLPIQHQDWMSGKEFKCKVNNKDLPSPIERTISKIKGLVRAPQV  375

Qy  351 YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLYS   410
            | ||    | ||||||||| || |  || ||| ||| || ||||||||||||||| ||
Db  376 YILPPPAEQLSRKDVSLTCLVVGFNPGDISVEWTSNGHTENYKDTAPVLDSDGSYFIYS   435

Qy  411 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK                       449
            ||   | || | | ||| | || | | |  | | |||
Db  436 KLNMKITSKWEKTDSFSCNVRHEGLKNYYLKKTISRSPGK                      474
```

Query Match 44.4%; Score 1365; DB 1; Length 474;
Best Local Similarity 55.8%; Pred. No. 1.6e-69;
Matches 256; Conservative 72; Mismatches 117; Indels 14; Gaps 4;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGGTYY  60
            | | |  |  |||| ||| |||| | | | |  ||| | ||     |  |  |   | |
Db   20 EVQLQQSGPELVNPGASVKMSCKASGYTFITYVMHWVKQKPGQGLEWIGYINPNNDGTKF  79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK---LGTY-YFDSWGQGTTLTV 117
            :  ||  ||:|||||||||||||||||||||| |:| |           || |||| ||
Db   80 NEKFKGKATLTSDKSSNTAYMELSSLTSEDSAVYYCAR----DYDYDWFAYWGQGTLVTV  135
```

RESULT 13
S01321
Ig gamma-2b chain precursor - mouse
C;Species: Mus musculus (house mouse)
C;Date: 30-Sep-1989 #sequence_revision 30-Sep-1989 #text_change 23-Jul-1999
C;Accession: S01321
R;de Waele, P.; Feys, V.; van de Voorde, A.; Molemans, F.; Fiers, W.
Eur. J. Biochem. 176, 287-295, 1988
A;Title: Expression in non-lymphoid cells of mouse recombinant immunoglobulin directed
A;Reference number: S01320; MUID:88329081; PMID:3118816
A;Accession: S01321
A;Molecule type: mRNA
A;Residues: 1-475 <DB1>
C;Cross-references: EMBL:X13188; NID:g51780; PIDN:CAA31580.1; PID:g51781
A;Note: this sequence was determined from the differentiated gene
C;Superfamily: immunoglobulin C region; immunoglobulin homology
C;Keywords: immunoglobulin
F;1-19/Domain: signal sequence #status predicted <SIG>
F;20-475/Product: Ig gamma-2b chain #status predicted <MAT>
F;159-223/Domain: immunoglobulin homology <IMM>

Query Match 43.7%; Score 1343.5; DB 2; Length 475;
Best Local Similarity 55.4%; Pred. No. 2.5e-68;
Matches 253; Conservative 75; Mismatches 120; Indels 9; Gaps 4;

```
Qy    1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGGTYY  60
            | | |  |  | |  ||| |||| | | | |  ||| || |    |  |:  | | | |
Db   20 QVQLQQSGAELARPGASVKLSCKASGYTLTSYGISWVKQRTCQGLEWIGEIYPGSNSYF   79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK-LGTYYFDSWGQGTTLTVSS 119
            :  ||  ||:|||||||||||||||||||||| |:| |           || |||| |:
Db   80 NEKFKGKATLTVDKSSSTAYLHLSSLTSEDSAVYFCAGPRQVGLLPFGYWGQGTLVTASA  139

Qy  120 ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
            | |  |||| ||||  ||    || ||||| ||||  ||| || |||| | ||||| | :
Db  140 AKTTPPSVYPLAPGCGDTTGSSVTLGCLVKGYFPESVTVTWNSGSLSSSVHTFPALLQ-S 198

Qy  180 GLYSLSSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT-HTCPP-----Cp 232
            ||| | |||| ||||| ||   |  |  | || |||||| |||| |  || |||
Db  199 GLYTMSSSVTVPSSTWPSQTVTCSVAHPASSTTVDKKLEPSGPTSTINPCPPCKEHKCP  258

Qy  233 APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVQFKNWYVDGVEVHNAKTK 292
            || | ||||||| |||  || ||||| |||||||||||  ||  ||||| |||||||
Db  259 APNLEGGPSVFIFPPNIKDVLMISLTPKVTCVVVDVSEDDPDVQISWFVNNVEVLTAQTQ  318

Qy  293 PREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYT  352
              | |||||| ||||| |  ||||| ||| ||||| | || |||||||| || |  |
Db  319 ...
```

```
Db    319  THREDYNSTIRVVSALPIQHQDWMSGKEFKCKVNNKDLPAPIERTISKIKGIVRAPQVYI 378

Qy    353  LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKL 412
           ||:|:|  ||||||:||:| ||||||||||||||||:||:|||||||||:|||||||||
Db    379. LSPPEQLSRKDVSLTCLAVGFSPEDISVEWTSNGHTEENYKDTAPVLDSDGSYFIYSKL 438

Qy    413  TVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           :|:|:| ||| |||:|| || ||:|:| |||||||
Db    439  NMKTSKWEKTDSFSCNVRHEGLKNYYLKKTISRSPGK 475
```

RESULT 14
I47159

Ig gamma 2a chain constant region - pig (fragment)
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 21-Jan-2000
C;Accession: I47159
R;Kacskovics, I.; Sun, J.; Butler, J.E.
J. Immunol. 153, 3565-3573, 1994
A;Title: Five putative subclasses of swine IgG identified from the cDNA sequences of a s
A;Reference number: I47158; MUID:95015845; PMID:7930579
A;Accession: I47159
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-328 <KAC>
A;Cross-references: EMBL:U03779; NID:g433123; PIDN:AAA52217.1; PID:g433124
C;Genetics:
A;Gene: IgG2a
C;Superfamily: immunoglobulin C region; immunoglobulin homology
F;133-202/Domain: immunoglobulin homology <IMM>

Query Match   41.1%; Score 1263; DB 2; Length 328;
Best Local Similarity 69.6%; Pred. No. 5.3e-64;
Matches 231; Conservative 43; Mismatches 52; Indels   6; Gaps 2;

```
Qy    120  ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS 179
           |:||||||| :|: :| |   |||    ||||||||||:|||   || || || ||||
Db      1  APKTAPSVYPLAPCSRDTSGPNVALGCLLASSYFPEPVTVTWNSGALSSGVHTFPSVLQPS 60

Qy    180  GLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGG 239
           |||||||||||||| : ||  |||||| |  || |:  |  : | :  |||| || ||
Db     61  GLYSLSSMVTVPASSLSSKSYTCNVNHPATTIKVDKRVGTKTKPPCPICPACESP---G 116

Qy    240  PSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYN 299
           |||||||||||||||||||||||||||||||| |||| ||||||||||||||||||||||
Db    117  PSVFIFPPKPKDTLMISRTPQVTCVVVDVSQENPEVQFSWYVDGVEVHTAQTRPKEEQFN 176

Qy    300  STYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDE 359
           ||||||||||| ||||||||:||||||||| |||| || ||||||||||||||||||:|
Db    177  STYRVVSVLPIQHQDWLNGKEFKCKVNNKDLPAPITRISKAKGQTREPQVYTLPPHAEE 236

Qy    360  LTKNQVSLTCLVKGFYPSDIAVEWESNGQ--PENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
           ||:|||||||| ||||||||:|||:|||:     |||||||||||||||||:||||| ||
Db    237  LSRSKVSITCLVIGFYPPDIDVEWQRNGQPEPBGNYRTTPPQQDVDGTYFLYSKFSVDKA 296

Qy    418  RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           ||||||||||:|||||||||||||:|:|||||
Db    297  SWQGGGIFQCAVMHEALHNHYTQKSISKTPGK 328
```

RESULT 15
S31866

Ig gamma-1 chain C region - synthetic
C;Species: synthetic
A;Note: Homo sapiens (man) gene engineered and expressed in Escherichia coli
C;Date: 06-Jan-1995 #sequence_revision 17-Mar-1997 #text_change 19-May-2000
C;Accession: S31866
R;Filpula, D.
submitted to the EMBL Data Library, February 1993
A;Description: Screening method for protein-protein interactions of cloned gene products.
A;Reference number: S31866
A;Accession: S31866
A;Molecule type: mRNA

A;Residues: 1-255 <FIL>
A;Cross-references: EMBL:X70421; NID:g33068; PIDN:CAA49866.1; PID:g33069
C;Keywords: immunoglobulin
F;1-22/Region: Escherichia coli outer membrane protein A precursor
F;23-255/Region: human Ig gamma-1 chain C region

Query Match   41.0%; Score 1260; DB 4; Length 255;
Best Local Similarity 97.5%; Pred. No. 5.8e-64;
Matches 233; Conservative   0; Mismatches   6; Indels   0; Gaps 0;

```
Qy    211  TKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH 270
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     17  TVAQADVESKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH 76

Qy    271  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKAL 330
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     77  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKAL 136

Qy    331  PAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPE 390
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    137  PAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPE 196

Qy    391  NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||:||
Db    197  NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSISKTPGK 255
```

Search completed: December 23, 2004, 19:06:08
Job time : 33.449 secs

```
OM protein - protein search, using sw model

                    GenCore version 5.1.6
                    Copyright (c) 1993 - 2004 Compugen Ltd.

Run on:             December 23, 2004, 18:31:20 ; Search time 161.904 Seconds
                                                 (without alignments)
                                                 2068.313 Million cell updates/sec

Title:              US-10-089-500-57
Perfect score:      3071
Sequence:           1 EVTLVESGGDFVKPGGSLKV.............IVEFLNRWITFCQSIISTLT 582

Scoring table:      BLOSUM62
                    Gapop 10.0 , Gapext 0.5

Searched:           1825181 seqs, 575374646 residues

Total number of hits satisfying chosen parameters:        1825181

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :          UniProt_02:*
                    1: uniprot_sprot:*
                    2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	2195.5	71.5	471	2	AAH24289	Aah24289 homo sapi
2	2184	71.1	470	2	Q6PJA4	Q6pja4 homo sapien
3	2184	71.1	470	2	AAH19337	Aah19337 homo sapi
4	2184	71.1	478	2	Q6PI81	Q6pi81 homo sapien
5	2184	71.1	478	2	AAH41037	Aah41037 homo sapi
6	2166.5	70.5	475	2	Q6MZQ6	Q6mzq6 homo sapien
7	2166.5	70.5	475	2	CAE45972	Cae45972 homo sapi
8	2166	70.5	472	2	BAC85232	Bac85232 homo sapi
9	2160	70.3	472	2	Q6N089	Q6n089 homo sapien
10	2160	70.3	472	2	CAE45781	Cae45781 homo sapi
11	2157.5	70.3	475	2	Q6GMW7	Q6gmw7 homo sapien
12	2154.5	70.2	479	2	AAH06402	Aah06402 homo sapi
13	2152.5	70.1	473	2	Q6MZV7	Q6mzv7 homo sapien
14	2152.5	70.1	473	2	CAE45920	Cae45920 homo sapi
15	2148	69.9	468	2	BAC85444	Bac85444 homo sapi
16	2146	69.9	480	2	Q6N094	Q6n094 homo sapien
17	2146	69.9	480	2	CAE45776	Cae45776 homo sapi
18	2145	69.8	466	2	Q6IN78	Q6in78 homo sapien
19	2145	69.7	544	2	Q6PJ95	Q6pj95 homo sapien
20	2140.5	69.7	544	2	AAH19046	Aah19046 homo sapi
21	2140.5	69.7	466	2	Q6N096	Q6n096 homo sapien
22	2126	69.2	466	2	CAE45774	Cae45774 homo sapi
23	2126	69.2	466	2	Q6P055	Q6p055 homo sapien
24	2124.5	69.2	473	2	AAH65820	Aah65820 homo sapi
25	2124.5	69.2	473	2	Q7Z5W1	Q7z5w1 homo sapien
26	2124	69.2	470	2	BAC85385	Bac85385 homo sapi
27	2123	69.1	464	2	BAC85373	Bac85373 homo sapi
28	2122	69.1	471	2	BAC85388	Bac85388 homo sapi
29	2120.5	69.0	466	2	AAH64496	Aah64496 homo sapi
30	2113	68.8	482	2	Q7Z351	Q7z351 homo sapien
31	2111	68.7	482	2	Q7Z351	Q7z351 homo sapien
31	2105	68.5	470	2	BAC85172	Bac85172 homo sapi
32	2103	68.5	474	2	BAC85350	Bac85350 homo sapi
33	2095.5	68.2	479	2	AAH14667	Aah14667 homo sapi
34	2090	68.1	464	2	AAH19337	Aah19337 homo sapi
35	2088	68.0	468	2	BAC85175	Bac85175 homo sapi
36	2083	67.8	474	2	BAC85171	Bac85171 homo sapi
37	2080.5	67.8	481	2	Q6N097	Q6n097 homo sapien
38	2080.5	67.7	481	2	CAE45773	Cae45773 homo sapi
39	2066.5	67.3	469	2	Q7Z7P5	Q7z7p5 homo sapien
40	2057	67.0	470	2	AAH62336	Aah62336 homo sapi
41	2055	66.9	476	2	BAC05017	Bac05017 homo sapi
42	2054	66.9	472	2	BAC86225	Bac86225 homo sapi
43	2052.5	66.8	475	2	Q6N095	Q6n095 homo sapien
44	2052.5	66.8	475	2	CAE45775	Cae45775 homo sapi
45	2051	66.8	474	2	BAC05012	Bac05012 homo sapi

ALIGNMENTS

RESULT 1
AAH24289
ID   AAH24289   PRELIMINARY;   PRT;   471 AA.
AC   AAH24289;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RA   Strausberg R.;
RL   Submitted (FEB-2002) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC024289; AAH24289.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   471 AA; 38877F4CF588660E CRC64;

Query Match   71.5%; Score 2195.5; DB 2; Length 471;
Best Local Similarity   91.6%; Pred. No. 9.5e-133;
Matches 414; Conservative 16; Mismatches 19; Indels 3; Gaps 2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              ||||||||| ||||||||||||||||||||||||||||| :||||||||||:||:||||
Db   20 EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKGLEWVSSMSSSSYIYY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR--VKLGTY-YFDSWGQGTTLTV 117
```

Qy    80 ADSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDLRQLTSYWFPDLWGRGTLVTV 139
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    80 ADSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDLRQLTSYWFPDLWGRGTLVTV 139

Qy   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   118 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 177

Qy   140 SSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQ 199
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 199

Qy   178 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 237
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   200 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 259

Qy   200 SSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELL 259
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297

Qy   238 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 297
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 319

Qy   260 GGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQ 319
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357

Qy   298 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 357
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   320 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 379

Qy   320 YNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR 379
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417

Qy   358 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 417
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 439

Qy   380 DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKS 439
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449

Qy   418 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
            ||||||||||||||||||||||||||||||||
Db   440 RWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 471

---

RESULT 2

ID    Q6PJA4

AC    Q6PJA4;

DT    05-JUL-2004 (TrEMBLrel. 27, Created)
DT    05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT    05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE    Hypothetical protein.
OS    Homo sapiens (Human).
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX    NCBI_TaxID=9606;
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RX    MEDLINE=22388257; PubMed=12477932;
RA    Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA    Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA    Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA    Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA    Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA    Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA    Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA    Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA    Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA    Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA    Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA    Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA    Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA    Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA    Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA    Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA    Jones S.J., Marra M.A.;
RT    "Generation and initial analysis of more than 15,000 full-length human
RT    and mouse cDNA sequences.";
RL    Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
DR    EMBL; BC018747; AAH18747.1; -.
DR    InterPro; IPR003599; Ig.
DR    InterPro; IPR007110; Ig-like.
DR    InterPro; IPR003597; Ig_C1.
DR    InterPro; IPR003006; Ig_MHC.
DR    InterPro; IPR003596; Ig_V.
DR    Pfam; PF07654; C1-set; 3.
DR    Pfam; PF00047; ig; 1.
DR    SMART; SM00409; IG; 2.
DR    SMART; SM00408; IGc1; 3.
DR    SMART; SM00407; IGv; 1.
DR    SMART; SM00406; IGv; 1.
DR    PROSITE; PS50835; IG_LIKE; 4.
DR    PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW    Hypothetical protein.
SQ    SEQUENCE 470 AA; 51715 MW; 7B49556A11FD7D99 CRC64;

Query Match                71.1%;  Score 2184;  DB 2;  Length 470;
Best Local Similarity   91.4%;    Pred. No. 5.2e-132;
Matches  412;  Conservative  10;  Mismatches  27;  Indels  2;  Gaps  1;

Qy     1 EVTLVESGGDFVKPGGSLRLSCAASGFPTFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
           ||||||:|:|||.||:|||:|||||||..|::|..|:||||||||:|:||||:|:||||||
Db     1 EVQLVESGGGLVQPGGSLRLSCVSGFTFSSYWMSWVRQAPGKGLEWVANIKQDSSEKYY 59

Qy    20 EVQLVESGGGLVQPGGSLRLSCVSGFTFSSYWMSWVRQAPGKGLEWVANIKQDSSEKYY 79
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    20 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 79

Qy    61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY--YFDSWGQGTLVTVS 118
           ||||||||||||||||:|||||||:|||.||:|.|||.:||||  ||.||||.|||||||
Db    61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY--YFDSWGQGTLVTVS 118

Qy    80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDGSSWRDWFDPWGQGTLVTVS 139
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDGSSWRDWFDPWGQGTLVTVS 139

Qy   119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178

Qy   140 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 199
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   140 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 199

Qy   179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 238
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 238

Qy   200 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 259
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298

Qy   239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   260 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 319

Qy   260 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 319
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358

Qy   299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   320 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 379

Qy   320 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 379
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418

Qy   359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   380 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 439

Qy   380 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 439
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449

Qy   419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
           |||||||||||||||||||||||||||||||
Db   440 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 470

---

RESULT 3

ID    AAH18747

AC    AAH18747;

DT    02-MAR-2004 (TrEMBLrel. 27, Created)
DT    02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT    02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE    Hypothetical protein.
OS    Homo sapiens (Human).
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX    NCBI_TaxID=9606;
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=Primary B-Cells;
RX    MEDLINE=22388257; PubMed=12477932;
RA    Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA    Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA    Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA    Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA    Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA    Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA    Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA    Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,

RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA Jones S.J., Marra M.A.;
RL "Generation and initial analysis of more than 15,000 full-length human
RL and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
KW Hypothetical protein.
SQ SEQUENCE 470 AA; 51715 MW; 7B49556A11FD7D99 CRC64;

```
Query Match    71.1%;  Score 2184;  DB 2;  Length 470;
Best Local Similarity   91.4%;  Pred. No. 5.2e-132;
Matches  412;  Conservative  10;  Mismatches 27;  Indels  2;  Gaps  1;

Qy      1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          ||||||||| ||||||||||||||||||||||||||||||||||||||||| ||||||||
Db     20 EVQLVESGGGLVQPGGSLRLSCVVSGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy     61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY---YFDSWGQGTLTVS 118
          |||||||||||||||| ||||||||||||||||||||||  |:|:||  ||||||||| |
Db     80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARDGSSWYRDWFDPWGQGTLVTVS 139

Qy    119 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 178
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    140 SASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQS 199

Qy    179 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 238
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    200 SGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLG 259

Qy    239 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 298
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    260 GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY 319

Qy    299 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 358
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    320 NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRD 379

Qy    359 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 418
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    380 ELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSR 439

Qy    419 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||
Db    440 WQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 470
```

RESULT 4

ID   Q6P181;   PRELIMINARY;   PRT;   478 AA.
AC   Q6P181;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;

RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RL   "Generation and initial analysis of more than 15,000 full-length human
RL   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RA   Strausberg R.;
RL   Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
EMBL; BC041037; AAH41037.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
Pfam; PF07654; C1-set; 3.
Pfam; PF00047; Ig; 4.
SMART; SM00409; IG; 2.
SMART; SM00407; IGc1; 3.
SMART; SM00406; IGv; 1.
PROSITE; PS50835; IG_LIKE; 4.
PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE 478 AA; 52666 MW; 17BED38D91797DD6 CRC64;

```
Query Match    71.1%;  Score 2184;  DB 2;  Length 478;
Best Local Similarity   90.0%;  Pred. No. 5.3e-132;
Matches  413;  Conservative  13;  Mismatches 23;  Indels  10;  Gaps  2;

Qy      1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          ||||||||| |||||||||||||||||||||||||||| ||||||||||| ||||||||
Db     20 EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy     61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR---------VKLGTYYF--DSWG 110
          |||||||||||||||| ||||||||||||||||||||         |:|:|||:  ||||
Db     80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAREFSTMTTVNADYYFYMDVWG 139

Qy    111 QGTTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 170
          |:|| |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    140 KGTTVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 199

Qy    171 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 230
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    200 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 259

Qy    231 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 290
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    260 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 319

Qy    291 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 350
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    320 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 379

Qy    351 YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 410
          |||||||:|:|||||||||||||||||||||||||||||||||||||||||||||||||
Db    380 YTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 439
```

Qy 411 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
        |||||||||||||||||||||||||||||||||||||||
Db 440 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 478

RESULT 5
AAH41037
ID   AAH41037   PRELIMINARY;   PRT;   478 AA.
AC   AAH41037;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
DR   EMBL; BC041037; AAH41037.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   478 AA;   52666 MW; 17BED38D917970D6 CRC64;

Query Match   71.1%; Score 2184; DB 2; Length 478;
Best Local Similarity   90.0%; Pred. No. 5.3e-132;
Matches 413; Conservative 13; Mismatches 23; Indels 10; Gaps 2;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          |||||||||||:|||||||||||||||::|||||||||||||||||||||||||||||||
Db   20 EVQLVESGGGLVQPGGSLRLSCAASGFTFSSYWMSWVRQAPGKGLEWVANIKQDGSEKYY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR------------VKLGTYYF--DSWG 110
          ||||||||||:||||||||||||||||||||||||| :||| |:||
Db   80 VDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAREFESTMTTVNADYYYFYMDVWG 139

Qy 111 QGTLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 170
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 140 KGTTVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 199

Qy 171 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPP 230
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 200 TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPP 259

Qy 231 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 290
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 CPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAK 319

Qy 291 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 350
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 320 TKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQV 379

Qy 351 YTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 410
          ||||||||:||||||||||||||||||||||||||||||||:||||||||||||||||||
Db 380 YTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYS 439

Qy 411 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          |||||||||||||||||||||||||||||||||||||||
Db 440 KLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 478

RESULT 6
Q6MZQ6
ID   Q6MZQ6   PRELIMINARY;   PRT;   475 AA.
AC   Q6MZQ6;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686G11190.
GN   Name=DKFZp686G11190;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human esophagus tumor;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Lauber J., Bahr A., Mewes H.W., Weil B., Amid C., Osanger A., Fobo G.,
RA   Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640947; CAE45972.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_c1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS50290; IG_MHC; UNKNOWN_2.
DR   PROSITE; PS00290; IG; 1.
KW   Hypothetical protein.
SQ   SEQUENCE   475 AA;   52043 MW; B7EAE255A26FA8B8E CRC64;

Query Match   70.5%; Score 2166.5; DB 2; Length 475;
Best Local Similarity   89.0%; Pred. No. 7e-131;
Matches 406; Conservative 18; Mismatches 25; Indels 7; Gaps 1;

Qy   1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
          |||||||||||:|||||||||||||||::|||||||||||||||||||||||||||||||
Db   20 EVQLLESGGGLVQPGGSLRLSCAASGFTFNYAMNWVRQAPGKGLEWVSGITSSSGVNTIY 79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY----------YFDSWGQGGT 113
          |||||||||||:|||||||||||||||||||||||||:   :|||:||||:
Db   80 ADSVKGRFTISGDISTNTLYLQMHSLRADTAVYYCARADYRDYQVSPAYWFYDVWGRGT 139

Qy 114 TLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH 173
          ||:||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 140 LVSVSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 199

Qy 174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 233
          ||||||||||||||||||||||||||||||||||||||||||||::||||||||||||||
Db 200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPA 259

Qy 234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 293
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 260 ...

```
RESULT 7
ID   CAE45972
AC   CAE45972;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686G11190.
GN   DKFZp686G11190.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human esophagus tumor;
RA   Lauber J., Bahr A., Mewes H.W., Weil B., Amid C., Osanger A., Fobo G.,
RA   Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640947; CAE45972.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   475 AA;  52043 MW;  B7EAE255A26F4B8E CRC64;

  Query Match             70.5%;  Score 2166.5;  DB 2;  Length 475;
  Best Local Similarity   89.0%;  Pred. No. 7e-131;
  Matches  406;  Conservative   18;  Mismatches   25;  Indels    7;  Gaps    1;

Qy          1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              |||||:||||:::||| :|||||||||||:|| :|||:|||||:|| :|||||:||||:||
Db         20 EVQLLESGGGLVQPGGSLRLSCAASGFTFRNYAMMWVRQAPGKGLEWVSAIGGSGVNTIY 79

Qy         61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTY------YFDSWGQGT 113
              :||||||||||| |::|||||||:|||:||::|:| ||| :||:||     |||:|||:|
Db         80 ADSVKGRFTISGDISTNTLYLQMHSLRADDTAVYYCARADYRDYQVSPAYWYFDVWGRGT 139

Qy        114 TLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 173
              :|:|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        140 LVSVSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP 199

Qy        174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 233
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA 259

Qy        234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 293
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP 319

Qy        294 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 353
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        320 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL 379

Qy        354 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 413
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        380 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT 439

Qy        414 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              |||||||||||||||||||||||||||||||||||
Db        440 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 475
```

```
RESULT 8
ID   BAC85232
AC   BAC85232;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   CDNA FLJ26265 fis, clone DMC05516, highly similar to Ig gamma-1 chain
DE   C region.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Dermoid tumor;
RA   Ota T., Nakagawa S., Senoh A., Mizuguchi H., Inagaki H., Suzuki Y.,
RA   Hata H., Nakagawa K., Mizuno S., Morinaga M., Kawamura M.,
RA   Sugiyama T., Irie R., Otsuki T., Sato H., Nishikawa T., Sugiyama A.,
RA   Kawakami B., Nagai K., Isogai T., Sugano S.;
RT   "NEDO human cDNA sequencing project.";
RL   Submitted (JUL-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AK129776; BAC85232.1; -.
SQ   SEQUENCE   472 AA;  51212 MW;  01BF215F99809164 CRC64;

  Query Match             70.5%;  Score 2166;  DB 2;  Length 472;
  Best Local Similarity   89.2%;  Pred. No. 7.5e-131;
  Matches  406;  Conservative   18;  Mismatches   23;  Indels    8;  Gaps    2;

Qy          1 EVTLVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY 60
              |||||:||||:|:||| :|||||||||| |:  :|:|:|||:|| :|||||:||||:|||
Db         20 EVNLLQSGGGLVQPGGSLRLSCAASGFPAFGGTAMTWVRQVPGKGLEWVSAIGGSGYSTYY 79

Qy         61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYY------FDSWGQGTT 114
              :|||:|||| ||| | |::|::|||:|::|:|:| ||| :|:::||     |||:|||:|:
Db         80 ADSVTGRFTVSRDNSNNTVTYLQMNSLRVEDTAMYYCAKDRVG--YGGNPDSFDAWGQGTM 137

Qy        115 LTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPA 174
              :||:|||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        138 VTVGSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPA 197

Qy        175 VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAP 234
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        198 VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAP 257

Qy        235 ELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPR 294
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        258 ELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPR 317

Qy        295 EEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLP 354
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        318 EEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLP 377

Qy        355 PSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTV 414
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        378 PSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTV 437

Qy        415 DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
              |||||||||||||||||||||||||||||||||||
Db        438 DKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472
```

```
RESULT 9
Q6N089
ID   Q6N089
AC   Q6N089;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686P15220.
GN   Name=DKFZp686P15220;
```

RESULT 10

OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human rectum tumor;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640627; CAE45781.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   472 AA; 51724 MW; 26CB340D0046D279 CRC64;

Query Match   70.3%; Score 2160; DB 2; Length 472;
Best Local Similarity   89.9%; Pred. No. 1.8e-130;
Matches 408; Conservative 16; Mismatches 24; Indels 6; Gaps 3;

Qy   1 EVTLVESGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTTY 60
          ||||||| ||||||||||||||||||||||| ||||||||||||||||||||:|| |||::
Db   1 EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVSGISWNSGSIAY 79

Qy   61 SDSVKGRFTISRDNAKNTIYLQMRSLRSEDSAMYFCTRVKLGT---YYF--DSWQGTTL 115
          :||||||||||||||||:|||||||:|||||||:|| |: | :|| ||||||||
Db   80 ADSVKGRFTISRDNGKNSLYLQMNSLRAEDTALYYCAK-EIGAHNFYYGMDVWGQGTTV 138

Qy   116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 198

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 235
          |||||||||||||||||||||||||||||||||||||||||||||:||||||||||||||
Db   199 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 258

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   259 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 318

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   319 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 378

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 438

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||||
Db   439 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472

OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human rectum tumor;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BX640627; CAE45781.1; -.
DE   Hypothetical protein.

Query Match   70.3%; Score 2160; DB 2; Length 472;
Best Local Similarity   89.9%; Pred. No. 1.8e-130;
Matches 408; Conservative 16; Mismatches 24; Indels 6; Gaps 3;

Qy   1 EVTLVESGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTTY 60
          ||||||| ||||||||||||||||||||||| ||||||||||||||||||||:|| |||::
Db   1 EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVSGISWNSGSIAY 79

Qy   61 SDSVKGRFTISRDNAKNTIYLQMRSLRSEDSAMYFCTRVKLGT---YYF--DSWQGTTL 115
          :||||||||||||||||:|||||||:|||||||:|| |: | :|| ||||||||
Db   80 ADSVKGRFTISRDNGKNSLYLQMNSLRAEDTALYYCAK-EIGAHNFYYGMDVWGQGTTV 138

Qy   116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 198

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 235
          |||||||||||||||||||||||||||||||||||||||||||||:||||||||||||||
Db   199 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 258

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   259 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 318

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   319 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 378

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 438

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||||
Db   439 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472

RESULT 11

ID   Q6GMW7   PRELIMINARY;   PRT;   475 AA.
AC   Q6GMW7;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RX   MEDLINE=22382257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,

Query Match   70.3%; Score 2160; DB 2; Length 472;
Best Local Similarity   89.9%; Pred. No. 1.8e-130;
Matches 408; Conservative 16; Mismatches 24; Indels 6; Gaps 3;

Qy   1 EVTLVESGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGSGTTY 60
          ||||||| ||||||||||||||||||||||| ||||||||||||||||||||:|| |||::
Db   1 EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVSGISWNSGSIAY 79

Qy   61 SDSVKGRFTISRDNAKNTIYLQMRSLRSEDSAMYFCTRVKLGT---YYF--DSWQGTTL 115
          :||||||||||||||||:|||||||:|||||||:|| |: | :|| ||||||||
Db   80 ADSVKGRFTISRDNGKNSLYLQMNSLRAEDTALYYCAK-EIGAHNFYYGMDVWGQGTTV 138

Qy   116 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 175
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   139 TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV 198

Qy   176 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKTHTCPPCPAPE 235
          |||||||||||||||||||||||||||||||||||||||||||||:||||||||||||||
Db   199 LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE 258

Qy   236 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 295
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   259 LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE 318

Qy   296 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 355
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   319 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP 378

Qy   356 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 415
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   379 SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD 438

Qy   416 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 449
          ||||||||||||||||||||||||||||||||||
Db   439 KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK 472

RESULT 12

Column 1

```
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Green E.D., Dickson M.C.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RA   Strausberg R.;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC073782; AAH73782.1; -.
DR   InterPro; IPR003782; Ig.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_V.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   Pfam; PF00047; Ig; 2.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00408; IGc1; 3.
DR   SMART; SM00407; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE 475 AA; 51987 MW; 2A1FE55D736860F8 CRC64;

Query Match          70.3%;  Score 2157.5;  DB 2;  Length 475;
Best Local Similarity 89.5%;  Pred. No. 2.6e-130;
Matches 408; Conservative 15; Mismatches 26; Indels 7; Gaps 2;

Qy    1 EVTLVESGGDEVKPGGSLKYSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGGTYY   60
         ||||||| ||||:||||||:|||||| ||| |||| ||||| ||:||| || ||:|||||
Db   20 EVQLVESGGGLVQPGGSLRLSCVASAFTLSRHAMHWVRQAPGKGLEYVSGISNSENSTYY   79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVK-------LGTYY-FDSWGQGT  113
         :|||||||||||||:|:|:|||  ||| |||  | ||| |       |||| |||||||
Db   80 ADSVKGRFTISRDNYKNTLYLQLGSLRAEDKAVYYCARARCRGDTCLNFYYGLIDVWGQGT  139

Qy  114 TLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP  173
         |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  140 TVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFP  199

Qy  174 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA  233
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  200 AVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA  259

Qy  234 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP  293
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  260 PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKP  319

Qy  294 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL  353
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  320 REEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTL  379

Qy  354 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT  413
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  380 PPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLT  439

Qy  414 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
         ||||||||||||||||||||||||||||||||||||
Db  440 VDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  475
```

Column 2

```
AAH06402
ID   AAH06402    PRELIMINARY;    PRT;   479 AA.
AC   AAH06402;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.B.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Primary B-Cells;
RA   Strausberg R.;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC006402; AAH06402.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE 479 AA; 52281 MW; D74E0C89082A9788 CRC64;

Query Match          70.2%;  Score 2154.5;  DB 2;  Length 479;
Best Local Similarity 88.7%;  Pred. No. 4.2e-130;
Matches 408; Conservative 15; Mismatches 26; Indels 11; Gaps 2;

Qy    1 EVTLVESGGDEVKPGGSLKYSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGSGGTYY   60
         ||||||| |||:||||||:|||||||||  |||| |||| ||:||||  |:| |:|| |
Db   20 EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQVPGKGLEWVSGISNSGSIGY   79

Qy   61 SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTR-VKL-------GTYYFDSW  109
         :||||||||||||| || |||: ||:||||  | ||      :|:| ||:||||
Db   80 ADSVKGRFTISRDNAKKSLYLQMNSLRAEDTALYYCAKDIELDIVVVPAPMRGSLGFDYW  139

Qy  110 GQGTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGV  169
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  140 GQGTLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGV  199

Qy  170 HTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCP  229
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  200 HTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCP  259

Qy  230 PCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNA  289
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  260 PCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNA  319

Qy  290 KTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ  349
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  320 KTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ  379

Qy  350 VYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLY  409
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  350 VYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLY  409
```

```
Db  380  VYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLY  439
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  410  SKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
         ||||||||||||||||||||||||||||||||||||||||
Db  440  SKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  479
```

RESULT 13

ID   Q6MZV7;   PRELIMINARY;   PRT;   473 AA.
AC   Q6MZV7;
DT   05-JUL-2004 (TrEMBLrel. 27, Created)
DT   05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT   05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp686C11235.
GN   Name=DKFZp686C11235;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human small intestine;
RG   THE GERMAN HUMAN CDNA CONSORTIUM;
RA   Bloecker H., Boecker M., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
EMBL; BX640853; CAB45920.1; -.
DR   InterPro; IPR003599; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003596; Ig_v.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF00047; Ig; 4.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00408; IGc1; 3.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS50290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein.
SQ   SEQUENCE   473 AA;   52121 MW;   9476EA84C0BFC447 CRC64;

Query Match   70.1%;   Score 2152.5;   DB 2;   Length 473;
Best Local Similarity   88.3%;   Pred. No. 5.5e-130;
Matches 401;   Conservative 24;   Mismatches 24;   Indels 5;   Gaps 1;

```
Qy    1  EVTLVESGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
         ||||||||| :|| |||||:|||||||:||||    | :||||| :|||| :  |  |||
Db   20  EIQLVESGGGLVQPGGSLRLSCAASGFTFSSFEMNWVRQAPGKGLEWLSYITRSGNTVYY   79

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGT----YYFDSWGQGTTL  115
         :|| :||||||||||:|:|||||| ||| ||:| | |||   |    : |||||||  |
Db   80  ADSLQGRFTISRDNARNSLYLQMNSLRAEDTAVYYCARQNEHTSPWYPSFFDYWGQGILV  139

Qy  116  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV  175
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  140  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV  199

Qy  176  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE  235
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  200  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE  259

Qy  236  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  295
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  260  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  319

Qy  296  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  355
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  320  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  379

Qy  356  SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  415
         ||:|:||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  380  SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  439

Qy  416  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
         ||||||||||||||||||||||||||||||||||
Db  440  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  473
```

RESULT 14

ID   CAB45920;   PRELIMINARY;   PRT;   473 AA.
AC   CAB45920;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)
DT   02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT   02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE   Hypothetical protein DKFZp68C11235.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primata; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Human small intestine;
RA   Bloecker H., Boecker M., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
EMBL; BX640853; CAB45920.1; -.
KW   Hypothetical protein.
SQ   SEQUENCE   473 AA;   52121 MW;   9476EA84C0BFC447 CRC64;

Query Match   70.1%;   Score 2152.5;   DB 2;   Length 473;
Best Local Similarity   88.3%;   Pred. No. 5.5e-130;
Matches 401;   Conservative 24;   Mismatches 24;   Indels 5;   Gaps 1;

```
Qy    1  EVTLVESGGDFVKPGGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYY   60
         ||||||||| :|| |||||:|||||||:||||    | :||||| :|||| :  |  |||
Db   20  EIQLVESGGGLVQPGGSLRLSCAASGFTFSSFEMNWVRQAPGKGLEWLSYITRSGNTVYY   79

Qy   61  SDSVKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGT----YYFDSWGQGTTL  115
         :|| :||||||||||:|:|||||| ||| ||:| | |||   |    : |||||||  |
Db   80  ADSLQGRFTISRDNARNSLYLQMNSLRAEDTAVYYCARQNEHTSPWYPSFFDYWGQGILV  139

Qy  116  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV  175
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  140  TVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAV  199

Qy  176  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE  235
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  200  LQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE  235

Qy  236  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  295
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  260  LLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE  295

Qy  296  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  355
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  320  EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP  379

Qy  356  SRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  415
         ||:|:||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  380  SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVD  439

Qy  416  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  449
         ||||||||||||||||||||||||||||||||||
Db  440  KSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK  473
```

RESULT 15

ID   BAC85444;   PRELIMINARY;   PRT;   468 AA.
AC   BAC85444;
DT   02-MAR-2004 (TrEMBLrel. 27, Created)

```
DT  02-MAR-2004 (TrEMBLrel. 27, Last sequence update)
DT  02-MAR-2004 (TrEMBLrel. 27, Last annotation update)
DE  cDNA FLJ27334 fis, clone TMS09201, highly similar to Ig gamma-1 chain
DE  C region.
OS  Homo sapiens (Human).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX  NCBI_TaxID=9606;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  TISSUE=Thymus;
RA  Kawakami B., Sugiyama A., Takemoto M., Suzuki Y., Hata H.,
RA  Nakagawa K., Mizuno S., Morinaga M., Kawamura M., Sugiyama T.,
RA  Irie R., Otsuki T., Sato H., Nishikawa T., Nagai K., Isogai T.,
RA  Sugano S.;
RT  "NEDO human cDNA sequencing project.";
RL  Submitted (JUL-2003) to the EMBL/GenBank/DDBJ databases.
DR  EMBL; AK130844; BAC85444.1; -.
SQ  SEQUENCE  468 AA;  51224 MW;  9280ACAD6817FC20 CRC64;

Query Match            69.9%;  Score 2148;  DB 2;  Length 468;
Best Local Similarity  89.7%;  Pred. No. 1.1e-129;
Matches  400;  Conservative  18;  Mismatches  28;  Indels  0;  Gaps  0;

Qy       4 LVESGGDFVKPGGSLKVSCAASGFAFSHYAMSWVRQTPAKRLEWVAYISSGGSGTYYSDS   63
           ||||||||| |||||||||||| :||| :| | ||||||||||||||| ::|||
Db      23 LVESGGGLVKPEGSLRLSCSASGFTFSDYYMGWTRQAPGKGLEWISYISDSGLSQYHAES  82

Qy      64 VKGRFTISRDNAKNTLYLQMRSLRSEDSAMYFCTRVKLGTYYFDSWGQGTLTVSSASTK  123
           ||||||||||| ||| |||| ||| ||||| :|: :| | |||||||||||||||||||
Db      83 VKGRFTVSRDNAKNSLSLQMRLRAEDTAVYYCARLVVRGVIINLWGQGTLVTVSSASTK  142

Qy     124 GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS  183
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     143 GPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS  202

Qy     184 LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF  243
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     203 LSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVF  262

Qy     244 LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR  303
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     263 LFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYR  322

Qy     304 VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN  363
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     323 VVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKN  382

Qy     364 QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGN  423
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     383 QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGN  442

Qy     424 VFSCSVMHEALHNHYTQKSLSLSPGK  449
           ||||||||||||||||||||||||||
Db     443 VFSCSVMHEALHNHYTQKSLSLSPGK  468

Search completed: December 23, 2004, 19:04:41
Job time : 162.904 secs
```